



RFP 17-04 Multifunction Copier Contract

Judy Willhoit

Phone-850-818-1647

Fax-888-391-4217

judy@abcmps.com

http://www.abcmps.com

24 Hour Tech Support/Service Hotline

1-800-821-2797

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge	Color Print Charge	Supplies Included
B405DN	VersaLink B405 B/W Multifunction Printer,	47	36	\$36.93			\$0.0090		Yes
	Print/Copy/Scan/Fax , Letter/Legal, up to 47PPM, 2-Sided Print, USB/Ethernet, 550-Sheet Paper Tray, 150-Sheet Multipurpose Tray, 60-Sht DADF (Single-Pass Duplex), 110V		J	,	Ţ	Ç	V		.00
	MAY Choose One of the Following:		ļ					<u>; </u>	i
	1DAYAIR2 -Next Day Air Delivery to Customer	 !	 !	\$2.15				 	ļ
	DRCINST -Carrier Delivery & Install	-		\$0.00				:	
		Ĭ						<u>.</u>	<u>.</u>
	WIFIVL -Wireless Accessory	<u>.</u>	ļ 	\$1.64				<u> </u>	<u>;</u>
	6RX -Productivity Kit with 16GB SSD	<u>.</u>	ļ	\$10.05	.				
	RFIDKIT2 -RFID Card Reader for C405	<u>.</u>		\$7.06	,			<u>.</u>	
	STNDSTORE -Stand with Storage	ļ		\$10.05	·····		ļ	<u> </u>	ļ
	WCTRAY1 -550 Sheet Feeder WCTRAY2 -550 Sheet Feeder	ļ	ļ !	\$5.07 \$5.07				: :	: :
	WCTRAY3 -550 Sheet Feeder	<u> </u>	: {	\$5.07 \$5.07				<u> </u>	<u> </u>
	WOTTATO -330 Sheet reeder			ψυ.υ1			<u></u>	i :	<u>.</u>
B7125H	VersaLink® B7125 Multifunction Printer with 130- sheet DADF, Tandem Tray Module, Duplex, 2-520 Sheet Trays, 50 Sheet Bypass Tray, Dual Offset Catch Tray, 320GB Hard Drive, 4GB Memory, Scan to E-mail, Security (Disk Encryption and Image Overwrite) (QPA), 25 PPM MFP Initialization Kit (QZU)	25	36	\$88.83	0	0	\$0.0062	\$0.0000	Yes
	NO-PS3 -No PostScript Needed	i	36	\$0.00				 	į
	PSCRIP3B -PostScript 3 Kit		36	\$10.88				: :	
	May Choose One of the Following:		36	\$0.00					
	MUST Choose One of the Following:		36	\$0.00					
	FAX-1LIN -Embedded 1-Line Fax	<u>.</u>	36	\$14.48	;				<u>.</u>
	FAX-3LIN -Embedded 3-Line Fax		36	\$30.20	•				
	FAX-IPB -Fax over IP		36	\$21.63	 		÷		
	MAY Choose One of the Following:	.	36	\$0.00			<u> </u>	<u>;</u>	!
	INTFIN1 -Integrated Office Finisher OFFINLX1 -Office Finisher LX with Gap Filler	<u> </u>	36 36	\$18.14 \$24.86				<u>.</u>	
	MAY Choose One of the Following:	÷	36	\$24.00 \$0.00				; ; ;	; ; ;
	CARDRDR -Common Access Card Reader	<u>.</u>	36	\$1.98				<u>;</u> 	<u> </u>
		* :		x.	}		······································	ሉ :	<u>{</u>
	RFID70 -Integrated Programmable RFID Reader SIPRRDR1 -SIPRNet		36 36	\$10.36 \$8.37					
	May Choose any of the following:	Ĭ	36	\$0.00					
	CNVSTPLWS -Convenience Stapler w/Work Surface		36	\$9.04					
	ENVELTRAY -Envelope Feeder Tray	<u>.</u>	36	\$7.23					ļ
	FIDKIT -Foreign Interface Kit	<u> </u>	36	\$7.55			ļ	<u>:</u>	<u> </u>
	HCFB2W -High Capacity Feeder (2000 Sheet)	<u>.</u>	36	\$17.21				:	!
	HC-KNO2 -Healthcare MFP (8XC) OFC-BM -Booklet Unit for Office Finisher	ļ	36 36	\$17.08 \$17.16	·		<u></u>	 !	<u>;</u>
	OFC-BIN -BOOKIET OF THIS TIEF	<u></u>	36 36	\$17.16 \$5.37				<u>:</u>	<u> </u>
	UNICODE -Xerox International Print Kit	 	36	\$6.42			<u> </u>	; ;	; ;
	WIRELESS2 -Dual Band Wireless Kit		36	\$1.64					
B7125S	VersaLink® B7125 Multifunction Printer with 130- sheet DADF, Stand, Duplex, 2-520 Sheet Trays, 100-Sheet Bypass Tray, Dual Offset Catch Tray, 320GB Hard Drive, 4GB Memory, Scan to Email, Security (Disk Encryption and Image Overwrite) (QNY), 25 PPM MFP Initialization Kit (QZU).	25	36	\$81.45	0	0	\$0.0062	\$0.0000	Yes
	MUST Choose One of the Following:		36	\$0.00			<u></u>	<u></u>	<u> </u>
	NO-PS3 -No PostScript Needed		36	\$0.00				 !	<u></u>
	PSCRIP3B -PostScript 3 Kit	<u> </u>	36	\$10.88				:	:
	May Choose One of the Following:		36	\$0.00	·			·	; ;
	FAX-1LIN -Embedded 1-Line Fax		36	\$14.48					
	FAX-3LIN -Embedded 3-Line Fax	<u> </u>	36	\$30.20	: :		<u>!</u>	<u> </u>	<u> </u>

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge	Color Print Charge	Supplies Included
	FAX-IPB -Fax over IP		36	\$21.63					
	MAY Choose One of the Following:		36	\$0.00				 !	
	INTFIN1 -Integrated Office Finisher		36	\$18.14			.	.	;
	OFFINLX1 -Office Finisher LX with Gap Filler	:	36	\$24.86	•		:	:	:
	MAY Choose One of the Following:		36	\$0.00		:		<u> </u>	, !
	CARDRDR -Common Access Card Reader		36	\$1.98	•				;
	RFID70 -Integrated Programmable RFID Reader		36	\$10.36					
	SIPRRDR1 -SIPRNet	<u> </u>	36	\$8.37			<u> </u>	<u> </u>	<u> </u>
	May Choose any of the following:		36	\$0.00	,				}
	CNVSTPLWS -Convenience Stapler w/Work Surface								
		<u> </u>	36	\$9.04			<u></u>	<u> </u>	; :
	ENVELTRAY -Envelope Feeder Tray	!	36	\$7.23			!	<u>;</u>	<u>.</u>
	FIDKIT -Foreign Interface Kit	ļ	36	\$7.55			.	<u>.</u>	
	HCFB2W -High Capacity Feeder (2000 Sheet)		36	\$17.21				<u>.</u>	•
	HC-KNO2 -Healthcare MFP (8XC)	ļ	36	\$17.08			.	ļ	; ;
	OFC-BM -Booklet Unit for Office Finisher	<u> </u>	36	\$17.16	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<u> </u>	;	<u> </u>
	OFC-HPKIT -OFC-HPKIT	ļ	36	\$5.37			ļ	ļ	ļ
	UNICODE -Xerox International Print Kit	<u> </u>	36	\$6.42			<u> </u>	<u> </u>	<u> </u>
	WIRELESS2 -Dual Band Wireless Kit		36	\$1.64		 			
		<u>.</u>					<u> </u>	<u>;</u>	<u>.</u>
B7135H	VersaLink® B7135 Multifunction Printer with 130- sheet DADF, Tandem Tray Module, Duplex, 2-520 Sheet Trays, 50 Sheet Bypass Tray, Dual Offset Catch Tray, 320GB Hard Drive, 4GB Memory, Scan to E-mail, Security (Disk Encryption and Image Overwrite) (QPA), 35 PPM MFP Initialization Kit (QZY)	35	36	\$105.96	0	0	\$0.0060	\$0.0000	Yes
J			00	#0.00					
	MUST Choose One of the Following:	<u> </u>	36	\$0.00			.	<u> </u>	; •
	NO-PS3 -No PostScript Needed	ļ	36	\$0.00			<u> </u>	ļ	<u>;</u>
	PSCRIP3B -PostScript 3 Kit	ļ	36	\$10.88					
	MAY Choose One of the Following:		36	\$0.00	,				
	FAX-1LIN -Embedded 1-Line Fax	 	36	\$14.48	·			ļ	
	FAX-3LIN -Embedded 3-Line Fax	ļ	36	\$30.20			<u> </u>	ļ	
	FAX-IPB -Fax over IP	<u>.</u>	36	\$21.63			<u></u>	ļ	
	MAY Choose One of the Following:	ļ	36	\$0.00			.	ļ	; ;
	INTFIN1 -Integrated Office Finisher	ļ	36	\$18.14	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<u> </u>	<u> </u>	<u></u>
	OFFINLX1 -Office Finisher LX with Gap Filler	ļ	36	\$24.86	i		ļ	ļ	<u></u>
	MAY Choose One of the Following:	<u> </u>	36	\$0.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<u> </u>	<u> </u>	<u> </u>
	CARDRDR -Common Access Card Reader		36	\$1.98					
	RFID70 -Integrated Programmable RFID Reader		36	\$10.36					
	SIPRRDR1 -SIPRNet		36	\$8.37					
	May Choose any of the following: CNVSTPLWS -Convenience Stapler w/Work		36	\$0.00					
	Surface		36	\$9.04					•
	ENVELTRAY -Envelope Feeder Tray		36	\$7.23				ļ !	·
	FIDKIT -Foreign Interface Kit		36	\$7.55	,			}	<u> </u>
	HCFB2W -High Capacity Feeder (2000 Sheet)	<u> </u>	36	\$17.21			 	<u>.</u>	
	HC-KNO2 -Healthcare MFP (8XC)	<u> </u>	36	\$17.08				<u> </u>	;
	OFC-BM -Booklet Unit for Office Finisher	<u> </u>	36	\$17.06	•		!	:	; ;
	OFC-HPKIT -OFC-HPKIT		36	\$5.37				<u> </u>	 !
	UNICODE -Xerox International Print Kit	<u></u>	36	\$6.42				i	;
	WIRELESS2 -Dual Band Wireless Kit	 	36	\$1.64			<u> </u>	<u> </u>	
		 !				· · · · · · · · · · · · · · · · · · ·			
B7135S	VersaLink® B7135 Multifunction Printer with 130-sheet DADF, Stand, Duplex, 2-520 Sheet Trays, 100-Sheet Bypass Tray, Dual Offset Catch Tray, 320GB Hard Drive, 4GB Memory, Scan to Email, Security (Disk Encryption and Image Overwrite) (QNY), 35 PPM MFP Initialization Kit (QZY).	35	36	\$99.25	0	0	\$0.0060	\$0.0000	Yes
	MUST Choose One of the Following:	 	36	\$0.00			<u>;</u>	<u>:</u>	; [
	~ / ~~~~~~ ~ ~~~~~~~~~~~~~~~~~~~~~~~~~~	<u> </u>	36	~~~~~		 	 	<u> </u>	
	NO-PS3 -No PostScript Needed	<u>:</u>	36	\$0.00	<u> </u>	<u>!</u>	<u>:</u>	<u>:</u>	<u>:</u>

			_	Periodic	B/W	Color	B/W	Color	
Product/ Market Code	Accessories/Descriptions	CPM	Term (mos)	Base Charge	Prints Included	Prints Included	Print		Supplies Included
warket Code	•		` '			included	Charge	Charge	Included
	PSCRIP3B -PostScript 3 Kit MAY Choose One of the Following:	ļ	36 36	\$10.88 \$0.00	•			<u> </u>	<u> </u>
	FAX-1LIN -Embedded 1-Line Fax		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				i 	i 	; ; ;
	J	!	36	\$14.48				;	
•···•	FAX-3LIN -Embedded 3-Line Fax		36	\$30.20	>		}	: }	<u> </u>
	FAX-IPB -Fax over IP		36	\$21.63	•				
	MAY Choose One of the Following:		36	\$0.00				: 	<u>.</u>
	INTFIN1 -Integrated Office Finisher	ļ	36	\$18.14			ļ	<u> </u>	<u> </u>
	OFFINLX1 -Office Finisher LX with Gap Filler	ļ	36	\$24.86				.	<u> </u>
	MAY Choose One of the Following:	<u> </u>	36	\$0.00				<u> </u>	
	CARDRDR -Common Access Card Reader		36	\$1.98		}			ļ
	RFID70 -Integrated Programmable RFID Reader	<u>:</u>	36	\$10.36			: :	: :	:
	SIPRRDR1 -SIPRNet	<u> </u>	36	\$8.37	: :		<u>.</u>	<u>:</u>	<u>:</u>
	May Choose any of the following:	<u>.</u>	36	\$0.00		<u>:</u>			
	CNVSTPLWS -Convenience Stapler w/Work							i : :	
	Surface		36	\$9.04				:	
	ENVELTRAY -Envelope Feeder Tray		36	\$7.23					
	FIDKIT -Foreign Interface Kit		36	\$7.55				:	
	HCFB2W -High Capacity Feeder (2000 Sheet)		36	\$17.21					
	HC-KNO2 -Healthcare MFP (8XC)		36	\$17.08		<u> </u>		:	[
	OFC-BM -Booklet Unit for Office Finisher		36	\$17.16				: : :	: :
	OFC-HPKIT -OFC-HPKIT	 !	36	\$5.37				i	ļ
	UNICODE -Xerox International Print Kit		36	\$6.42				;	;
	WIRELESS2 -Dual Band Wireless Kit	 	36	\$1.64	•				
	WINCELEGOZ Badi Bana Wilolood Ida	i i	- 00	Ψ1.01	j		j !	i !	i !
C7130S	Xerox VersaLink C7130 Color Multifunction Printer (30/30) (QNT) with 2 tray (2x520 sheets total), 100 sheet bypass tray, Duplex, 130 sheet single-pass DADF, EIP, min 320GB HDD, Security (Disk Encryption and Image Overwrite), Searchable PDF, Network Accounting, Dual Offset Catch Tray, Initialization Kit (REZ)	30	36	\$96.15	0	0	\$0.0062	\$0.0390	Yes
	MUST Choose One of the Following:	 	36	\$0.00				<u> </u>	<u> </u>
	NO-PS3 -No PostScript Needed		36	\$0.00					
	PSCRIP3C -PostScript 3 Kit		36	\$10.88	•			 !	
	MAY Choose One of the Following:		36	\$0.00			; ;	i } i	; { ;
	FAX-1LIN -Embedded 1-Line Fax	.	36	\$14.48			<u> </u>	<u> </u>	<u> </u>
	~{~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ļ	,	~~~~~~~	·			ļ	ļ
	FAX-3LIN -Embedded 3-Line Fax	!	36	\$30.20	,			;	;
	FAX-IPC -Fax over IP	ļ	36	\$21.63					ļ
	MAY Choose One of the Following:		36	\$0.00					
	INTFIN1 -Integrated Office Finisher	<u> </u>	36	\$18.14				<u>;</u>	<u> </u>
	OFFINLX1 -Office Finisher LX with Gap Filler	ļ	36	\$24.86				<u> </u>	
	MAY Choose One of the Following:	į	36	\$0.00			; ;	: \$: &
	CARDRDR -Common Access Card Reader	<u>.</u>	36	\$1.98				<u>:</u>	<u>;</u>
								i : :	
	RFID70 -Integrated Programmable RFID Reader	<u> </u>	36	\$10.36					<u> </u>
	SIPRRDR1 -SIPRNet	<u> </u>	36	\$8.37				<u> </u>	<u> </u>
	May Choose any of the following:	<u> </u>	36	\$0.00				<u>;</u>	<u>:</u>
	CNVSTPLWS -Convenience Stapler w/Work							:	
	Surface		36	\$9.04					
	ENVELTRAY -Envelope Feeder Tray		36	\$7.23	<u> </u>		<u> </u>	:	:
	FIDKIT -Foreign Interface Kit	:	36	\$7.55	,		·	; :	:
	HCFB2W -High Capacity Feeder (2000 Sheet)	:	36	\$17.21	<u> </u>			:	:
	HC-KNO2 -Healthcare MFP (8XC)	 !	36	\$17.08				 :	<u> </u>
	OFC-BM -Booklet Unit for Office Finisher		36	\$17.16				: :	:
	OFC-HPKIT -OFC-HPKIT		36	\$5.37					
	UNICODE -Xerox International Print Kit		36	\$6.42		 		<u>.</u>	<u> </u>
				00.4/	:		:	2	
	WIRELESS2 -Dual Band Wireless Kit	<u> </u>	36	\$1.64			 :	:	<u>:</u>

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge	Color Print Charge	Supplies Included
C7130T	Xerox VersaLink C7130 Color Multifunction Printer (30/30) (QPH) with 4 tray (4x520 sheets), 100 sheet bypass tray, Duplex, 130 sheet single-pass DADF, EIP, min 320GB HDD, Security (Disk Encryption and Image Overwrite), Searchable PDF, Network Accounting, Dual Offset Catch Tray, Initialization Kit (REZ)	30	36	\$101.18	0	0	\$0.0062		
	MUST Choose One of the Following:		36	\$0.00					
	NO-PS3 -No PostScript Needed	<u> </u>	36	\$0.00					<u> </u>
	PSCRIP3C -PostScript 3 Kit		36	\$10.88					<u>;</u>
	MAY Choose One of the Following:	<u>.</u>	36	\$0.00	,				
	FAX-1LIN -Embedded 1-Line Fax		36	\$14.48					; !
	FAX-3LIN -Embedded 3-Line Fax FAX-IPC -Fax over IP	ļ	36	\$30.20					: !
	MAY Choose One of the Following:	<u> </u>	36 36	\$21.63 \$0.00					: :
	INTFIN1 -Integrated Office Finisher		36	\$18.14					; { ;
	OFFINLX1 -Office Finisher LX with Gap Filler	.	36	\$24.86	:		<u> </u>	<u> </u>	<u>; </u>
	MAY Choose One of the Following:	 	36	\$0.00	·				}
	CARDRDR -Common Access Card Reader		36	\$1.98					
	RFID70 -Integrated Programmable RFID Reader		36	\$10.36					
	SIPRRDR1 -SIPRNet		36	\$8.37					
	May Choose any of the following:		36	\$0.00					
	CNVSTPLWS -Convenience Stapler w/Work								i :
	Surface		36	\$9.04			· · · · · · · · · · · · · · · · · · ·		i : ;
	ENVELTRAY -Envelope Feeder Tray	ļ	36	\$7.23					<u> </u>
	FIDKIT -Foreign Interface Kit		36	\$7.55					<u> </u>
	HCFB2W -High Capacity Feeder (2000 Sheet)	<u>.</u>	36	\$17.21					<u>;</u>
	HC-KNO2 -Healthcare MFP (8XC) OFC-BM -Booklet Unit for Office Finisher		36 36	\$17.08 \$17.16					
	OFC-BINI -BOOKIET OFFICE FIFTISTIES OFC-HPKIT -OFC-HPKIT	<u> </u>	36	\$17.16 \$5.37					<u>:</u>
	UNICODE -Xerox International Print Kit		36	\$6.42					: :
	WIRELESS2 -Dual Band Wireless Kit	<u> </u>	36	\$1.64					
B8145H	B8145H 45 IOT w/High Capacity Tandem Tray Module (HQH) with speed kit (HZY) - 130 sheet Single Pass Document Handler (SPDH) (2x520 sheet Trays, Trays 3&4 = 2000 sheets [LT/A4], 100 Sheet Bypass, Automatic Duplex, Two x 250 OCTs, 100 sheet face up tray, Exit 2 Inner tray), 128GB SSD*, US standard 120V power cord, inbox neutral toner cartridges, drum cartridge installed. 120V / 15amp* GSA market code configured with 500GB HDD	45	36	\$147.55	0	0	\$0.0050	N/A	Yes
	MAY Choose One of the Following:	<u> </u>		***					<u> </u>
	BRF-81 -BR Finisher w/2/3 Hole Punch	 	.	\$39.52	·				
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole INTFIN81 -Integrated Office Finisher	;	<u> </u>	\$64.47 \$18.14	·				; ;
	OFC-81 -Office Finisher			\$18.14 \$15.12					
ļ	MAY Observe Ossa Call Toll		ļ						:
	MAY Choose One of the Following:	.		#40 O=					:
	FAX-1LINE -1 Line Fax			\$12.87	:				<u>:</u> :
	FAX-2LINE -2 Line Fax	<u>:</u>		\$30.07					<u>:</u>
	MAY Choose One of the Following:	; ;							i
	CACPIVRDR -CAC PIV Card Reader	.		\$3.32					
									:
	RFID70 -Integrated Programmable RFID Reader	<u> </u>		\$10.36					<u>.</u>
	SIPRRDR2 -SIPRNet Card Reader			\$8.37					:
	May Choose any of the following:	<u> </u>							
	BANFEEDKT -Banner Feed Kit			\$16.43					İ

				Periodic	B/W	Color	B/W	Color	
Product/		СРМ	Term	Base	Prints	Prints	Print	Print	Supplies
Market Code	Accessories/Descriptions		(mos)			Included	Charge	Charge	Included
	CZFOLD81 -BR Finisher C/Z Folder			\$87.36				ļ	
	ENVLPTR -Envelope Tray	<u> </u>		\$4.27	<u> </u>		<u>;</u>	<u> </u>	<u>;</u>
	HCF3K -High Capacity Feeder 3KSHTs	<u> </u>		\$21.37			<u> </u>	<u> </u>	<u> </u>
	HC-KNO2 -Healthcare MFP (8XC)	.j		\$15.41	 		i 	<u>.</u>	:
	HDD81 -500GB HDD Kit with Image Overwrite			\$13.44					
	MCAFEEIC -McAfee Integrity Control Enablement			\$10.72					
	OFC-BM -Booklet Unit for Office Finisher	-		\$17.16			<u> </u>	<u> </u>	<u>.</u>
	OFC-HPKIT -OFC-HPKIT	-		\$3.87	·····				<u>.</u>
	PZA -Foreign Device Interface	-		\$3.76	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
	STPLKIT81 -Convenience Stapler w/surface	-		\$7.55					
 I	UNICODE -Xerox International Print Kit			\$6.42				ļ	j
	WIRELESS1 -Dual Band Wireless Kit	.		\$2.01			:		; :
B8155H	B8155H 55 IOT w/High Capacity Tandem Tray	55	36	\$153.26	0	0	\$0.0049	N/A	Yes
1	Module (HQH) with speed kit (HZZ) - 130 sheet								<u>:</u>
	Single Pass Document Handler (SPDH) (2x 520								
	sheet Trays, Trays 3&4 = 2000 sheets [LT/A4],							:	
	100 Sheet Bypass, Automatic Duplex, Two x 250								:
	OCTs, 100 sheet face up tray, Exit 2 Inner tray),					: :			:
	128GB SSD*, US standard 120V power cord, in-								
	box neutral toner cartridges, drum cartridge							:	
	installed. 120V / 15amp *GSA market code								
	configured with 500GB HDD								
		ļ							
	MAY Choose One of the Following:			#00.50			<u>:</u>	<u> </u>	<u>:</u>
	BRF-81 -BR Finisher w/2/3 Hole Punch	ļ		\$39.52			 	 	<u> </u>
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole	-		\$64.47	·		<u> </u>	<u> </u>	<u> </u>
	INTFIN81 -Integrated Office Finisher			\$18.14	,		!	}	.
	OFC-81 -Office Finisher			\$15.12					<u> </u>
	MAY Choose Any of the Following:								
	FAX-1LINE -1 Line Fax			\$12.87			:	:	:
	FAX-2LINE -2 Line Fax			\$30.07			:	:	:
	MAY Choose One of the Following:							<u>.</u>	<u> </u>
	CACPIVRDR -CAC PIV Card Reader	ļ		\$3.32				ļ	<u> </u>
	RFID70 -Integrated Programmable RFID Reader			\$10.36					
	SIPRRDR2 -SIPRNet Card Reader			\$8.37	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<u>;</u> ;	;	; ;
	SIFKNDRZ -SIFKNet Cald Readel			φο.31		; } }	<u>.</u>		
	May Choose any of the following:							 !	ļ
	BANFEEDKT -Banner Feed Kit			\$16.43				;	<u> </u>
	CZFOLD81 -BR Finisher C/Z Folder	†		\$87.36			 		
	ENVLPTR -Envelope Tray			\$4.27			i !	 	i !
	HCF3K -High Capacity Feeder 3KSHTs	†		\$21.37			<u>:</u>	.	; :
	HC-KNO2 -Healthcare MFP (8XC)			\$15.41				}	<u> </u>
	HDD81 -500GB HDD Kit with Image Overwrite	 		\$13.44	,				<u> </u>
	<u> </u>	<u> </u>						<u> </u>	<u> </u>
	MCAFEEIC -McAfee Integrity Control Enablement			\$10.72					
	OFC-BM -Booklet Unit for Office Finisher			\$17.16		,	:	:	:
	OFC-HPKIT -OFC-HPKIT			\$3.87			<u> </u>		<u>:</u>
	PZA -Foreign Device Interface			\$3.76	,		:		:
	STPLKIT81 -Convenience Stapler w/surface			\$7.55					
	UNICODE -Xerox International Print Kit	1		\$6.42	,		 !		· · · · · · · · · · · · · · · · · · ·
	WIRELESS1 -Dual Band Wireless Kit			\$2.01					:
							٠ :	÷······	۲۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge	Color Print Charge	Supplies Included
B8170H	B8170H 70 Base IOT w/High Capacity Tandem	70	36	\$161.99			\$0.0040		Yes
	Tray Module (HHZ) with speed kit (KAQ) - 250			,			•		
	sheet Single Pass Document Handler (SPDH) (2 x				:			<u> </u>	
	520 sheet Trays, Trays 3&4 = 2000 sheets				i • • •			i : :	
	[LT/A4], 100 Sheet Bypass, Automatic Duplex,				:			į	
	Two x 250 OCTs, 100 sheet face up tray, Exit 2				<u>.</u>			:	
	Inner tray), 128GB SSD*, US standard 120V				:			:	
	power cord, in-box neutral toner cartridges, drum				:			<u> </u>	
	cartridge installed. 120V / 20amp, * GSA market				i : :			i : :	
	code configured with 500GB HDD				: :				
		<u>.</u>							
	MAY Choose One of the Following:							ļ	
	BRF-81 -BR Finisher w/2/3 Hole Punch	ļ		\$39.52				 	<u> </u>
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole			\$64.47			}	; }	
	OFC-81 -Office Finisher			\$15.12	<u>.</u>			<u>.</u>	
	MAY OLD TO BE SEED TO THE SEED				<u>:</u>			<u> </u>	
	MAY Choose One of the Following:	<u> </u>		£40.07	<u>;</u>		:	<u>;</u>	<u>:</u>
	FAX-1LINE -1 Line Fax	ļ		\$12.87				ļ	
	FAX-2LINE -2 Line Fax	<u>.</u>		\$30.07	<u>;</u> ;			<u>;</u>	
	MAY Choose One of the Following:	<u>.</u>			<u>.</u>	} }		<u>.</u>	
	CACPIVRDR -CAC PIV Card Reader	ļ !		\$3.32	<u>.</u>			<u> </u>	
	CACITATION -CACITA CALCITERALE	 		ψυ.υΖ	<u> </u>			<u> </u>	
	RFID70 -Integrated Programmable RFID Reader			\$10.36	i : :			i : :	
	SIPRRDR2 -SIPRNet Card Reader	i 		\$8.37	; :			i 	
		<u> </u>		ΨΟ.Ο1	i !			i !	
	May Choose any of the following:							 !	
	BANFEEDKT -Banner Feed Kit	 		\$16.43	 			 	
	CZFOLD81 -BR Finisher C/Z Folder	<u>.</u>		\$87.36			i	 :	i
	ENVLPTR -Envelope Tray			\$4.27	····				
	HCF3K -High Capacity Feeder 3KSHTs	:		\$21.37	:			:	•
	HC-KNO2 -Healthcare MFP (8XC)			\$15.41	: :			† !	
	HDD81 -500GB HDD Kit with Image Overwrite			\$13.44	i				;
					:			:	
	MCAFEEIC -McAfee Integrity Control Enablement			\$10.72				<u>.</u>	
	OFC-BM -Booklet Unit for Office Finisher	<u> </u>		\$17.16	; ; 			<u>.</u> 	; ; ;
	OFC-HPKIT -OFC-HPKIT	<u></u>		\$3.87	,				
	PZA -Foreign Device Interface	ļ		\$3.76	·			<u> </u>	
	STPLKIT81 -Convenience Stapler w/surface			\$7.55				<u>.</u> 	
	UNICODE -Xerox International Print Kit			\$6.42		i 			
	WIRELESS1 -Dual Band Wireless Kit	į		\$2.01				ļ	
		<u> </u>				ļ			
C8145H	Xerox C8145H 45 ppm IOT w/High Capacity	45	36	\$148.49	0	0	\$0.0050	\$0.0530	Yes
	Tandem Tray Module (EHQ) with speed kit (FEZ),				<u>:</u>			<u>:</u>	• • •
	130 sheet Single Pass Document Handler				; ; ;				
	(SPDH), (two 520 sheet Trays, Trays 3&4 = 2000	•			:			: :	
	sheets [LT/A4], 100 Sheet Bypass, Automatic				:			:	
	Duplex, Two x 250 OCTs, 100 sheet face up tray,				i :		i ! !	i : :	i • •
	Exit 2 Inner tray), 128GB SSD*, US standard 120V					i ! !			
	power cord, in-box neutral toner cartridges, waste								
	toner bottle, drum cartridge installed. 120V /				:			:	
	15amp, * GSA market code configured with 500GB HDD				i i :		i ! !	i : :	i ! !
	300GD FIDD	:			:			:	
	MAY Choose One of the Following:				i !			: :	
	BRF-81 -BR Finisher w/2/3 Hole Punch	:		\$39.52	:				
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole			\$64.47				<u> </u>	
	INTFIN81 -Integrated Office Finisher	<u>;</u>		\$18.14	,			!	
	OFC-81 -Office Finisher	<u> </u>		\$20.43	·			<u>.</u>	
		.		Ψ20.43	<u>; </u>			i İ	
	May Choose One of the Following:	<u>.</u>			 :			 :	
	FAX-1LINE -1 Line Fax	! :		\$12.87	i			i	
	~{~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		<u> </u>	\$30.07				.	
	FAX-2LINE -2 Line Fax			35.301.07	•				

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge	Color Print Charge	Supplies Included
	MAY Choose One of the Following:		,			! !	J	ŭ	
	CACPIVRDR -CAC PIV Card Reader			\$3.32	 !			\$	{ }
									:
	RFID70 -Integrated Programmable RFID Reader	<u>.</u>		\$10.36	<u>.</u>				<u>;</u>
	SIPRRDR2 -SIPRNet Card Reader	<u> </u>		\$8.37	<u>.</u>				; ; ;
									<u>;</u>
	May Choose any of the following:	<u> </u>			<u> </u>		ļ	ļ	<u> </u>
	BANFEEDKT -Banner Feed Kit			\$16.43	<u> </u>		<u> </u>	<u> </u>	<u> </u>
	CZFOLD81 -BR Finisher C/Z Folder			\$87.36	:				; ;
	EFIBUNDL1 -Spot-On Auto Trap Hot Fldr Virt Print			\$55.87					:
	EFI-FLDER - EFI Hot Folders / Virtual Printers			\$33.43					
····	EFI-PROF -EFI Profile Suite 4.X	 !		\$73.92	! !	i 	<u></u>		: :
	EFISERV81 -EFI A10 Print Server			\$100.63	·		 	 	
	EFI-SPOT -EFI Spot On			\$27.72			 :		 :
	ENVLPTR -Envelope Tray	: :		\$6.42	.			<u> </u>	; :
								<u>.</u>	 !
	ETHUBKIT -Ethernet Hub Kit for Multi Connections			\$16.63					: ! !
	HCF3K -High Capacity Feeder 3KSHTs			\$21.37	<u> </u>		<u> </u>	:	<u></u>
	HC-KNO2 -Healthcare MFP (8XC)			\$15.41]				
	HDD81 -500GB HDD Kit with Image Overwrite			\$13.44					; ; ;
]					:				
	MCAFEEIC -McAfee Integrity Control Enablement			\$10.72	<u> </u>		<u> </u>		<u> </u>
	OFC-BM -Booklet Unit for Office Finisher			\$17.16			<u>.</u>	<u>.</u>	:
	OFC-HPKIT -OFC-HPKIT			\$5.37					<u> </u>
	PZA -Foreign Device Interface	; ; ;		\$3.76			<u>;</u>	<u>;</u>	i : ;
	STPLKIT81 -Convenience Stapler w/surface	<u> </u>		\$8.03	~~~~~~~~~~~~		<u> </u>	<u> </u>	<u> </u>
	UNICODE -Xerox International Print Kit			\$6.42	<u> </u>		<u> </u>	<u> </u>	<u> </u>
	WIRELESS1 -Dual Band Wireless Kit			\$2.01	:				; ;
С8170Н	Xerox C8170H 70 ppm IOT w/High Capacity Tandem Tray Module (EFQ) with speed kit (FGQ), 250 sheet Single Pass Document Handler (SPDH), (two 520 sheet Trays, Trays 3&4 = 2000 sheets [LT/A4], 100 Sheet Bypass, Automatic Duplex, Two x 250 OCTs, 100 sheet face up tray, Exit 2 Inner tray), 128GB SSD*, US standard 120V power cord, in-box neutral toner cartridges, waste toner bottle, drum cartridge installed. 120V / 20amp, * GSA market code configured with 500GB HDD	70	36	\$164.02	0	0	\$0.0040	\$0.0490	Yes
	MAY Change One of the Following:				<u>;</u>		<u> </u>	<u>;</u>	<u>;</u> :
 	MAY Choose One of the Following: BRF-81 -BR Finisher w/2/3 Hole Punch			\$39.52	<u> </u>		<u> </u>	 	:
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole	}		\$64.47	. ,. . 			<u></u>	<u></u>
<u> </u>	OFC-81 -Office Finisher			\$20.43					 : :
		; :			; ; ;				; ; ;
	May Choose One of the Following:				<u>.</u>		<u>.</u>	<u>.</u>	i !
	FAX-1LINE -1 Line Fax			\$12.87	ý~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		<u> </u>	<u> </u>	<u>;</u>
	FAX-2LINE -2 Line Fax	ļ		\$30.07	ļ			<u> </u>	; ;
	MAY Observe Over of the Fallender				<u> </u>			<u>.</u>	;
ļ	MAY Choose One of the Following:			ድር በር	<u>.</u>	i 	<u></u>	<u> </u>	<u>:</u>
	CACPIVRDR -CAC PIV Card Reader			\$3.32	<u> </u>		<u> </u>	<u>:</u>	:
	RFID70 -Integrated Programmable RFID Reader			\$10.36					
<u> </u>	SIPRRDR2 -SIPRNet Card Reader			\$8.37					: :
				ψ0.07	<u> </u>			<u> </u>	 !
	May Choose any of the following:				:	 			
<u> </u>	BANFEEDKT -Banner Feed Kit		<u> </u>	\$16.43	:		<u> </u>	:	<u> </u>
<u></u>	CZFOLD81 -BR Finisher C/Z Folder			\$87.36	~~~~~~~~~~		<u> </u>	İ	; : :
		; :			:				: :
	EFIBUNDL1 -Spot-On Auto Trap Hot Fldr Virt Print		<u>.</u>	\$55.87	<u>.</u>	i L	<u>.</u>	<u>.</u>	: : :
	EFI-FLDER - EFI Hot Folders / Virtual Printers			\$33.43	,				
	EFI-PROF -EFI Profile Suite 4.X	:	1	\$73.92	•		:	:	i .

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge	Color Print Charge	Supplies Included
	EFISERV81 -EFI A10 Print Server			\$100.63					
	EFI-SPOT -EFI Spot On			\$27.72			;	:	:
	ENVLPTR -Envelope Tray			\$6.42					
							:	:	
	ETHUBKIT -Ethernet Hub Kit for Multi Connections			\$16.63					
	HCF3K -High Capacity Feeder 3KSHTs			\$21.37	· · · · · · · · · · · · · · · · · · ·		÷	i - 	i
	HC-KNO2 -Healthcare MFP (8XC)	<u> </u>		\$15.41			<u> </u>	<u> </u>	<u> </u>
	HDD81 -500GB HDD Kit with Image Overwrite	ļ		\$13.44			ļ	<u> </u>	<u> </u>
	NOAFFEIO NAME A Late antita On attack Facility and			# 40.70					
	MCAFEEIC -McAfee Integrity Control Enablement			\$10.72		! }!		: :	
	OFC-BM -Booklet Unit for Office Finisher	ļ		\$17.16			ļ	:	<u> </u>
	OFC-HPKIT -OFC-HPKIT	<u> </u>		\$5.37	: :		:	: :: :	: :
	PZA -Foreign Device Interface STPLKIT81 -Convenience Stapler w/surface	<u> </u>		\$3.76 \$8.03			 	<u> </u>	
	UNICODE -Xerox International Print Kit			\$6.42				: ! :	<u> </u>
	WIRELESS1 -Dual Band Wireless Kit	<u>.</u>		\$2.01	! 		<u> </u>	:	;
	WINCELESS I - Duai Dana Wireless Nit	i 		Ψ2.01				i 	i
B9100	Xerox PrimeLink B9100 Copier/Printer with Speed Kit, 10.4" SVGA UI, UI Install Mount Kit, Starter Kit	100	36	\$351.94	0	0	\$0.0036	N/A	Yes
	MUST Choose One of the Following:								
	B91MSI -Manual Sheet Inserter bypass	<u> </u>		\$0.00			<u> </u>	<u>:</u>	
	B91XLS -EXTRA LONG SHEET(XLS) MSI			\$74.40					
									:
	MAY Choose One of the Following:	<u> </u>						; ; 	<u>.</u>
	HCF2T -2 TRAY HIGH CAPACITY FEEDER	<u>.</u>		\$52.08			<u>.</u>	i : :	: :
	MSICHUTE -Reqd wB91XLS wo feeder	<u> </u>		\$0.00				<u>.</u>	<u> </u>
	OHCF1T -1 TRAY OVERSIZE HIGH CAPACITY						į	<u>:</u>	
	FDER			\$156.76					
	<u></u>	ļ					<u> </u>	<u> </u>	<u> </u>
	MUST Choose One of the Following:	ļ 					<u>.</u>	<u>.</u>	<u> </u>
	OCT91 -OFFSET CATCH TRAY			\$13.44	: !			: }	<u>.</u>
	PRBOOKFIN -PR BOOKLET MAKER	ļ	!	\$114.51		 	<u> </u>	<u> </u>	<u> </u>
	PRSTRDFIN -PR STANDARD FINISHER			\$0.00			<u></u>	: :	:
	SCT91 -SIMPLE CATCH TRAY	<u>.</u>		\$10.08	! !		<u> </u>	: 	:
	MAY Choose One of the Following:	i :			i 			i } i	; } ;
	91RFIDRDR -RFID CARD READER WITH USB	<u>.</u>					.	i !	i
	HUB			\$13.11			:	:	
	CACPIVRDR -CAC PIV Card Reader		<u> </u>	\$4.80		<u> </u>		; :	; :
	SIPRRDR1 -SIPRNet	<u></u>		\$8.37				:	:
		i						i	<u>i</u>
	1LINEFAXE -EMBEDDED ONE LINE FAX	.		\$20.12				; 	.
	ADAMOUNT -US S508 INSTALL KIT			\$64.38				<u> </u>	:
	FIDEVICE2 -Foreign Interface Device	; :		\$4.03	,	 	<u> </u>	,	,
	PDFKIT3 -SEARCHABLE PDF (OCR) KIT	: :					:	 :	:
	W/HIGH COMP KIT	<u>.</u>		\$68.94			<u> </u>	<u>.</u>	<u> </u>
	PRCRTRIMR -PR CREASE/ 2sided Trimmer for							:	
	EFI Sol	<u>.</u>	<u> </u>	\$612.34				<u>.</u>	<u> </u>
	STAPLER2 -Convenience Stapler	<u> </u>		\$7.23	•		<u>i</u>	<u> </u>	<u> </u>
	USBHUB1 -USB HUB KIT	ļ		\$3.63			<u>.</u>	<u></u>	<u>;</u>
		:						:	
	VCZFOLD -CZ Fold Module Requires PR Finisher	ļ		\$82.65			 	 	
	VSQFLDTRM -Square Fold Trimmer for PR Book	<u>:</u>		.				<u>:</u>	
	Maker	<u>.</u>		\$282.24			<u>.</u>		<u>.</u>
	WATERMARK -HYBRID WATERMARK			\$24.06				<u> </u>	<u> </u>
B9110	Xerox PrimeLink B9110 Copier/Printer with Speed Kit, 10.4" SVGA UI, UI Install Mount Kit, Starter Kit	110	36	\$418.70	0	0	\$0.0036	N/A	Yes
	MUST Choose One of the Following:	ļ						ļ	<u> </u>
	B91MSI -Manual Sheet Inserter bypass	<u> </u>		\$0.00	,		<u>;</u>	<u> </u>	<u>;</u>
	B91XLS -EXTRA LONG SHEET(XLS) MSI	<u> </u>		\$74.40			<u> </u>	<u>;</u>	<u> </u>
l	{	:					:	:	•

		:	:	Periodic	B/W	Color	B/W	Color	
Product/		СРМ	Term	Base	Prints	Prints	Print		Supplies
	Accessories/Descriptions	O	(mos)		Included	Included		•	Included
	MAY Choose One of the Following:		(
	HCF2T -2 TRAY HIGH CAPACITY FEEDER	ļ		\$52.08	<u> </u>				
				\$0.00	<u> </u>	<u>.</u>	!		; :
	MSICHUTE -Reqd wB91XLS wo feeder	.		\$0.00	 		<u> </u>		: !
	OHCF1T -1 TRAY OVERSIZE HIGH CAPACITY FDER			\$156.76					
	OHCF2T -2 TRAY OVERSIZE HIGH CAPACITY FDER			\$232.24					
	MUST Choose One of the Following:	<u> </u>			: :	<u> </u>	<u>.</u>		
	HICAPSTAK -HIGH CAPACITY STACKER			\$315.83		<u> </u>	<u> </u>		
	PRBOOKFIN -PR BOOKLET MAKER	<u>.</u>		\$114.51	<u>.</u>		<u>.</u>	<u> </u>	: :
	PROUNTIN -PR BOUNLET MAKER	<u> </u>		φ114.31	: :	; ; :			
	PRSTFNPLS -PR STANDARD FINISHER PLUS	:		\$319.53	: :	! !			
	PRSTRDFIN -PR STANDARD FINISHER	 		\$0.00			 		<u></u>
		<u> </u>		ψ0.00	 !	: : !	i		
<u> </u>	MAY Choose One of the Following:	:			; :		<u> </u>		
	91RFIDRDR -RFID CARD READER WITH USB	<u> </u>			<u>.</u>				
	HUB	:		\$13.11	<u>:</u>	i 			
	CACPIVRDR -CAC PIV Card Reader	<u>.</u>		\$4.80	<u>.</u>	 			
	SIPRRDR1 -SIPRNet	<u> </u>	ļ	\$8.37	<u>.</u>	<u> </u>	<u>;</u>		; ; :
	SIPKEDK I -SIPKNEL	 		φο.3 <i>1</i>	<u>:</u> !	; } }	<u> </u>		
	ADAMOUNT -US S508 INSTALL KIT	ļ		\$64.38	 !	<u>.</u>			
	FIDEVICE2 -Foreign Interface Device	.		\$4.03	<u>; </u>	<u> </u>	!	<u>; </u>	; :
	~/p~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	 		~~~~~	,	; ;	<u> </u>		
	IDMODULE -Interface Decurler Module	ļ		\$56.64	 !	! !	: :	: } !	: { !
	NBV -Dolly	<u>:</u> :		\$33.43	:	<u> </u>	: :	i 	i
	PDFKIT3 -SEARCHABLE PDF (OCR) KIT	:		# CO 04		<u>.</u>	:		
	W/HIGH COMP KIT	ļ	<u> </u>	\$68.94	ļ	<u> </u>	<u> </u>		
	PRCRTRIMR -PR CREASE/ 2sided Trimmer for	:		# 040.04		<u>:</u>			
	EFI Sol	<u> </u>		\$612.34	ļ	<u> </u>	<u> </u>		<u> </u>
	PUNCHPRO -GBC ADV PUNCH PRO	<u>;</u>		\$293.47	*	: }	ļ		
	STACKR -HIGH CAP STACKER	ļ		\$315.83			<u>.</u>		
	STAPLER2 -Convenience Stapler	ļ		\$7.23			<u> </u>		
	TAPE-BIND -Tape Binder	;		\$481.92	;	ļ	 		
	USBHUB1 -USB HUB KIT	ļ		\$3.63	; }				
	VOZEOLD, OZ Estal Madula Danisa DD Finish an	:		<u></u>	i !	i 			
	VCZFOLD -CZ Fold Module Requires PR Finisher	<u>.</u>		\$82.65	ļ	: 	<u>.</u>		
	VSQFLDTRM -Square Fold Trimmer for PR Book	:		*****	:	:		: :	
	Maker	<u> </u>		\$282.24			<u> </u>	<u> </u>	
	WATERMARK -HYBRID WATERMARK	.		\$24.06		<u> </u>	<u> </u>		
DO4EE!	FFI Drinter Com or NV Or -	NI A	22	607466	_		60.0000	NI/A	V
B91EFI	EFI Printer Server NX One	NA	36	\$274.36	·	0	\$0.0000	N/A	Yes
	1DRHDD -One Drive External HDD Option	.		\$75.43		ļ	<u>;</u>		
	EFIMG -LAC Image Viewer Software	 		\$94.07		! !!	.		
	ENETHUB -Ethernet Hub Option	ļ		\$9.68			: 		
	EXCOMPOSE -Compose License Activation	<u>.</u>		\$50.40	•	<u> </u>	<u> </u>		
	EXIMPOSE -Impose License Activation			\$85.68		.	<u> </u>		
	MONCALIBR -Fiery Calibration Mono	 		\$66.86		<u> </u>	<u> </u>		<u> </u>
	NX1STATN -NX One Station Option	:		\$90.21	!	:	:	:	:



Xerox[®] VersaLink[®] B400 Printer and Xerox[®] VersaLink[®] B405 Multifunction Printer

Redefining office productivity.



Xerox[®] VersaLink[®] B400 Printer and Xerox[®] VersaLink[®] B405 Multifunction Printer

Whether stand-alone or as a part of your extended fleet, the Xerox® VersaLink B400 Printer and VersaLink B405 Multifunction Printer take your team to new levels of productivity. Work the way you want—from any device—with maximum security and easy connectivity to and from both cloud and network-based locations.

Easy, optimized productivity.

Right out of the box, you'll count on your Xerox® VersaLink® B400 Printer or VersaLink B405 Multifunction Printer to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

And count on day in, day out reliability thanks to our trusted paper path technology.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)¹.

Print with total peace of mind knowing that VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

An entirely new way to work.

With the customizable 5-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox® App Gallery provides expanded functionality—like the Xerox® Easy Translator Service app¹, which quickly translates scanned documents into numerous languages.

Speed through tasks by saving common settings as presets for simple, single-touch job setup. With Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure, easy access to task-specific presets and commonly used apps on a personalized home screen.

Upward mobility for every work style.

The VersaLink B400 Printer and VersaLink B405 Multifunction Printer give you the freedom to work where and how you want—with direct connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox® App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with optional Wi-Fi and Wi-Fi Direct, plus Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

To learn more about VersaLink device features, go to www.xerox.com/VersalinkEG

¹ VersaLink B405 only

Xerox® VersaLink® B400 Quick Facts


- Print up to 47 ppm Letter / 45 ppm A4
- NFC Tap-to-Pair and optional Wi-Fi and Wi-Fi Direct
- Standard 700-sheet paper capacity / Maximum 2,350 sheets
- 150-sheet Bypass Tray
- Up to 1200 x 1200 dpi (enhanced)

WxDxH:

18.1 x 16.8 x 13.3 in. / 459 x 426 x 339 mm

Weight:

30 lb / 14 kg



Xerox® VersaLink® B405 Quick Facts

- Print up to 47 ppm Letter / 45 ppm A4
- 60-sheet Reversing Automatic Document Feeder (RADF)
- NFC Tap-to-Pair and optional Wi-Fi and Wi-Fi Direct
- Standard 700-sheet paper capacity /
 Maximum 2,350 sheets
- 150-sheet Bypass Tray
- Up to 1200 x 1200 dpi (enhanced)

WyDyL

19.5 x 19.5 x 21.7 in. / 495 x 495 x 551 mm

Weight:

48 lb / 22 kg



Choose the configuration that meets your needs:

- A 60-sheet Reversing Automatic Document Feeder (RADF) scans two-sided originals for copy, scan and fax jobs.
- 2 Card Reader Bay with embedded USB port.²
- 3 An easily accessible USB port² allows users to quickly print from or scan to³ any standard USB memory device.
- 4 250-sheet output tray with tray-full sensor.
- 5 150-sheet Bypass Tray handles media sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm.
- With the 550-sheet paper tray, standard paper capacity totals 700 sheets (including Bypass Tray).
- 7 Up to three optional 550-sheet paper trays increase total paper capacity to 2,350 sheets.
- 8 Optional stand provides storage for toner cartridges, paper and other supplies.

² USB ports can be disabled; ³ VersaLink B405 only.



Xerox® VersaLink® B400 Printer Print



Xerox® VersaLink® B405 Multifunction Printer Print. Copy. Scan. Fax. Email.

Introducing touch screen superiority.

Meet our tiltable, 5-inch capacitive color touch screen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink B400 Printer or VersaLink B405 Multifunction Printer get more work done, faster.



Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer

Device Specifications	VersaLink B400N	VersaLink B400DN	VersaLink B405DN
Speed	Up to 47 ppm letter / Up to 45 ppm A4		
Duty Cycle ¹	Up to 110,000 pages / month ¹		
Processor / Memory	1.05 GHz Dual Core / 2 GB		
Connectivity	Ethernet 10/100/1000 Base-T, High-speed Usupported), NFC Tap-to-Pair	ISB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with opt	ional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features	Unified Address Book (B405), Configuration Accounting, Online Support (accessed from t		nterface Platform®, Xerox® App Gallery, Xerox® Standard
Paper Handling Paper Input Standard	NA		Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)
	Bypass Tray: Up to 150 sheets; Custom size	s: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 >	c 356 mm
	Tray 1: Up to 550 sheets; Custom sizes: 5.8	α 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x	356 mm
Optional	3 Additional Trays: Up to 550 sheets each;	Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x	210 mm to 216 x 356 mm
Total Capacity (std. / max.)	700 sheets / 2,350 sheets		
Paper Output	250 sheets		
Automatic Two-sided Output	NA	Standard	
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi (enhanced)		Print: Up to 1200 x 1200 dpi (enhanced) Copy: Up to 600 x 600 dpi
First-page-out Time (as fast as)	Print: As fast as 8 seconds		Print: As fast as 8 seconds Copy: As fast as 6 seconds
Page Description Languages	PCL® 5e / PCL 6 / PDF / XPS / TIFF / JPEG / H	P-GL / Adobe® PostScript® 3™	
Print Features		nal Print, Saved Job, Xerox® Earth Smart Driver Sett g, Job Monitoring, Application Defaults, Two-sided	ings, Job Identification, Booklet Creation, Store and Recall Driver Printing (as default), Skip Blank Pages, Draft Mode
Mobile Printing		® Print Service Plug-in for Android™, Mopria® Prin · a list of downloadable apps available for smart	
Optional	@PrintByXerox ² , Wi-Fi Direct Printing ³ , Xerox ⁶	Mobile Print Solution³, Xerox® Mobile Print Clou	ud³, Xerox® Mobile Link App (B405)²
Printer/MFP Cloud Connectors ²	Print from/Scan to ⁴ Google Drive, One Drive,	DropBox, Microsoft 365, Box, DocuShare	
Cloud Services	NA		Xerox® Easy Translator Service, Xerox® Healthcare MFP
	Additional printer/MFP apps and cloud service	res available. Visit www.xerox.com/appgallery	for a growing selection of apps.
Scan Scan Destinations			Scan to USB, Scan to Email, Scan to Network (FTP or Browse SMB)
Scan Features	NA		File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF / Password Protected PDF, Linearized PDF / PDF/A
Fax Fax Features ⁵			Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing via Unified Address Book (up to 2,000 contacts)
Security Standard	Enablement (CAC/PIV/.NET), FIPS 140-2, SS	L/TLS, Port Filtering, IP Address Filtering, Domair B405), Secure Scan (B405), Secure Email (B405	icate Path Validation, Certificate Revocation Settings, Smart Card n Filtering, Cisco® TrustSec Identity Services Engine (ISE) Integration,), Network Authentication, SNMPv3, Audit Log, Access Controls, Role
Optional	Xerox® PrintSafe Software		
Accounting Standard	Xerox® Standard Accounting (Print), Network	Accounting Enablement	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement
Optional	Equitrac Express®, Equitrac Office®, YSoft® Sa	feQ®, other network accounting solutions availab	ole through various Xerox Business Innovation Partners

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; 2 Free option (download from Xerox® App Gallery to your printer/MFP); 3 Purchasable option; 4 Scan to available for B405 only: 5 Analog phone line required.

Device Management

Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple® Bonjour®

Print Drivers

Windows® 7, 8, 10 Server 2000, Server 2003, Server 2008, Server 2008 R2 Server 2012, Mac OS® version 10.9 and higher, Citrix, Redhat® Enterprise, Linux®, IBM® AIX® 5, HP-UX® 11iv2, Oracle® Solaris 9, 10, Fedora Core 12-15, SUSE®, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Font Capability

87 PostScript Fonts; 88 PCL Fonts

Media Handling

Duplex Automatic Document Feeder: Simplex: 13 to 32 lb. bond / 50 to 125 gsm; Duplex: 16 to 32 lb. bond / 60 to 125 gsm; Bypass Tray: 16 lb. bond to 80 lb. cover / 60 to 220 gsm; Tray 1: 16 lb. bond to 80 lb. cover / 60 to 220 gsm; 3 Additional Trays (Optional): 16 lb. bond to 80 lb. cover / 60 to 220 gsm

Configurations vary by geography.

Operating Environment

Temperature: 50° to 90° F / 10° to 32° C; Humidity: 10% to 85%; Sound Power: Printing: 7.5 B(A); Standby: 5.3 B(A); Sound Pressure: Printing: 56 dB(A), Standby: 30 dB(A); Boot Time (from Off to UI $\,$ Ready): as fast as 60 seconds, Warm-up Time (from Sleep to UI Ready): as fast as 5 seconds

Electrical

Power: 110-127 VAC, 50/60 Hz, 11A or 220-240 VAC, 50/60 Hz, 6A; B400: Continuous Printing: 565 watts; Ready (Standby): 46 watts; Energy Saver Mode (Sleep): 4 watts or less; B405: Continuous Printing: 620 watts; Ready (Standby): 60 watts; Energy Saver Mode (Sleep): 4 watts or less

Dimensions (W x D x H)

B400: 18.1 x 16.8 x 13.3 in. / 459 x 426 x 339 mm, Weight: 30 lb. / 14 kg; B405: 19.5 x 19.5 x 21.7 in. / 495 x 495 x 551 mm, Weight: 48 lb. / 22 kg

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications

Standard Capacity Toner Cartridge: 5,900 pages¹ 106R03580 106R03582 High Capacity Toner Cartridge: 13,900 pages¹ Extra High Capacity Toner Cartridge: 24,600 pages¹ 106R03584 101R00554 Drum Cartridge: 65,000 pages²

Options	
550-sheet Feeder (B400)	497K13620
550-sheet Feeder (B405)	497K13630
Productivity Kit with 16 GB Solid State Drive	097S04913
Stand	497K13660
Wireless Network Adapter (Wi-Fi Kit)	497K16750
External Card Reader / RFID Kit (B400)	497K18380
Internal Card Reader / RFID Kit (B405)	497K18120

Average standard pages, Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB400Specs. For more information, visit us at www.xerox.com/office.



² Approximate pages. Declared yield based on an average job size of 3 A4-/ letter-size pages. Yield will vary depending on job run length and media size and orientation.

Xerox® VersaLink® Multifunction Printer

The Workplace Assistant that can do it all. Even print.







Xerox® VersaLink® B7125/B7130/B7135 Multifunction Printer

What will you need tomorrow? It's tough to predict the future, but with VersaLink, it's easy to be prepared. In fact, print just scratches the surface of what's possible. Along with built-in, comprehensive security features, these Workplace Assistants deliver the everyday, must-have capabilities you need now, with plenty of room to add new features as your work evolves.

ADAPTABLE TECHNOLOGY THAT FLEXES WITH YOU

Your work is always evolving, so you need technology that's always a step ahead. Xerox® ConnectKey® Technology-enabled VersaLink provides the adaptability needed to support advancements in technology and work processes. With regular firmware updates and an ever-growing collection of productivity tools delivered with the App Gallery, VersaLink helps you stay ahead of the change.

BREEZE THROUGH TASKS EFFORTLESSLY

Getting up to speed is easy with a tablet-like touch screen that balances simplicity and time-saving efficiency. The familiar, intuitive user interface (UI) guides you through tasks, eliminating extra steps. And the ability to personalize the UI empowers you to work the way you want.

Mobility features, like Wi-Fi Direct, take the hassle out of printing directly from your favorite mobile devices. Near Field Communication (NFC) lets you authenticate with a smartphone to connect in seconds, and the Xerox® Quick Link app enables you to quickly connect and print without IT support, reducing the burden on IT teams.

And with VersaLink Devices, more capabilities means added convenience, not more complexity. Leading-edge scanning functionality and automation of physical and digital workflows allow you to scan, digitize and route information without missing a beat, reducing errors and saving time. Furthermore, industry-specific apps for education, healthcare, legal and more help you stay plugged in and productive.

HELLO, DIGITAL RESILIENCE

Translator. Proofreader. Form checker. Do-it-all digitizer. VersaLink makes it easy to tackle the hardest challenges. Stay ready with access to an expanding portfolio of cloud-hosted apps and the ability to tailor solutions for your specific needs through the Xerox Partners program.

And with access to Xerox® Workflow Central Platform, a cloud-based solution that takes the guesswork out of converting physical and digital files into usable formats right from the VersaLink user interface, even complicated work processes are easy. It helps you get the most out of your Workplace Assistant, so you can stay productive and secure from the office or on the move.

PROACTIVE SECURITY YOU CAN COUNT ON

VersaLink's multi-layered protection safeguards all system components. A comprehensive range of proactive security features stop even the most sophisticated security threats where they start, preventing malicious attacks, proliferation of malware, unauthorized access or changes and breaches that lead to downtime.

To simplify security event reporting and management, VersaLink Devices can integrate with Security Information and Event Management (SIEM¹) Tools. McAfee® whitelisting constantly monitors, detects and blocks threats in real time. And automated security responses provide invaluable time savings and peace of mind.

SUPERIOR IMAGE QUALITY

With high-resolution output of 1200 x 1200 dpi, the VersaLink takes your documents to the next level with sharp image quality. Rich blacks and smoother shades give your communications impact, while crisp text enhances clarity and legibility.

SUSTAINABILITY WITHOUT COMPROMISE

All VersaLink Devices meet or exceed the strictest globally recognized standards for sustainability, including EPEAT and ENERGY STAR®, providing environmental benefits without ever having to compromise on performance or quality.

XEROX CONNECTKEY TECHNOLOGY

Intuitive User Experience

Tap into a tablet-like experience with gesture-based touch screen controls.

Easy personalization, plus simple workflows and functions.

Mobile and Cloud Ready

Enjoy mobile flexibility with cloud-hosted services. Instantly connect to cloud and mobile devices right from the user interface.

Comprehensive Security

Prevent unauthorized access, detect threats and protect data and documents with built-in proactive security features.

Enables Managed Print Services

Boost workplace efficiency, productivity and security with seamless integration with Xerox® Managed Print Services.

Gateway to New Possibilities

Do your best work with the apps from the Xerox App Gallery. Don't see an app for your specific need? Our partners can develop a custom solution for you.

Learn more about expanding and customizing your capabilities at **ConnectKey.com**.

Xerox[®] VersaLink[®] B7125/B7130/B7135 Multifunction Printer

Configuration

130-sheet² Single-Pass Duplex Automatic Document Feeder

(DADF) saves time by simultaneously scanning both sides of two-sided documents with up to 80 impressions per minute (ipm). High paper capacity drives productivity, especially for tasks that require large batches of scanned or copied documents.

The 100-sheet Bypass Tray

handles media sizes from 3.5 x 3.87 in to 11.69 x 17 in/88.9 x 98.4 mm to 297 x 431.8 mm.



User interface is an intuitive, tablet-like,

7-inch tiltable touch screen that allows you to complete tasks in just a few effortless taps and lets you personalize your experience. Gain access to 100+ productivity apps through the **Xerox App Gallery**. Try it out at **xerox.com/VersaLink7100UI**.

The standard 520-sheet² Tray

1 handles media sizes from 5.5 x 7.17 in to 11.69 x 17 in/139.7 x 182 mm to 297 x 431.8 mm.



Card Reader Bay and embedded USB port.³

MAXIMIZE PAPER CAPACITY WITH ONE OF THESE FEEDING OPTIONS²

The Single Tray Module

(optional with desktop model) increases total paper capacity to 1,140 sheets (includes Bypass Tray).



The Stand Module offers

total paper capacity of 1,140 sheets (includes Bypass Tray) and provides storage for toner cartridges and other supplies



The Three Tray Module

(optional with desktop model) increases total paper capacity to 2,180 sheets (includes Bypass Tray).



The Tandem Tray Module

allows for total paper capacity of up to 3,140 sheets (includes Bypass Tray).



The Envelope Tray can replace Tray 1 to provide feeding of up to 60 envelopes.

The High-Capacity Feeder holds 2,000 sheets of Letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.



INCREASE VERSATILITY WITH FINISHING OPTIONS²



The Office Finisher

provides advanced finishing functions, 500 sheet stacker, 3 position stapling and optional hole punch.



The Office Finisher with

Booklet Maker simplifies booklet making, including score and saddle-stitch. Use it to create 64-page saddle-stitched booklets (2 to 16 sheets).



The Work Surface and Convenience Stapler

staples up to 50 sheets and provides plenty of elbow room to sort documents.



The Dual Off-set Catch Trays⁴

stack up to 250 sheets each.



The Integrated Office Finisher

provides 500-sheet stacking and 50-sheet, dual position stapling.

Xerox® VersaLink® B7125/B7130/B7135 Multifunction Printer



DEVICE SPECIFICATIONS	VersaLink B7125	VersaLink B7130	VersaLink B7135
Speed ⁵	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm
Monthly Duty Cycle ⁶	Up to 107,000 pages	Up to 129,000 pages	Up to 153,000 pages
Hard Drive /Processor/Memory	320 GB HDD ⁴ /1.05 GHz Dual core/4 GB Memory		1 3
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB	3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Ki	t, NFC Tap-to-Pair
Controller Features		an Preview, Xerox Extensible Interface Platform®, >	
		ermissions, Convenience Authentication Enabled, C	
Copy and Print Resolution	Copy: Up to 600 x 600 dpi; Print: Up to 1200 x	1200 dpi	
First-copy-out Time (as fast as)	As fast as 5.8 seconds black-and-white	As fast as 4.3 seconds black-and-white	As fast as 4.3 seconds black-and-white
First-print-out Time (as fast as)	As fast as 6.2 seconds black-and-white	As fast as 5.2 seconds black-and-white	As fast as 4.8 seconds black-and-white
Page Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optic	onal Adobe® PostScript® 3™	
Paper Input ² Standard	Single-Pass Duplex Automatic Document F. Custom sizes: 1.93 x 3.35 in to 11.69 x 17 in/49	eeder (DADF): 130 sheets: Speed: up to 80 ipm; x 85 mm to 297 x 431.8 mm	
	Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.8	37 in to 11.69 x 17 in/88.9 x 98.4 mm to 297 x 431.	8 mm
	Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in to	11.69 x 17 in/139.7 x 182 mm to 297 x 431.8 mm	
Choose One	Single Tray with Stand Module: 520 sheets; three Tray Module (1,560 sheets): 520 sheets Tandem Tray Module (2,520 sheets): Tray 2: 5 Tray 3: 870 sheets; Standard sizes: 8.5 x 11 in a		182 mm to 297 x 431.8 mm 139.7 x 182 mm to 297 x 431.8 mm 7 in/139.7 x 182 mm to 297 x 431.8 mm; andard sizes: 8.5 x 11 in and 7.25 x 10.5 in/A4 or B5
Optional	High-Capacity Feeder (HCF): 2,000 sheets; St	ercial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in to andard sizes: 8.5 x 11 in and 7.25 x 10.5 in/A4 or B5	
Paper Output/ Standard Finishing ² Optional	500-sheet Center Tray		
Optional	Dual Off-set Catch Trays ⁴ : 250 sheets each; L Integrated Office Finisher: 500-sheet stacker, Office Finisher: 2,000-sheet stacker, 50 sheets: Convenience Stapler and Work Surface: Staple	50 sheets stapled, dual position stapling stapled, 3-position stapling, optional hole-punch, o	optional booklet maker (score, saddle stitch)
INTUITIVE USER EXP	ERIENCE		
Customize	Customize user interface, show/hide functions,	personalize user experience with authentication,	create 1-Touch Apps
Print Drivers	Job Identification, Bi-directional Status, Job Mc	onitoring, Xerox® Global Print Driver®, Application	Defaults, Xerox® Pull Print Driver
Xerox® Embedded Web Server	PC or Mobile — Status Information, Settings, D	Device Management, Cloning, Remote Control Pa	nel
Print Features		Creation, Store and Recall Driver Settings, Scalin itories (Dropbox, OneDrive, and Google Drive) vio	g, Job Monitoring, Application Control, Two-sided Printing I optional apps
Scan and Fax	PDF, Single/Multi-page PDF/TIFF, Password-pro	otected PDF; Fax Features: Walk-up Fax (one-line of Address Book, Optical Character Recognition (OC	TIFF; Convenience Features: Scan to Home, Searchable or three-line options available, includes LAN Fax, Direct CR), Server Fax, TWAIN driver (scan); Optional : Scan To
MOBILE AND CLOUD R			
Mobile Connectivity	Near Field Communication (NFC); Optional: W	/i-Fi Direct. Wi-Fi (802.11 b/a/n/ac)	
Mobile Printing		3	tional: Xerox® Workplace Mobile App (iOS/Android)
Mobile Scanning	Mopria® Scan, Apple AirPrint TM ; Optional : Xerox		tonal velox frompace moster app (105% maiola)
Cloud Ready		nection to cloud hosted services via optional app	s (accessed via Xerox App Gallery app or visit
COMPREHENSIVE SEC			
Network Security	SHA-256 Hash Message Authentication, TLS 1.1	/1.2/1.3, Security Certificates utilizing ECDSA, Auto	m SIEM ¹ , Splunk SIEM ¹ , Network Authentication, SNMPv3, omatic Self-signed Certificate, Cisco® Identity Services n, Local Authentication (Internal Database), FIPS 140-2
Device Access		FID Card Reader, NFC standard (authentication v	missions, TPM; Optional : Smart Card Enablement Kit ia optional Xerox® Workplace Cloud/Suite Print
Data Protection		rare Verification, Job Level Encryption via HTTPS or rwrite; Optional: Xerox Workplace Cloud/Suite Co	and Drivers, Encrypted and Signed Email; Encrypted Hard ontent Security, McAfee Integrity Control
Document Security	Under evaluation Common Criteria Certification (I	SO 15408) full system against the HCD PP, Encrypted	d Secure Print, FIPS 140-2 Encrypted Data with Print Drivers
ENABLES MANAGED P	RINT SERVICES		
Print Management	Xerox® Standard Accounting; Optional: Xerox V	Workplace Suite/Cloud, Xerox® Virtual Print Mana	gement Service, more at xerox.com/PrintManagement
Fleet/Device Management		stant, Automated Meter Read, Xerox® Cloud Fleet -based remote management with Xerox Workpla	
Security	Secure Device Management: Xerox® Printer Sec Certificate Management, SIEM¹ Reporting, Inte		y settings, monitoring, and auto-remediation), Digital
GATEWAY TO NEW PO	SSIBILITIES		
Xerox and Partner Apps		anslate, redact, convert text to audio or handwritte orm. Or visit xerox.com/WorkplaceApps to find a	en notes to text files, and paper documents to Microsoft pps by industry or workflow
Software and Solutions	Xerox DocuShare (xerox.com/ecm), XMPie (xe Xerox WorkFlow Central Platform	rox.com/XMPie), Xerox Workplace Solutions (xe	rox.com/WorkplaceSolutions),
¹ SIEM support with Xerox® Device Mo	unager: ² Paper capacities are based on 20 lb/75 asm st	ock: canacities will vary with different weight stocks 3	USB ports can be disabled. 4 HDD and Dual Off-set Catch Trays

¹SIEM support with Xerox® Device Manager; ²Paper capacities are based on 20 lb/75 gsm stock; capacities will vary with different weight stocks. ³ USB ports can be disabled. ⁴HDD and Dual Off-set Catch Trays are optional on Desktop model. ⁵ Declared print speed in accordance with ISO/IEC 24734. ⁶ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ⁷ Not available in all markets. Certifications: xerox.com/OfficeCertifications

More information is available at **xerox.com/VersaLink.**



Xerox® VersaLink® Color Multifunction Printer

The Workplace Assistant that can do it all. Even print.





Xerox VersaLink C7120/C7125/C7130 Color Multifunction Printer

What will you need tomorrow? It's tough to predict the future, but with VersaLink, it's easy to be prepared. In fact, print just scratches the surface of what's possible. Along with built-in, comprehensive security features, these Workplace Assistants deliver the everyday, must-have capabilities you need now with plenty of room to add new features as your work evolves.

ADAPTABLE TECHNOLOGY THAT FLEXES WITH YOU

Your work is always evolving, so you need technology that's always a step ahead. Xerox® ConnectKey® Technology-enabled VersaLink provides the adaptability needed to support advancements in technology and work processes. With regular firmware updates and an ever-growing collection of productivity tools delivered with the App Gallery, VersaLink helps you stay ahead of the change.

BREEZE THROUGH TASKS EFFORTLESSLY

Getting up to speed is easy with a tablet-like touch screen that balances simplicity and time-saving efficiency. The familiar, intuitive user interface (UI) guides you through tasks, eliminating extra steps. And the ability to personalize the UI empowers you to work the way you want.

Mobility features, like Wi-Fi Direct, take the hassle out of printing directly from your favorite mobile devices. Near Field Communication (NFC) lets you authenticate with a smartphone to connect in seconds, and the Xerox® Quick Link app enables you to quickly connect and print without IT support, reducing the burden on IT teams.

And with VersaLink Devices, more capabilities means added convenience, not more complexity. Leading-edge scanning functionality and automation of physical and digital workflows allow you to scan, digitize and route information without missing a beat, reducing errors and saving time. Furthermore, industry-specific apps for education, healthcare, legal and more help you stay plugged in and productive.

HELLO, DIGITAL RESILIENCE

Translator. Proofreader. Form checker. Do-it-all digitizer. VersaLink makes it easy to tackle the hardest challenges. Stay ready with access to an expanding portfolio of cloud-hosted apps and the ability to tailor solutions for your specific needs through the Xerox Partners program.

And with access to Xerox® Workflow Central Platform, a cloud-based solution that takes the guesswork out of converting physical and digital files into usable formats right from the VersaLink user interface, even complicated work processes are easy. It helps you get the most out of your Workplace Assistant, so you can stay productive and secure from the office or on the move.

PROACTIVE SECURITY YOU CAN COUNT ON

VersaLink's multi-layered protection safeguards all system components. A comprehensive range of proactive security features stop even the most sophisticated security threats where they start, preventing malicious attacks, proliferation of malware, unauthorized access or changes and breaches that lead to downtime.

To simplify security event reporting and management, VersaLink Devices can integrate with Security Information and Event Management (SIEM¹) Tools. McAfee® whitelisting constantly monitors, detects and blocks threats in real time. And automated security responses provide invaluable time savings and peace of mind.

SUPERIOR IMAGE OUALITY

Color is the difference between communications that fall flat and those with real impact. With high-resolution output of 1200 x 2400 dpi, the VersaLink takes your documents to the next level with sharp image quality.

SUSTAINABILITY WITHOUT COMPROMISE

All VersaLink Devices meet or exceed the strictest globally recognized standards for sustainability, including EPEAT and ENERGY STAR®, providing environmental benefits without ever having to compromise on performance or quality.

XEROX CONNECTKEY TECHNOLOGY

Intuitive User Experience

Tap into a tablet-like experience with gesture-based touch screen controls.
Easy personalization, plus simple workflows and functions.

Mobile and Cloud Ready

Enjoy mobile flexibility with cloud-hosted services. Instantly connect to cloud and mobile devices right from the user interface.

Comprehensive Security

Prevent unauthorized access, detect threats and protect data and documents with built-in proactive security features.

Enables Managed Print Services

Boost workplace efficiency, productivity and security with seamless integration with Xerox® Managed Print Services.

Gateway to New Possibilities

Do your best work with the apps from the Xerox App Gallery. Don't see an app for your specific need? Our partners can develop a custom solution for you.

Learn more about expanding and customizing your capabilities at **ConnectKey.com**.

Xerox Versal ink C7120/C7125/C7130 Color Multifunction Printer Configuration

130-sheet² Single-Pass Duplex Automatic Document Feeder

(DADF) saves time by simultaneously scanning both sides of two-sided documents with up to 80 impressions per minute (ipm). High paper capacity drives productivity, especially for tasks that require large batches of scanned or copied documents.

The 100-sheet Bypass Tray

handles media sizes from 3.5 x 3.87 in to 11.69 x 17 in/88.9 x 98.4 mm to 297 x 431.8 mm.



User interface is an intuitive, tablet-like,

7-inch tiltable touch screen that allows you to complete tasks in just a few effortless taps and lets you personalize your experience. Gain access to 100+ productivity apps through the Xerox App Gallery. Try it out at xerox.com/VersaLink7100UI.

The standard 520-sheet² Tray 1

handles media sizes from 5.5 x 7.17 in to 11.69 x 17 in/139.7 x 182 mm to 297 x 431.8 mm.



Card Reader Bay with embedded USB port.3

MAXIMIZE PAPER CAPACITY WITH ONE OF THESE FEEDING OPTIONS²

The Single Tray Module

(optional with desktop model) increases total paper capacity to 1,140 sheets (includes Bypass Tray).



The Stand Module offers

total paper capacity of 1,140 sheets (includes Bypass Tray) and provides storage for toner cartridges and other supplies



The Three Tray Module

(optional with desktop model) increases total paper capacity to 2,180 sheets (includes Bypass Tray).



The Tandem Tray Module

allows for total paper capacity of up to 3,140 sheets (includes Bypass Tray).



The High-Capacity Feeder

holds 2,000 sheets of Letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.

The Envelope Tray can

replace Tray 1 to provide feeding of up to 60 envelopes.



INCREASE VERSATILITY WITH FINISHING OPTIONS²



The Office Finisher

provides advanced finishing functions, 500 sheet stacker, 3 position stapling and optional hole punch.



The Office Finisher with

Booklet Maker simplifies booklet making, including score and saddle-stitch. Use it to create 64-page saddle-stitched booklets

(2 to 16 sheets).



The Dual Off-set Catch Trays⁴ stack up to 250 sheets each.



The Work Surface and Convenience Stapler

staples up to 50 sheets and provides plenty of elbow room to sort documents.



The Integrated Office Finisher

provides 500-sheet stacking and 50-sheet, dual position stapling.

Xerox VersaLink C7120/C7125/C7130 Color Multifunction Printer

ConnectKey[®]
Technology

DEVICE SPECIFICATIONS Speed ⁵ Monthly Duty Cycle ⁶ Hard Drive/Processor/Memory	VersaLink C7120 Up to 20 ppm	VersaLink C7125	VersaLink C7130				
Monthly Duty Cycle ⁶	1 1 1 E E E	Up to 25 ppm	Up to 30 ppm				
	Up to 87,000 pages	Up to 107,000 pages	Up to 129,000 pages				
- iara Birreri rocessorimentory	320 GB HDD ⁴ /1.05 GHz Dual core/4 GB Memory						
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair						
Controller Features	Unified Address Book, Configuration Cloning, Scan Preview, Xerox Extensible Interface Platform®, Xerox® App Gallery App,						
controller realares		rmissions, Convenience Authentication Enabled, C	11 2 11:				
Copy and Print Resolution	Copy: Up to 600 x 600 dpi; Print: Up to 1200 x 2	2400 dpi					
First-copy-out Time (as fast as)	As fast as 8.1 seconds color/ As fast as 8.1 seconds color/ As fast as 6.7 seconds color/						
	As fast as 5.7 seconds black-and-white	As fast as 5.7 seconds black-and-white	As fast as 4.4 seconds black-and-white				
First-print-out Time (as fast as)	As fast as 8.8 seconds color/	As fast as 8.8 seconds color/	As fast as 7.0 seconds color/				
	As fast as 6.9 seconds black-and-white	As fast as 6.7 seconds black-and-white	As fast as 5.4 seconds black-and-white				
Page Description Languages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/option	nal Adobe® PostScript® 3™					
Paper Input ² Standard	Single-Pass Duplex Automatic Document Feeder (DADF): 130 sheets: Speed: up to 80 ipm;						
	Custom sizes: 1.93 x 3.35 in to 11.69 x 17 in/49 x 85 mm to 297 x 431.8 mm						
ļ	Bypass Tray : 100 sheets; Custom sizes: 3.5 x 3.87 in to 11.69 x 17 in/88.9 x 98.4 mm to 297 x 431.8 mm						
	Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in to 11.69 x 17 in/139.7 x 182 mm to 297 x 431.8 mm						
Choose One	Single Tray Module: 520 sheets; Custom sizes: 5.5 x 7.17 in to 11.69 x 17 in/139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand Module: 520 sheets; Custom sizes: 5.5 x 7.17 in to 11.69 x 17 in/139.7 x 182 mm to 297 x 431.8 mm The Tray Module: 520 sheets; Custom sizes: 5.5 x 7.17 in to 11.69 x 17 in/139.7 x 182 mm to 297 x 431.8 mm						
	Three Tray Module (1,560 sheets): 520 sheets each; Custom sizes: 5.5 x 7.17 in to 11.69 x 17 in/139.7 x 182 mm to 297 x 431.8 mm Tandem Tray Module (2,520 sheets): Tray 2: 520 sheets; Custom sizes: 5.5 x 7.17 in to 11.69 x 17 in/139.7 x 182 mm to 297 x 431.8 mm; Tray 3: 870 sheets; Standard sizes: 8.5 x 11 in and 7.25 x 10.5 in/A4 or B5; Tray 4: 1,130 sheets; Standard sizes: 8.5 x 11 in and 7.25 x 10.5 in/A4 or B5						
Optional	Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in to 6.4 x 9.5 in/98 x 148 mm to 162 x 241 mm High-Capacity Feeder (HCF): 2,000 sheets; Standard sizes: 8.5 x 11 in and 7.25 x 10.5 in/A4 or B5						
Paper Output/ Standard	500-sheet Center Tray						
Finishing ² Optional	Dual Off-set Catch Trays ⁶ : 250 sheets each; Lower tray offsets						
	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, dual position stapling						
	Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch)						
	Convenience Stapler and Work Surface: Staple	es 50 sheets					
INTUITIVE USER EXPE							
Customize	Customize user interface, show/hide functions, personalize user experience with authentication, create 1-Touch Apps						
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Application Defaults, Xerox® Pull Print Driver						
Xerox® Embedded Web Server	PC or Mobile — Status Information, Settings, Device Management, Cloning, Remote Control Panel						
Print Features	Print from USB, Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control, Two-sided Printing Draft Mode; Optional : Print From Cloud Repositories (Dropbox, OneDrive, and Google Drive) via optional apps						
Scan and Fax	Scan Preview, Scan to USB/Email/Network (FTP/SFTP/SMB), Scan File Formats: PDF, PDF/A, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-page PDF/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR), Server Fax, TWAIN driver (scan); Optional: Scan To Cloud Repositories (Dropbox, OneDrive, and Google Drive)						
MOBILE AND CLOUD R		, - · · · · · · · · · · · · · · · · · ·					
Mobile Connectivity	Near Field Communication (NFC); Optional: Wi	i-Fi Direct Wi-Fi (802.11 h/a/n/ac)					
Mobile Printing			tional: Xerox® Workplace Mobile App (iOS/Android)				
Mobile Scanning	Mopria® Scan, Apple AirPrint [™] ; Optional: Xerox®	, , , ,	workplace Mobile App (103/Anarola)				
Cloud Ready			sed via Xerox App Gallery app or visit xerox.com/AppGallery				
COMPREHENSIVE SECU		ion to cloud hosted services via optional apps (acces	sea via reformpp dancing app of visit reformed in appearance				
Network Security	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, McAfee Enterprise Security Manager', LogRhythm SIEM¹, Splunk SIEM¹, Network Authentication, SN SHA-256 Hash Message Authentication, TLS 1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Serviciengine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication (Internal Database), FIPS 14						
Device Access	User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, TPM; Optional: Smart Card Enablemen (CAC/PIV/.NET/SIPRNet) ⁷ , Xerox [®] Integrated RFID Card Reader, NFC standard (authentication via optional Xerox [®] Workplace Cloud/Suite Print Management and Content Security; learn more at xerox.com/WorkplaceSolutions)						
Data Protection	McAfee Embedded Control Whitelisting, Firmware Verification, Job Level Encryption via HTTPS and Drivers, Encrypted and Signed Email; Encrypted Disk (AES 256-bit, FIPS 140-2) with Image Overwrite; Optional : Xerox Workplace Cloud/Suite Content Security, McAfee Integrity Control						
Document Security	Under evaluation Common Criteria Certification (IS	SO 15408) full system against the HCD PP, Encrypted	Secure Print, FIPS 140-2 Encrypted Data with Print Drivers				
ENABLES MANAGED PR	RINT SERVICES						
Print Management	Xerox® Standard Accounting; Optional: Xerox V	Vorkplace Suite/Cloud, Xerox® Virtual Print Mana	gement Service, more at xerox.com/PrintManagement				
Fleet/Device Management	Xerox® CentreWare® Web, Xerox® Support Assistant, Automated Meter Read, Xerox® Cloud Fleet Management Solution, Configuration Cloning; Optional: Managed Print Services Suite, Cloud-based remote management with Xerox Workplace Cloud?						
	Secure Device Management: Xerox® Printer Security Audit Service (auto-configuration of security settings, monitoring, and auto-remediation), Digital Certificate Management, SIEM Reporting, Interactive Dashboard Reports						
Security							
Security GATEWAY TO NEW POS	SIBILITIES						
	Automate everyday processes with apps that tra	nslate, redact, convert text to audio or handwritte ırm. Or visit xerox.com/WorkplaceApps to find ap	n notes to text files, and paper documents to Microsoft ops by industry or workflow				

¹ SIEM support with Xerox[®] Device Manager; ² Paper capacities are based on 20 lb/75 gsm stock; capacities will vary with different weight stocks. ³ USB ports can be disabled. ⁴ HDD and Dual Off-set Catch Trays are optional on Desktop model. ⁵ Declared print speed in accordance with ISO/IEC 24734. ⁸ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ⁷ Not available in all markets. Certifications: xerox.com/OfficeCertifications

More information is available at xerox.com/VersaLink.



Xerox® AltaLink® Multifunction Printer

The Ideal Digital Workplace Assistant for Demanding Teams







Xerox[®] AltaLink[®] B8145/B8155/B8170 Multifunction Printer

Want work done right? AltaLink® will help you do a lot more than just print. You can automate document workflows and connect to the systems that run your business — seamlessly. Protected by comprehensive security features, they are true Workplace Assistants that will free up time for you to do more of what really matters.

A PRODUCTIVE WORK EXPERIENCE FOR ALL

Feel right at home instantly with AltaLink®.

The intuitive and personalized tablet-like interface balances simplicity and efficiency and reduces steps to complete tasks with a single tap.

Native mobility features make it easy for workers to print from their mobile devices with advanced AltaLink® capabilities such as Xerox® @PrintByXerox App, Xerox® Print Service Plug-in for Android™ or AirPrint™. You can even copy, scan, or email without touching the user screen with AltaLink's touchless workflows.

AltaLink® Devices bridge the physical and digital worlds with apps and advanced scanning capabilities that allow you to digitize, route, and process information in a snap. Automate tedious tasks to save time and reduce errors with 1-Touch shortcuts or simply allow AltaLink's Adaptive Learning to automate repetitive and complex tasks.

Translate documents to 40 languages. Convert hard copy to audio for easy listening on the go. Get your hand written notes off the page and into shareable text. Redact content for confidentiality. And convert scans to Microsoft applications — all from the ever-growing Xerox® Workflow Central Platform.

RIGHT FIT FOR EVERY NEED

Big jobs, small jobs, and everything in between — AltaLink® can be customized to do it all. Your choice of finishing options and accessories means you can configure your device for any type of document.

Stay in the fast lane with access to the Xerox App Gallery. It's your gateway to a growing collection of apps designed to simplify time-consuming, repetitive, or complex processes as your business evolves.

Simplify IT support as your fleet grows. Fleet Orchestrator allows you to automatically and securely adjust configurations and settings on all your devices at once. Perform interactive training and support your users right from your desktop with the Remote Control Panel.

COMPREHENSIVE SECURITY

Stop threats where they start with the comprehensive protection that's trusted by the most security-minded businesses and governments.

Built-in security, including the AltaLink® Trusted Boot that protects the integrity of the device start-up process from malicious actions, McAfee® whitelisting and integrations with McAfee ePO, and Cisco ISE that neutralize threats instantly at the device and protect the network. Configuration Watchdog monitors and automatically remediates critical IT-defined security settings.

Protect sensitive documents from unintentional disclosure with AltaLink's Imaging Security - a proprietary marking and infrared detection technology.

Native integration with popular SIEM tools simplifies reporting and management of security events. Xerox® Printer Security Audit Service, available as part of Xerox® Intelligent Workplace Services, helps maximize printer fleet, document, and content security.

OUTPUT THAT RAISES THE BAR

The wow factor is easy to achieve with high-resolution 1200 x 2400 dpi output. Best-in-class HD Super Fine EA Toner delivers rich blacks and smoother shades of gray, giving your documents clarity and impact.

XEROX® CONNECTKEY® TECHNOLOGY

Intuitive User Experience

Enjoy a tablet-like experience with gesture-based touchscreen controls and easy personalization, plus simple workflows and functions.

Mobile and Cloud Ready

Be more mobile with cloud-hosted services and instant connectivity to cloud and mobile devices right from the user interface.

Comprehensive Security

Prevent unauthorized access, detect threats, and protect data and documents with built-in comprehensive security features.

Enables Intelligent Workplace Services

Seamless integration with Xerox® Intelligent Workplace Services delivers next-level workplace efficiency, employee productivity, and security.

Gateway to New Possibilities

Transform the way you work with the apps in the Xerox App Gallery. Or have one of our partners develop a custom solution for you.

Find out more about how you'll work smarter at www.ConnectKey.com.



Xerox[®] AltaLink[®] B8145/B8155/B8170 Multifunction Printer

Single-Pass Duplex Automatic Document Feeder (DADF)

saves time by simultaneously scanning both sides of two-sided documents with up to 270 impressions per minute (ipm).



USER INTERFACE



INNOVATIVE TECHNOLOGIES

Intuitive Tablet-like 10.1-inch
Color Touchscreen is customizable
and lets you perform tasks in just a
few taps. Try it out at
xerox.com/AltaLink8100UI.

Xerox® Integrated RFID Card

90 access cards.

with the MFP.

Reader (optional) adds card-based authentication with support for over

Near Field Communication (NFC)

Tap-to-Pair allows users to tap their mobile devices to the AltaLink® B8100 Series user panel and quickly connect

Smart Proximity Sensor detects

when users are nearby. It conserves


energy during inactive periods and automatically activates the device when a user approaches.

PAPER INPUT³

Two 520-sheet Adjustable Trays (common with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.




Envelope Kit (optional — replaces Tray 1) provides feeding of up to 60 envelopes.



High Capacity Tandem Tray Configuration holds a total paper capacity of up to 3,140 sheets.

Bypass Tray handles up to 100 sheets; Custom sizes: 3.5 x 3.9 in. to

12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm.



to 6,140 sheets.



PAPER OUTPUT/FINISHERS³



Office Finisher (optional) provides advanced finishing functions, optional crease/score and saddle-stitch booklet, capable of 60-page booklets (2 to 15 sheets).



Business Ready (BR) Finisher (optional) gives you advanced finishing functions at a great value.



C-Fold/Z-Fold Unit (optional) adds C-fold, Z-fold, and Z-half-fold capability to the BR Finisher or BR Booklet Maker Finisher.



BR Booklet Maker Finisher (optional) creates 64-page saddle-stitched booklets (2 to 16 sheets).

LONG SHEET PRINTING

Long Sheet Feed Kit (optional) provides the ability to print up to 12.6×52 in./ $320 \times 1,320$ mm media.





Dual Offset Catch Tray (available when no finishers are installed; Single Offset Catch Tray with finishers).



Integrated Office Finisher (optional with B8145/B8155) provides 500-sheet stacking and 50-sheet, 2-position stapling.



Convenience Stapler (optional) staples up to 50 sheets of 20 lb./75 gsm media.

Xerox® AltaLink® B8145/B8155/B8170 Multifunction Printer



DEVICE SPECIFICATIONS	ALTALINK® B8145	ALTALINK® B8155	ALTALINK® B8170				
peed ¹	Up to 45 ppm	Up to 55 ppm	Up to 72 ppm				
Ionthly Duty Cycle ²	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages				
torage/Processor/Memory	Minimum 128 GB SSD; Optional: 500GB H	DD/INTEL ATOM Quad Core, 1.9GHz/4 GB system memory					
onnectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, NFC; Optional: WiFi/WiFi Direct with Xerox® Dual Band Wireless Kit, Bluetooth (iBeacon)						
opy and Print	Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi						
irst-Copy-Out Time (as fast as) (f	rom 4.40 seconds	3.70 seconds	3.20 seconds				
laten/warmed-up state)							
irst-Print-Out Time (as fast as)	3.80 seconds	3.20 seconds	3.00 seconds				
age Description Languages	Adobe® PostScript® 3™, Adobe® PDF, PCL	[®] 5c/PCL [®] 6					
Paper Input ³ Stan	Up to 135 ppm simplex/270 ipm duplex (200 Bypass Tray: 100 sheets; Custom sizes: Tray 1: 520 sheets; Custom sizes: 5.5 x 7 Tray 2: 520 sheets; Custom sizes: 5.5 x 7 High Capacity Tandem Tray Module:	Single-Pass Duplex Automatic Document Feeder (DADF): Up to 82 ppm simplex/141 ipm duplex (200 dpi). 130-sheet capacity for AltaLink® B8145/B8155 Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® B8170, Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 mm Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm (SEF) Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm to 297 x 432 mm (SEF) Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF) High Capacity Tandem Tray Module: 2,000 sheets; Sizes: 8.5 x 11 in./A4. Total standard paper capacity: 3,140 sheets					
	Envelope Tray (replaces Tray 1): Up to Long Sheet Feed Kit (banner printing) Multi-feed Detection Kit (available for	Envelope Tray (replaces Tray 1): Up to 60 envelopes with Auto Size detection of some sizes Long Sheet Feed Kit (banner printing): Up to 12.6 x 52 in./320 x 1,320 mm Multi-feed Detection Kit (available for AltaLink® B8170 only)					
aper Output/ Stan		finishers are not attached): 250 sheets each; Face-up Tray: 1					
Finishing³ Opt	Orfice Finisher: 2,000-sheet stacker, 50-BR Finisher: 3,000-sheet stacker and 50!BR Booklet Maker Finisher: 1,500-shee (2 to 16 sheets, 64 pages) and V-folding C-Fold/Z-Fold Unit: Adds Z-folding, Lettr	Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages)) BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching, plus saddle-stitch booklet making					
NTUITIVE USER EXP	ERIENCE						
ustomize	Customize user interface, show/hide func	tions, personalize user experience with authentication, create	e 1-Touch Apps, auto wakeup with Smart Proximity Sensor. Enable Adaptive				
	Learning to set up shortcuts for repetitive	Learning to set up shortcuts for repetitive and complex jobs. Copy, scan, or email without touching the user screen using the automatic touchless workflow accelerators					
rint Drivers	Job Identification, Bi-directional Status, J	ob Monitoring, Xerox® Global Print Driver®, Application Defau	ılts, Xerox® Pull Print Driver, Microsoft Universal Print				
erox® Embedded Web Server	PC or Mobile — Status Information, Setti	ngs, Device Management, Cloning, Fleet Orchestrator, Config	uration Watchdog, Remote Control Panel				
rint Features		Print from USB, Print from Cloud Repositories (Dropbox, OneDrive, and Google Drive), Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control, Two-sided Printing, Draft Mode, Long Sheet (Banner) Printing					
scan and Fax	Scan Preview, Scan to USB/Email/Networ TIFF, Password-protected PDF; Fax Featu	Scan Preview, Scan to USB/Email/Network (FTP/SFTP/SMB), Scan File Formats: PDF, PDF/A, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-page PD TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or two-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR), Server Fax, TWAIN driver (scan); Optional: Scan To Cloud Repositories (Dropbox, One Drive, and Google Drive)					
OBILE AND CLOUD F	READY						
Nobile Connectivity	Near Field Communication (NFC); Option	nal: Wi-Fi Direct, Wi-Fi (802.11 b/g/n/αc), AirPrint (iOS) includi	ng iBeacon (Bluetooth)				
Nobile Printing		nt Service (Android), Xerox® @PrintByXerox App; Optional: Xe					
Nobile Scanning	- ' ' '	Mopria® Scan, Apple AirPrint™; Optional: Xerox® Workplace Mobile App (iOS/Android)					
iloud-ready	Remote services enabled, native "Print from	Remote services enabled, native "Print from" Cloud repositories (Dropbox, One Drive, Google Drive), Integration with Okta, Ping Identity, Microsoft Azure; Optional: Native Scan To Clo Repositories (Dropbox, One Drive, Google Drive), direct connection to cloud hosted services via optional apps (accessed via Xerox App Gallery app; visit xerox.com/AppGallery),					
OMPREHENSIVE SEC	URITY						
Network Security	SNMPv3, SHA-256 Hash Message Auther	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, McAfee® ePolicy Orchestrator®, McAfee Enterprise Security Manager, LogRhythm SIEM, Splunk SIEM, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS 1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication (Internal Database), FIPS 140-2					
Device Access	Microsoft Azure credentials; Optional: Sn	User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Configuration Watchdog, TPM; Log-in with Okta, Ping Identity, and Microsoft Azure credentials; Optional : Smart Card Enablement Kit (CAC/PIV/.NET/SIPRNet) ⁵ , Xerox [®] Integrated RFID Card Reader, NFC standard (authentication via optional Xerox [®] Workplace Cloud/Suite Print Management and Content Security; learn more at xerox.com/WorkplaceSolutions					
Oata Protection		McAfee Whitelisting, Firmware Verification, Trusted Boot, Job Level Encryption via HTTPS and Drivers, Xerox® Workplace Cloud/Suite Content Security, Encrypted Storage Drive (AES 256-bit, FIPS 140-2), Encrypted and Signed Email; Optional: Xerox® Workplace Cloud/Suite Content Security, Encrypted Hard Disk (AES 256-bit, FIPS 140-2) with Image Overwrite, McAfee Integrity Control					
ocument Security	Common Criteria Certification (ISO 15408) marking and infrared detection technology	Common Criteria Certification (ISO 15408) full system against the HCP PP, Encrypted Secure Print, FIPS 140-2 Encrypted Data with Print Drivers, Imaging Security with AltaLink's proprietary					
NABLES INTELLIGEN	T WORKPLACE SERVICES						
int Management		erox® Workplace Suite/Cloud, Xerox® Virtual Print Management	Service, more at xerox.com/PrintManagement				
eet/Device Management	Xerox® CentreWare® Web, Xerox® Suppor	Xerox® Standard Accounting; Optional: Xerox® Workplace Suite/Cloud, Xerox® Virtual Print Management Service, more at xerox.com/PrintManagement Xerox® CentreWars® Web, Xerox® Support Assistant, Automated Meter Read, Xerox® Cloud Fleet Management Solution, Fleet Orchestrator, Configuration Cloning;					
ecurity		Optional: Intelligent Workplace Services Suite, Cloud-based remote management with Xerox® Workplace Cloud6 Secure Device Management: Xerox® Printer Security Audit Service (auto-configuration of security settings, monitoring, and auto-remediation), Digital Certificate Management,					
SATEWAY TO NEW PO	SIEM Reporting, Interactive Dashboard R	leports	·				
erox and Partner Apps		that translate, redact, eSign, personalize, print, convert, route	, collaborate, and communicate.				
and the second s							
	Visit xerox.com/WorkplaceApps to find of		c.com/WorkplaceSolutions), Xerox WorkFlow Central Platform				

Declared in accordance with ISO/IEC 24734

⁶ Available in select markets

Certifications: xerox.com/OfficeCertifications

More information is available at xerox.com/AltaLink.

 $@\ 2021\ Xerox\ Corporation.\ All\ rights\ reserved.\ Xerox@,\ AltaLink@,\ CentreWare@,\ ConnectKey@,\ DocuShare@,\ and\ Global\ Print\ Driver@\ are$ trademarks of Xerox Corporation in the United States and/or other countries XMPie® is a trademark of XMPie, Inc. Mopria® is a trademark of the Mopria® Alliance. The information in this brochure is subject to change without notice. 08/21 TSK-2205 BR29557 AB8BR-03UE



Declared in accordance with 1367IEC 24734

2 Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis

3 Paper capacities are based on 20 lb./75 gsm stock; capacities will vary with different weight stocks

4 Sold separately in some geographies

5 Not available in all geographies

Xerox[®] AltaLink[®] Color Multifunction Printer

The Ideal Digital Workplace Assistant for Demanding Teams





Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 Color Multifunction Printer

Want work done right? AltaLink® will help you do a lot more than just print. You can automate document workflows and connect to the systems that run your business — seamlessly. Protected by comprehensive security features, they are true Workplace Assistants that will free up time for you to do more of what really matters.

A PRODUCTIVE WORK EXPERIENCE FOR ALL

Feel right at home instantly with AltaLink®.

The intuitive and personalized tablet-like interface balances simplicity and efficiency, and reduces steps to complete tasks with a single tap.

Native mobility features, like Wi-Fi Direct (optional), make it easy for workers to print from their mobile devices and access the advanced AltaLink® capabilities such as Xerox® @PrintByXerox App, Xerox® Print Service Plug-in for Android™ or AirPrint®.

AltaLink® Devices bridge the physical and digital worlds with apps and advanced scanning capabilities that allow you to digitize, route and process information in a snap. Automate tedious tasks to save time and reduce errors with 1-Touch shortcuts, or simply allow AltaLink's Adaptive Learning to automate repetitive and complex tasks.

Translate documents to 50+ languages. Convert hard copy to audio for easy listening on the go. And get your handwritten note off the page and into the digital world.

RIGHT FIT FOR EVERY NEED

Big jobs, small jobs and everything in between — AltaLink® can be customized to do it all. Your choice of finishing options and accessories means you can configure your device for any type of document.

The speed of business has never moved so fast, but the AltaLink® makes it easy to keep up.

Stay in the fast lane with access to the Xerox App Gallery. It's your gateway to an ever-growing collection of apps designed to simplify time-consuming, repetitive or complex processes as your business evolves.

Simplify IT support as your fleet grows. Fleet Orchestrator allows you to adjust configurations and settings on all your devices at once. Perform interactive training and support your users right from your desktop with the Remote Control Panel.

COMPREHENSIVE SECURITY

Stop threats where they start with the comprehensive protection that's trusted by the most security-minded businesses and governments.

Built-in security, including the AltaLink® Trusted Boot that protects the integrity of the device start-up process from malicious actions, McAfee® whitelisting and integrations with McAfee ePO and Cisco ISE that neutralize threats instantly at the device and protect the network. Configuration Watchdog monitors and automatically remediates critical IT-defined security settings.

Native Security Information and Event Management (SIEM) simplifies reporting and management of security events. And integration with Xerox® Printer Security Audit Service, available as part of Xerox® Intelligent Workplace Services, helps maximize printer fleet, document and content security.

COLOR WHERE IT COUNTS

High-resolution output of 1200 x 2400 dpi and best-in-class HD Super Fine EA Toner plus superior color rendering and consistency will give your documents clarity and impact. You can also upgrade your AltaLink® C8100 Series with the Xerox® EX-c C8100 Print Server Powered by Fiery®, delivering more options for professional-looking documents.

XEROX® CONNECTKEY® TECHNOLOGY

Intuitive User Experience

Enjoy a tablet-like experience with gesturebased touchscreen controls and easy personalization, plus simple workflows and functions.

Mobile and Cloud Ready

Be more mobile with cloud-hosted services and instant connectivity to cloud and mobile devices right from the user interface.

Comprehensive Security

Prevent unauthorized access, detect threats and protect data and documents with built-in comprehensive security features.

Enables Intelligent Workplace Services

Seamless integration with Xerox® Intelligent Workplace Services delivers next-level workplace efficiency, employee productivity and security.

Gateway to New Possibilities

Transform the way you work with the apps in the Xerox App Gallery. Or have one of our partners develop a custom solution for you.

Find out more about how you'll work smarter at www.ConnectKey.com.



Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 Color Multifunction Printer

Single-Pass Duplex Automatic Document Feeder (DADF)

saves time by simultaneously scanning both sides of two-sided documents with up to 270 impressions per minute (ipm).



USER INTERFACE



Intuitive Tablet-like 10.1-inch
Color Touchscreen is customizable
and lets you perform tasks in just a
few taps. Try it out at
xerox.com/AltaLink8100UI.

PAPER INPUT³

Two 520-sheet Adjustable Trays (common with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.



Envelope Kit (optional — replaces Tray 1) provides feeding of up to 60 envelopes.



High Capacity Tandem Tray Configuration

holds a total paper capacity of up to 3,140 sheets.

Four Tray Module Configuration

(available for C8130/C8135) holds a total of up to 2,180 sheets.

Bypass Tray handles up to 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm.



Feeder (optional) holds 3,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 6,140 sheets.



LONG SHEET PRINTING

Long Sheet Feed Kit (optional) provides the ability to print up to 12.6 x 52 in./ 320 x 1,320 mm media.



INNOVATIVE TECHNOLOGIES





Xerox® Integrated RFID Card

Reader (optional) adds card-based authentication with support for over 90 access cards.

Near Field Communication (NFC)
Tap-to-Pair allows users to tap their
mobile devices to the AltaLink® C8100
Series user panel and quickly connect
with the MFP.

Smart Proximity Sensor detects when users are nearby. It conserves energy during inactive periods and automatically activates the device when a user approaches.

PAPER OUTPUT/FINISHERS³





functions, optional crease/score and saddle-stitch booklet, making it capable of 60-page booklets (2 to 15 sheets).



Business Ready (BR) Finisher (optional) gives you advanced

gives you advanced finishing functions at a great value.



C-Fold/Z-Fold Unit

(optional) adds C-fold, Z-fold and Z-half-fold to the BR Finisher or BR Booklet Maker Finisher.



BR Booklet Maker

Finisher (optional) creates 64-page saddle-stitched booklets (2 to 16 sheets).



Dual Offset Catch Tray

(available when no finishers are installed; Single Offset Catch Tray with finishers).



Integrated Office Finisher

(optional with C8130/C8135/ C8145/C8155) provides 500-sheet stacking and 50-sheet, 2-position stapling.



Convenience Stapler

(optional) staples up to 50 sheets of 20 lb./75 gsm media.

² Paper capacities are based on 20 lb./75 gsm stock; capacities will vary with different weight stocks

Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 Color Multifunction Printer



DEVICE SPECIFICATIONS	ALTALINK® C8130	ALTALINK® C8135	ALTALINK® C8145	ALTALINK® C8155	ALTALINK® C8170			
Speed¹ (Color/Black-and-White)	Up to 30/30 ppm	Up to 35/35 ppm	Up to 45/45 ppm	Up to 55/55 ppm	Up to 70/70 ppm			
Monthly Duty Cycle ²	Up to 90,000 pages	Up to 110,000 pages	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages			
Hard Drive/Processor/Memory		·-	ad Core, 1.9GHz/4 GB system men					
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, WiFi/WiFi Direct with optional Xerox® Dual Band Wireless Kit, NFC, Bluetooth (iBeacon)							
Optional Controller Copy and Print	Xerox® EX-c C8100 Print Server Powered by Fiery® Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi							
First-Copy-Out Time (as fast as)	6.10 seconds color/4.50 second		5.50 seconds color/4.40	4.70 seconds color/3.70	4.00 seconds color/3.20			
(from platen/warmed-up state)	6.10 seconds coloi/4.30 second	is black-aria-writte	seconds black-and-white	seconds black-and-white	seconds black-and-white			
First-Print-Out Time (as fast as)	5.70 seconds color/4.20 second	ls black-and-white	4.90 seconds color/3.80	4.50 seconds color/3.20	3.80 seconds color/3.00			
			seconds black-and-white	seconds black-and-white	seconds black-and-white			
Page Description Languages	Adobe® PostScript® 3™, Adobe®	PDF. PCL® 5c/PCL® 6		1	1			
Paper Input ³ Standard	Single-Pass Duplex Automatic Document Feeder (DADF): Up to 82 ppm simplex/141 ipm duplex (200 dpi). 130-sheet capacity for AltaLink® C8130/C8135/C814 C8155. Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8170. Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 mm Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm (SEF) Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm to 297 x 432 mm (SEF) Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF)							
Choose One	Four Tray Module: (Trays 3 and 4 — available with AltaLink® C8130/C8135): 1,040 sheets; 520 sheets each; Custom sizes: 5.5 x 7.2 to 12 x 18 in./140 x 182 mm to SRA3 (SEF). Total standard paper capacity: 2,180 sheets High Capacity Tandem Tray Module: 2,000 sheets; Sizes: 8.5 x 11 in./A4. Total standard paper capacity: 3,140 sheets							
Optional	High Capacity Feeder (HCF): Up to 3,000 sheets; Size 8.5 x 11 in./A4 long edge feed. Max paper capacity with HCF: 6,140 sheets Envelope Tray (replaces Tray 1): Up to 60 envelopes with Auto Size detection of some sizes Long Sheet Feed Kit (banner printing): 12.6 x 52 in./320 x 1,320 mm							
Paper Output/ Standard	Dual Offset Catch Tray (stand	dard when finishers are not attach	ed): 250 sheets each; Face-up Tra					
Finishing ³ Optional	Integrated Office Finisher: Available with AltaLink® C8130/C8135/C8145/C8155, staple positions: front and rear straight. 500 sheets stacker, 50 sheets stapling, 2-position stapling Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages)) BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher Convenience Stapler: 50-sheet stapling, includes Work Surface ⁶							
INTUITIVE USER EXPE	·							
Customize	r	/hido functions porsonaliza usor o	experience with authentication, cre	nato 1 Touch Apps, guto wakoup v	with Smart Provimity Sonsor			
Custoffize		·	•	edie 1-10dc11 Apps, dato wakeup v	Will Siliait Floxillity Selisol,			
Print Drivers	Enable Adaptive Learning to set up shortcuts for repetitive and complex jobs Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Application Defaults, Xerox® Pull Print Driver							
Xerox® Embedded Web Server			nt, Cloning, Fleet Orchestrator, Co		ontrol Panel			
Print Features	Print from USB, Print from Cloud Repositories (Dropbox, OneDrive, and Google Drive), Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control, Two-sided Printing, Draft Mode, Long Sheet (Banner) Printing							
Scan and Fax	Scan Preview, Scan to USB/Email/Network (FTP/SFTP/SMB), Scan File Formats: PDF, PDF/A, JPG, TJFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-page PDF/TJFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or two-line options available, includes LAN Fax, Direct Fax, Fax Forward 1 Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR), Server Fax, TWAIN driver (scan); Optional : Scan To Cloud Repositories (Dropbox, OneDrive, and Google Drive) ⁴							
MOBILE AND CLOUD R								
Mobile Connectivity	Near Field Communication (NF	C); Optional: Wi-Fi Direct, Wi-Fi (802.11 b/g/n/ac), AirPrint (iOS) inclu	uding iBeacon (Bluetooth)				
Mobile Printing	AirPrint, Mopriα®, Xerox® Print Se	AirPrint, Mopria®, Xerox® Print Service (Android), @PrintByXerox; Optional: Xerox® Workplace Mobile App (iOS/Android)						
Mobile Scanning	AirPrint, Mopria®; Optional: Xer	ox® Workplace Mobile App (iOS/A	ndroid)					
Cloud Ready	Remote services enabled, native "Print from" Cloud repositories (Dropbox, OneDrive, Google Drive); Optional: Native "Scan to" cloud repositories (Dropbox, OneDrive, Google Drive), direct connection to cloud hosted services via optional apps (accessed via Xerox App Gallery app or visit xerox.com/AppGallery)							
COMPREHENSIVE SECU	JRITY							
Network Security	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, McAfee® ePolicy Orchestrator®, McAfee Enterprise Security Manager«, LogRhythm SIEM«, Splunk SIEM«, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS 1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Ide Services Engine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication (Internal Database), FIPS 140-2							
Device Access	User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log. Access Controls, User Permissions, Configuration Watchdog, TPM; Optional: Smart Ca Enablement Kit (CAC/PIV/.NET/SIPRNet) ⁵ , Xerox® Integrated RFID Card Reader, NFC standard (authentication via optional Xerox® Workplace Cloud/Suite Pri Management and Content Security; learn more at xerox.com/WorkplaceSolutions)							
Data Protection	McAfee Embedded Control Whitelisting, Firmware Verification, Trusted Boot, Job Level Encryption via HTTPS and Drivers, Encrypted Storage Drive (AES 256-140-2), Encrypted and Signed Email; Optional: Xerox® Workplace Cloud/Suite Content Security, Encrypted Hard Disk (AES 256-bit, FIPS 140-2) with Image Overwrite, McAfee Integrity Control							
Document Security			system against the HCP PP, Encry	pted Secure Print, FIPS 140-2 Encr	ypted Data with Print Drivers			
ENABLES INTELLIGEN								
Print Management Fleet/Device Management	Xerox® Standard Accounting: Optional : Xerox® Workplace Suite/Cloud, Xerox® Virtual Print Management Service, more at xerox.com/PrintManagement Xerox® CentreWare® Web, Xerox® Support Assistant, Automated Meter Read, Xerox® Cloud Fleet Management Solution, Fleet Orchestrator, Configuration Cloning; Optional: Intelligent Markelage Society Suite Cloud based reports management with Yerox® Workplace Cloud®							
Security	Optional: Intelligent Workplace Services Suite, Cloud-based remote management with Xerox® Workplace Cloud ⁶ Secure Device Management: Xerox® Printer Security Audit Service (auto-configuration of security settings, monitoring, and auto-remediation), Digital Certificate Management, SIEM Reporting, Interactive Dashboard Reports							
GATEWAY TO NEW POS								
Xerox App Gallery	Visit xerox.com/WorkplaceAp		Sign, personalize print, convert, ro flow. Software and services: Xerox®					
¹ Declared in accordance with ISO/								

¹ Declared in accordance with ISO/IEC 24734

Certifications: xerox.com/OfficeCertifications





² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis ³ Paper capacities are based on 20 lb./75 gsm stock; capacities will vary with different weight stocks ⁴ Available post-launch via software update

⁵ Not available in all geographies

⁶ Available in select markets

XEROX® PRIMELINK® COPIER/PRINTER

Production ready, office-friendly black and white.



B9100/B9110/B9125/B9136



Walk-up simplicity meets production-level capability in one compact device.

It's a copier. It's a scanner. It's a full-featured press capable of production-level performance. Meet the PrimeLink® B9100 Series—the incredibly reliable, endlessly configurable family of black and white printers from Xerox.

THE PRIME ADVANTAGE

The Xerox® PrimeLink® B9100 Series Copier/ Printer is designed to support modern office workgroups and in-plant print shops with the widest breadth of capabilities on the market.

- A compact, high-performance configuration small enough to place near your work-group—but configurable enough to handle a full range of black and white applications.
- A fast single-pass, dual-head color scanner copies or converts pages to widely used digital formats at speeds up to 270 images per minute (ipm).
- Access to Xerox App Gallery right from the user interface, where you'll find cloud-connected apps to automate complex, time-consuming tasks for business, education, healthcare, and more.
- Easy-to-use Xerox® Integrated Copy/Print Server for touchscreen control of copy, scan, and pro-level print functions.
- Optional Xerox® EX B9100 Series Print Server powered by Fiery® provides increased efficiency, automation, advanced job setup, and other performance-boosting features to help you get more done, faster.
- Integrated security features at the machine and over the network ensure data safety and compliance with strict, industry-specific standards like HIPAA and FIPS 140-2.

REAL POSSIBILITIES

Opportunities are endless with PrimeLink.
The same technologies that drive image quality and reliability in Xerox® Production
Presses are adapted to its compact footprint.

- Xerox-developed VCSEL print technology uses 32 lasers to produce true high def (2400 x 2400 dpi) text and images, consistent print densities, and neutral grays.
- Our new EA-Eco LGK toner produces rich blacks, more consistent, smoother shades of gray, and better readability with its low-gloss matte finish.
- Under-the-hood monitoring and automated toner density adjustments with our Simple Image Quality Adjustment (SIQA) for defect-free output.
- Automated technologies keep sheets on track at high speeds—even with heavier, lighter, or longer stocks—reducing jams and ensuring output accuracy.
- **Save profiles** for future use with the same stocks.
- Digital Image Registration Control
 Technology (IReCT) measures each sheet position as it runs through the printer—making precise corrections digitally in real time for ultra-high precision registration.

PRODUCTION VERSATILITY

With a full range of feeding, stacking, and finishing options, PrimeLink takes you anywhere—from office to entry-level production and beyond.

- Insert color covers, pages, and other preprinted material post-print, pre-finishing for added application variety and productivity.
- Print everything from polyester vinyl window clings to extra-long-sheet (XLS) banners, book jackets, calendars, and more up to 26"/660 mm in length.



SECURE AND RELIABLE REMOTE SERVICES

PrimeLink is your connection to hands- and worry-free services that keep your operation productive and profitable.

Automatic Meter Read ensures more accurate billing and saves administrative time.

Auto Supplies Replenishment monitors toner use and provides on-time, in-time delivery.

Event-Based Data Push sends fault-specific data to a Xerox Digital Expert for faster resolution and reduced downtime.

Rules-Based Self Help provides contextual help as well as a searchable database right at the embedded web server.

Flexibility for every environment.

FINISHING APPLICATIONS



- 1 One Tray Oversized High-Capacity Feeder
- 2 Tray 5 (Bypass Tray)
- 3 Control Panel
- 4 Integrated Single Pass Automatic Document Feeder/Scanner
- 5 Xerox® PrimeLink® B9100/B9110/ B9125/B9136 Copier/Printer
- 6 Four Internal Trays and Tray 5 (Bypass) Standard
- 7 Xerox® Interface Decurler Module
- 8 Xerox® Inserter
- 9 GBC[®] AdvancedPunch™ Pro
- 10 Xerox® High-Capacity Stacker
- 11 Xerox® Crease and Two-Sided Trimmer

- 12 Optional Xerox® C/Z Folder
- 13 Xerox® Production Ready Booklet Maker Finisher
- 14 Xerox® SquareFold® Trimmer

Note: Not all available finishing devices pictured.

Specifications

PRINT ENGINES

- Monochrome Xerographic Engine
 - AMPV: 70,000-700,000 ppm
 - Duty Cycle: 2.5 million pages per month (A4, 8.5 x 11 in. simplex)
- Print speeds
 - 100/110/125/136 ppm 8.5 x 11 in. (A4)
 - 56/69/78/82 ppm 8.5 x 14 in. (B4)
 - 50/55/62/68 ppm 11 x 17 in. (A3)
 - 34/34/34/34 ppm 12 x 18 in. (SRA3)
- First-copy-out Time
 - 3.5 seconds or less
- Simplex or duplex printing
- Up to 1200 x 1200 dpi RIP resolution and up to 2400 x 2400 dpi print resolution with halftone screen 106 lpi (default) or 150 lpi (high quality mode)
- Front to back registration
 - B9100/B9110/B9125/B9136: +/- 0.8 mm
- Automatic Meter Read (AMR) capable (where available)

DOCUMENT STORAGE

• **B9100/B9110/B9125/B9136:** 320 GB or larger Hard Drive with 14.6 GB for document storage

INTEGRATED SINGLE PASS AUTOMATIC DOCUMENT FEEDER/SCANNER

(Copier/Printer only)

- Advanced Color Scanning
- Dual Head Scanner up to 270 ipm black and white and/or color scanning, simplex/duplex
- Optical 600 x 600 dpi 8-bit Gray (256 shades) scan resolution

- Scans in industry standard PDF, JPEG, TIFF, or multi-page TIFF; supports LDAP
- Scan to Email with Mail Delivery Notification
- Scan to Network File Server
- 250-sheet Single-pass Duplex Automatic Document Feeder
- $\bullet\,$ Throughput sizes: 5 x 8 in. to 11 x 17 in. (A5 to A3)
- Throughput weights: Simplex or duplex: 16 lb. bond to 110 lb. index (52 to 200 gsm)
- Optional Searchable PDF Scan Kit
- Optional High Compression PDF Scan Kit
- USB Scan / Save to and Print from USB (Copier/Printer only)
- Fax capability available (B9100 only)

PAPER HANDLING

Stock weights and capacity¹:

- Tray 1: 1,100 sheets Standard selectable sizes: Letter (8.5 x 11 in.), A4 (8.27 x 11.69 in.), JIS B5 (7.17 x 10.12 in.), Executive (7.25 x 10.5 in.)
- Tray 2: 1,600 sheets Standard selectable sizes: Letter (8.5 x 11 in.), A4 (8.27 x 11.69 in.), JIS B5 (7.17 x 10.12 in.), Executive (7.25 x 10.5 in.)
- Tray 3-4: 550 sheets each 5.5 x 7.16 in. to 13.0 x 19.2 in. (140 x 182 mm (A5) to 330 x 488 mm (SRA3))
- Tray 5 Bypass Tray: 250 sheets 3.93 x 5.82 in. to 13 x 26 in. (100 x 148 mm to 330 x 660 mm); 16 lb. bond to 129 lb. cover (52 gsm to 350 gsm)
- Optional High-Capacity Feeder: Two trays, 4,000 sheets – 11.69 x 7.16 in. to 13 x
 9.49 in. (297 x 182 mm to 330 x 241 mm); 16 lb. bond to 80 lb. cover (52 to 216 gsm)

- Optional One-Tray Oversized High-Capacity Feeder (not available with Xerox® B9136): 2,000 sheets – 3.93 x 5.82 in. to 13 x 19.2 in. (100 x 148 mm to 330 x 488 mm); 16 lb. bond to 129 lb. cover (52 to 350 gsm)
- Optional Two-Tray Oversized High-Capacity Feeder (not available with Xerox® B9100): 4,000 sheets 3.93 x 5.82 in. to 13 x 19.2 in. (100 x 148 mm to 330 x 488 mm); Tray 1 supports plain media weights up to 16 lb. bond to 110 lb. cover (52 to 300 gsm); Tray 2 supports plain media weights 16 lb. bond to 129 lb. cover (52 to 350 gsm)²
- Optional Banner Feed Guide and Banner
 Output Guide for Extra-Long-Sheet (XLS) printing
 up to 26 in./660 mm (requires either One-Tray or
 Two-Tray Oversized High Capacity Feeder)

BASIC FINISHING (B9100 ONLY)

- Simple Catch Tray holds up to 500 sheets
- Offsetting Catch Tray allows each document to be offset from the previous document

XEROX® INTERFACE DECURLER MODULE

 Inline paper cooling and decurler unit improves throughput and efficiency connecting Production Ready finishers, ensuring flat sheets for reliability and speed. Required for all system configurations with GBC® Advanced Punch™ Pro, Xerox® High Capacity Stacker.

Note: Refer to the $Xerox^{\otimes}$ PrimeLink $^{\otimes}$ Product Explorer on xerox.com for all possible configurations.

1 Capacity based on 16 lb. bond to 80 lb. cover (52 gsm to 216 gsm). 2 One- or Two-Tray Oversized High Capacity Feeder required for Extra-Long-Sheet (XLS) 26 in/660 mm printing.

Specifications for the Xerox® PrimeLink® B9100/B9110/B9125/B9136 Copier/Printer

XEROX® INSERTER

- Inserts 250 preprinted or blank sheets into finishing for preprinted covers
- Enables trimming, punching, folding, stapling, and stacking of inserted sheets from 13 x 19.2 in. (330 x 488 mm) to 7.2 x 5.8 in. (182 x 148 mm) up to 350 qsm coated and uncoated

GBC[®] ADVANCEDPUNCH™ PRO

- Punch for coil and comb binding near-line
- Easy-to-insert punch/hole die sets are available. Able to punch a variety of standard sheets in long or short edge, tabs, and weights up to 300 qsm
- Supports commonly used offline binding styles like comb, coil, wire, ring, and VeloBind®

XEROX® PRODUCTION READY FINISHER

- Stapled sheet sizes 7.2" x 5.7" (182 x 146 mm) to 11.7" x 17.0" (297 mm x 432 mm)
- Handles paper weights 52-350 gsm uncoated or 72-350 gsm coated for both stacking and stapling
- Stacker Tray holds up to 3,000 sheets and can handle sizes from 5.83" x 5.75" (148 mm x 146 mm) to 13.0" x 19.2" (330.2 x 488 mm)
- Top Tray holds 500 sheets

XEROX® PRODUCTION READY BOOKLET MAKER FINISHER

Provides same function as the Xerox® Production Ready Finisher, plus:

- Produces booklets up to 200 pages (50 sheets)
 7.17 x 10.1 in./182 x 257 mm to 13 x 19.2 in./
 330 x 488 mm in size, up to 350 qsm
- Includes 500-sheet top tray, 3,000-sheet stack tray, saddle-stitch booklet tray
- Requires Xerox® Inserter

XEROX® BASIC PUNCH

 An option for punching 2/3 (not available in all geographies), 2/4, and Swedish 4-hole on the Xerox® Production Ready Finisher and Xerox® Production Ready Booklet Maker Finisher using standard or custom sizes

XEROX® HIGH CAPACITY STACKER

- Enables stacking and offsetting for 5,000 sheets up to 350 gsm, using standard size sheets or custom sizes (maximum 13 x 19.2 in./330 x 488 mm to minimum 8 x 7.2 in./203 x 182 mm)
- Stacking tray with a movable cart
- Includes a 500-sheet top tray for proofs/output

XEROX® CREASE AND TWO-SIDED TRIMMER

- Trims the head and foot of a sheet up to 0.985 in.
 (25 mm) with a minimum trim of 0.236 in. (6 mm) using standard or custom sizes (maximum 13 x 19.2 in./330 x 488 mm to minimum 7.7 x 8.3 in./194 x 210 mm) on uncoated and coated stocks up to 350 gsm
- Includes a buffering unit that extends print productivity during trimming and allows for up to five customizable mountain or valley creases on a sheet
- Use in combination with the Xerox® Production Ready Finisher and Xerox® Production Ready Booklet Maker Finisher

XEROX® C/Z FOLDER

- Produces sheets with C and Z folds for 8.5 x 11 in. (A4)
- Produces an Engineering or Half Z fold on larger stock; This type of Z fold places a fold on 11" x 17" or A3/B4 paper
- Use in combination with Xerox® Production Ready Finisher and Xerox® Production Ready Booklet Maker Finisher

XEROX® SQUAREFOLD® TRIMMER

- Creates flat-edged finished booklets
- Professional face trim up to 120 pages (30 sheets)
- Combine with the Two-Sided Trimmer for finished full bleed booklets
- Use in combination with the Xerox® Production Ready Booklet Maker Finisher and Xerox® Production Ready Finisher Plus

XEROX® PRODUCTION READY FINISHER PLUS

- Provides same function as the Xerox® Production Ready Finisher with a 500-sheet top tray and 3,000-sheet stacker tray
- Used to connect third-party inline finishing options
- Requires Xerox® Inserter

PLOCKMATIC PRO 50/35™ BOOKLET MAKER

- Highest quality production booklets up to 200 pages (50 sheets)
- Do face trimming, square fold, rotate crease and bleed trim, and hand feeding, sizes up to 12.6 x 9 in. (320 x 228.6 mm) and 300 gsm
- Connects via Xerox® Production Ready Finisher Plus

FIP

• EIP version 3.7.3, 8th Gen UI

DATA SECURITY

- Secure Print, Password Protected PDF, FIPS
 140-2 (Integrated Server only), IPsec, SNMP
 v3.0, TLS/SSL, Image Overwrite, Hard Disk Data
 Encryption, Remote Authentication with LDAP,
 SMB, or Kerberos, CaC/PIV (Common Access
 Card/Personal Identity Verification), and SIPRnet
 Smartcard authentication
- 256 Bit Encryption
- Common Criteria Certification pending
- Job Based Accounting (Xerox® B9136 only)

ELECTRICAL REQUIREMENTS

- Print Engine:
 - -208 240 VAC, 60/50 Hz, 15/13 amp service
 - KVA Rating: Max Power Consumption:
 2.8 3.1 KVA
 - Agency certifications: ENERGY STAR®, EPEAT (Silver), CSA, Section 508, MEDITECH, Citrix, WHQL, Environmental Choice, GOST, NOM, RoHS, CE, WEEE Compliance
- Optional Feeding/Finishing:
 - Each module requires 100 240 VAC, 60/50 Hz power

PRINT SERVERS

- Xerox® Integrated Copy/Print Server
- Optional Xerox® EX B9100 Series Print Server Powered by Fiery®

