



RFP 17-04 Multifunction Copier Contract

Mark Sonsalla

Phone-850-849-3066

Fax-888-391-4217

mark@abcmps.com

http://www.abcmps.com

24 Hour Tech Support/Service Hotline

1-800-821-2797

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge	•	Supplies Included	
B405DN	VersaLink B405 B/W Multifunction Printer, Print/Copy/Scan/Fax , Letter/Legal, up to 47PPM, 2-Sided Print, USB/Ethernet, 550-Sheet Paper Tray, 150-Sheet Multipurpose Tray, 60-Sht DADF (Single-Pass Duplex), 110V	47	36	\$36.93	0	0	\$0.0090	N/A	Yes	No
		ļ	ļ				; ; ;			
	MAY Choose One of the Following: 1DAYAIR2 -Next Day Air Delivery to Customer	 	 	\$2.15		}	<u> </u>			
	DRCINST -Carrier Delivery & Install			\$0.00					i !	
				4						
	WIFIVL -Wireless Accessory			\$1.64		}	<u>}</u>			
	6RX -Productivity Kit with 16GB SSD			\$10.05		{	; }		<u>.</u>	
	RFIDKIT2 -RFID Card Reader for C405	ļ		\$7.06		{	: !	: :	: :	: :
	STNDSTORE -Stand with Storage WCTRAY1 -550 Sheet Feeder			\$10.05 \$5.07		}	 	ļ	ļ	}
	WCTRAY1 -550 Sheet Feeder WCTRAY2 -550 Sheet Feeder	ļ		\$5.07		{	; } ;	; ; ;	; 4 ;	¦
	WCTRAY3 -550 Sheet Feeder			\$5.07					ļ	
B7025S	VersaLink B7025 Multifunction Printer with 110 Sheet DADF, Stand, Duplex, 2-520 Sheet Trays, 100 Sheet Bypass Tray, Offset Catch Tray, 160GB Hard Drive, 1GB Memory, Scan to Mailbox, Scan to Email, Security (Disk Encryption and Image Overwrite), 25 PPM MFP Initialization Kit	25	36	\$81.45	0	0	\$0.0062	N/A	Yes	No
	MUST Choose One of the Following:	 	 			}	; 		<u>.</u>	
	NO-PS3 -No PostScript Needed	<u> </u>		\$0.00			<u> </u>			
	PSCRIPT3 -PostScript 3 Kit	ļ		\$10.88			}		}	
						}	i :			
	MAY Choose One of the Following:					}	}	; :	; ;	
I	INTFIN -Integrated Office Finisher			\$18.14					·	1
	OFFINLX -Office Finisher LX with Filler			\$22.27						
		<u> </u>				}			<u>.</u>	
	MAY Choose One of the Following:	ļ				}	 		<u>;</u>	
	FAX-1LIN -Embedded 1-Line Fax with iFax	ļ		\$14.48		}	; ; ;	i 	<u>;</u>	; ;
	FAX-3LIN -Embedded 3-Line Fax with iFax FOIPFAX -Fax Over IP			\$30.20 \$21.63			 		<u>.</u>	
				Ψ21.00		}	; ;		i	
	CARDRDR -Common Access Card Card Reader w Mounting			\$1.98						
	CNVSTPLR -Convenience Stapler and Work	•					! !			
	Surface	<u>.</u>		\$9.04		}	<u>;</u>		<u> </u>	ļ
	ENVELTRAY -Envelope Feeder Tray	ļ	}	\$7.23		{	: !		<u>.</u>	
	FINLX-3HP -2/3-Hole Punch FINLX-BM -Booklet Maker Unit	ļ		\$5.37		}	}		: 	ļ
	HCFB2W -High Capacity Feeder (2000 Sheet)	ļ	}	\$17.16 \$17.21		{ }	; ; ;		: :	: :
	HC-KNO2 -Healthcare MFP (8XC)	<u> </u>	 	\$17.21 \$15.41			 	: :	 	
	TIO TAVOZ TIGALITICATO WITT (OXO)		·	ψ10.41		}	;		i	i
	RFID70 -Integrated Programmable RFID Reader			\$10.36						
	UNICODE -Xerox International Print Kit	<u> </u>		\$6.42			<u> </u>		<u>:</u>	<u> </u>
	WIFIVL -Wireless Accessory	ļ		\$1.64			<u> </u>			ļ
B7025H	VersaLink B7025 Multifunction Printer with 110 Sheet DADF, Tandem Tray Module, Duplex, 2-	25	36	\$88.83	0	0	\$0.0062	N/A	Yes	No
	520 Sheet Trays, 50 Sheet Bypass Tray, Catch Tray, 160GB Hard Drive, 1GB Memory, Scan to Mailbox, Scan to E-mail, Security (Disk Encryption and Image Overwrite), 25 PPM MFP Initialization Kit									
	MUST Choose One of the Following:]							
	NO-PS3 -No PostScript Needed			\$0.00			 			<u></u>
	PSCRIPT3 -PostScript 3 Kit			\$10.88						
		<u> </u>	<u>}</u>			}	<u> </u>		<u> </u>	<u> </u>
	MAY Choose One of the Following:	ļ	}	040.44		}	 		<u> </u>	<u> </u>
	INTFIN -Integrated Office Finisher OFFINLX -Office Finisher LX with Filler	ļ		\$18.14 \$22.27		}	; }		: 	; {
	OLL HALV -OHICE LIHISHEL EV MITH LIHEL	<u>:</u>	<u> </u>	ΨΖΖ.ΖΙ	<u> </u>	3	<u>:</u>	:	<u>:</u>	<u>!</u>

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge		Supplies Included	
	MAY Observe Osser fitte Faller in	ļ					<u> </u>			<u> </u>
	MAY Choose One of the Following: FAX-1LIN -Embedded 1-Line Fax with iFax	 		\$14.48			<u> </u>		<u> </u>	
	FAX-3LIN -Embedded 3-Line Fax with iFax			\$30.20		}				
	FOIPFAX -Fax Over IP	<u> </u>		\$21.63			i			
		* : :				-				;
	CARDRDR -Common Access Card Card Reader	 					; ;		:	;
	w Mounting	<u>.</u>		\$1.98			<u> </u>		<u> </u>	<u> </u>
	CNVSTPLR -Convenience Stapler and Work								:	! !
	Surface	ļ		\$9.04		}	<u>;</u>		<u></u>	;
	ENVELTRAY -Envelope Feeder Tray FINLX-3HP -2/3-Hole Punch	ļ		\$7.23 \$5.37		}			<u> </u>	<u> </u>
	FINLX-3HP -2/3-Hole Punch	ļ		\$5.37 \$17.16	i i	}	<u>:</u>	 	<u>:</u>	; ;
	HCFB2W -High Capacity Feeder (2000 Sheet)	ļ		\$17.16 \$17.21		}			<u>.</u>	{
	HC-KNO2 -Healthcare MFP (8XC)	ļ		\$15.41					i	
	110 TAVOZ Troduncare Wil 1 (0XO)	<u> </u>		Ψ1011			<u>.</u>		:	<u>:</u>
	RFID70 -Integrated Programmable RFID Reader	•		\$10.36						:
 	UNICODE -Xerox International Print Kit			\$6.42	<u> </u>	}			 !	,
	WIFIVL -Wireless Accessory			\$1.64	;·····					,
B7035S	VersaLink B7035 Multifunction Printer with 110 Sheet DADF, Stand, Duplex, 2-520 Sheet Trays, 100 Sheet Bypass Tray, Offset Catch Tray, 160GB Hard Drive, 1GB Memory, Scan to Mailbox, Scan to Email, Security (Disk Encryption and Image Overwrite), 35 PPM MFP Initialization Kit	35	36	\$99.25	0	0	\$0.0060	N/A	Yes	No
ļ	MUST Choose One of the Following:								<u> </u>	<u> </u>
	NO-PS3 -No PostScript Needed	<u> </u>		\$0.00					<u>.</u>	! !
	PSCRIPT3 -PostScript 3 Kit	<u> </u>		\$10.88		}	<u> </u>			<u> </u>
	MAY Change One of the Following:				 	}			<u> </u>	}
	MAY Choose One of the Following: INTFIN -Integrated Office Finisher	 		\$18.14	; ;	}	<u>;</u>	; ;	<u> </u>	}
	OFFINLX -Office Finisher LX with Filler	ļ		\$22.27			<u> </u>		 :	<u> </u>
		.		ΨΖΖ.Ζ1			<u> </u>			
	MAY Choose One of the Following:		·							;
	FAX-1LIN -Embedded 1-Line Fax with iFax	:: :		\$14.48					}	,
	FAX-3LIN -Embedded 3-Line Fax with iFax	; ;		\$30.20					:	:
	FOIPFAX -Fax Over IP			\$21.63					:	,
		<u> </u>								
	CARDRDR -Common Access Card Card Reader	•							:	! ! !
	w Mounting			\$1.98			ļ		<u>.</u>	; }
	CNVSTPLR -Convenience Stapler and Work								:	1 1 1 1 1
	Surface	÷		\$9.04		}	<u> </u>		<u> </u>	; !
	ENVELTRAY -Envelope Feeder Tray FINLX-3HP -2/3-Hole Punch			\$7.23 \$5.37	 	}	 			;
	FINLX-BM -Booklet Maker Unit	i		\$17.16				: 	 :	
	HCFB2W -High Capacity Feeder (2000 Sheet)	ļ	-	\$17.10	<u> </u>	<u> </u>	<u> </u>	<u>; </u>	<u> </u>	<u> </u>
	HC-KNO2 -Healthcare MFP (8XC)	i		\$15.41			1		<u> </u>	
	λ	·i 				}	·} =		÷	·
	RFID70 -Integrated Programmable RFID Reader	<u> </u>		\$10.36						
	UNICODE -Xerox International Print Kit	Ĭ		\$6.42					:	
	WIFIVL -Wireless Accessory			\$1.64			ļ		ļ	; ;
D-00-: .	\(\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ļ <u>.</u>		A.			A0 C C C C C C C C C C	.	.,	<u> </u>
B7035H	VersaLink B7035 Multifunction Printer with 110 Sheet DADF, Tandem Tray Module Duplex, 2-520 Sheet Trays, 100 Sheet Bypass Tray, Offset Catch Tray, 160GB Hard Drive, 1GB Memory, Scan to Mailbox, Scan to Email, Security (Disk Encryption and Image Overwrite), 35 PPM MFP Initialization Kit, Billing Impression Mode enabled	35	36	\$105.96	0	0	\$0.0060	N/A	Yes	No
	MUCT Chases One of the Falls 150	.					<u> </u>			; ;
	MUST Choose One of the Following:	ļ		* ** * * * * * * * * * * * * * * * * *		}	ļ			<u> </u>
	NO-PS3 -No PostScript Needed PSCRIPT3 -PostScript 3 Kit	ļ		\$0.00		}			<u> </u>	<u> </u>
			5 .	\$10.88	!	· C	1			

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge		Supplies Included	
	MAY Choose One of the Following:						i !		i :	
	INTFIN -Integrated Office Finisher	<u> </u>		\$18.14			<u> </u>			
	OFFINLX -Office Finisher LX with Filler			\$22.27			}			
		ļ					! !			
	MAY Choose One of the Following:	<u> </u>	}				; ; ;		<u> </u>	ļ
	FAX-1LIN -Embedded 1-Line Fax with iFax		}	\$14.48	<u></u>		ļ }		<u>.</u>	
	FAX-3LIN -Embedded 3-Line Fax with iFax	ļ	}	\$30.20	لسسسسسسسلا		<u> </u>		<u> </u>	
	FOIPFAX -Fax Over IP	ļ		\$21.63	:		<u>:</u>		:	<u> </u>
		ļ					<u>:</u> :		: :	<u> </u>
	CARDRDR -Common Access Card Card Reader	į		#4.00			; 1 1 1 1			
	w Mounting			\$1.98			! !		<u> </u>	<u> </u>
	CNVSTPLR -Convenience Stapler and Work	•		#0.04			: : :		<u>:</u>	
	Surface			\$9.04					<u> </u>	<u>;</u>
	ENVELTRAY -Envelope Feeder Tray		}	\$7.23			; ;			<u> </u>
	FINLX-3HP -2/3-Hole Punch	ļ		\$5.37			<u>:</u> :		<u>:</u> :	<u> </u>
	FINLX-BM -Booklet Maker Unit	.	}	\$17.16			: :		: :	<u></u>
	HCFB2W -High Capacity Feeder (2000 Sheet)			\$17.21			}		ļ	ļ
	HC-KNO2 -Healthcare MFP (8XC)			\$15.41			} 		: :	¦
	DEIDZO I () ID II DEID D	:		# 40.00			:		:	
	RFID70 -Integrated Programmable RFID Reader	;	}	\$10.36			<u>:</u>		<u>:</u>	<u> </u>
	UNICODE -Xerox International Print Kit			\$6.42	:		; }	; ;	: 4: :	; 4 :
	WIFIVL -Wireless Accessory	ļ	}	\$1.64			<u> </u>		<u>.</u>	<u> </u>
C7030S	Xerox VersaLink C7030 Color Multifunction	30	36	¢06.45	0	^	\$0.0062	¢0 0200	Yes	No
C/0303		30	30	\$96.15	U	U	∌ 0.006∠	\$0.0390	res	NO
	Printer with 2 Tray Module (2x520 sheets), 100	:							<u>:</u>	
	Sheet Bypass Tray, 110 Sheet Mulit-Pass DADF,						i ! !	i ! !	i i :	i i
	OCT, EIP, Security (Disk Encryption and Image	į					! !		:	:
	Overwrite), Searchable PDF, Network Accounting, STD Output Tray, Left Side Tray,						1 1 1 1		:	
	Initialization Kit, 1 Additional Waste Toner	•					: : :			
		•					: ! !			
	Container MUST Choose One of the Following:						! !		: :	! !
	NO-PS3 -No PostScript Needed	 	}	\$0.00			; ;		<u>.</u>	
	POSCRIPT3 -PostScript 3 Kit	<u> </u>		\$0.00 \$10.88			: !	!	: !	<u>:</u> :
		<u> </u>	}	φ10.00			<u>:</u> :		<u>:</u>	
	MAY Choose One of the Following:				; ;		; }; ;	; ; ;	i \$;	; { ;
	INTFIN -Integrated Office Finisher		}	\$18.14					<u>.</u>	<u>}</u>
	OFFINLX -Office Finisher LX with Filler	<u> </u>	}}	\$22.27			: :		: :	<u> </u>
		ļ		ΨΖΖ.Ζ1			; }	······	 :	{
	MAY Choose One of the Following:						; :		<u></u>	 !
	FAX-1LIN -Embedded 1-Line Fax with iFax	†	}}	\$14.48			<u>:</u> :		: :	<u>:</u>
	FAX-3LIN -Embedded 3-Line Fax with iFax	÷	}	\$30.20			<u>; </u>		; ; ;	; ;
	FOIP-FAX -Fax Over IP			\$21.63	}(} }		! !	ļ !
		<u> </u>	}	Ψ21.00					 !	 !
	CARDRDR -Common Access Card Card Reader	<u> </u>	{				<u> </u>		: :	:
	w Mounting	•		\$1.98					:	:
	CNVSTPLR -Convenience Stapler and Work	·		Ψ1.00			; 		 !	
	Surface	į		\$9.04			1 1 1 1		:	
	ENVELTRAY -Envelope Feeder Tray	†		\$7.23	J		 		ļ !	ļ !
	FINLX-3HP -2/3-Hole Punch			\$5.37			}			ļ !
	FINLX-BM -Booklet Maker Unit	ļ		\$17.16			}		! :	{
	HCFB2W -High Capacity Feeder (2000 Sheet)	†		\$17.21			!		! !	<u> </u>
~~~~~	HC-KNO2 -Healthcare MFP (8XC)	<del> </del>		\$15.41			<del> </del>		<u>.</u>	<u> </u>
	X-1/			,			<u>}</u>			
	RFID70 -Integrated Programmable RFID Reader	-		\$10.36			! !		<u>:</u>	
	UNICODE -Xerox International Print Kit	<u> </u>	[	\$6.42	•				<u> </u>	<u> </u>
	WIFIVL -Wireless Accessory			\$1.64			}		; !	;
		<u> </u>								[
C7030T	Xerox VersaLink C7030 Color Multifunction	30	36	\$101.18	0	0	\$0.0062	\$0.0390	Yes	No
	Printer with 4 Tray Module (4x520 sheets), 100						: :			
	Sheet Bypass tray, 110 Sheet Mulit-Pass DADF,								:	
	OCT, EIP, Security (Disk Encryption and Image		{				1 1 1 1		: :	
	Overwrite), Searchable PDF, Network									!
	Accounting, STD Output Tray, Left Side Tray,						! ! !		:	
	Initialization Kit, 1 Additional Waste Toner						! ! !		: :	
	Container	1						:	<u> </u>	į.

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge		Supplies Included	
	MUST Choose One of the Following:							<u>.</u>		
	NO-PS3 -No PostScript Needed	ļ 	]	\$0.00		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	POSCRIPT3 -PostScript 3 Kit	ļ		\$10.88	·			<u>.</u>		; {
		ļ	}	}	:	<b>{</b>			<u> </u>	
	MAY Choose One of the Following:	: }	<b></b>	440.44	<u> </u>	}	<u> </u>		<del>.</del>	<u> </u>
	INTFIN -Integrated Office Finisher			\$18.14			ļ	<u> </u>	ļ	} 
	OFFINLX -Office Finisher LX with Filler	ļ		\$22.27	<del>}</del>	<del>}</del>	<del> </del>	<del>}</del>	<del>.</del>	<del>}</del>
	MAY Change One of the Following:	: 4 !	}	;	<u> </u>	<b>}</b>	<u></u>		<u> </u>	<u>:</u> :
	MAY Choose One of the Following: FAX-1LIN -Embedded 1-Line Fax with iFax			\$14.48	<u> </u>	}	<u> </u>		<u> </u>	!
	FAX-3LIN -Embedded 3-Line Fax with iFax			\$30.20		.}		; ;	ķ	; ;
	FOIP-FAX -Fax Over IP			\$21.63		-}		i	i	 !
		ļ		Ψ21.00		<b>}</b>			<u> </u>	
·····	CARDRDR -Common Access Card Card Reader	ļ	}		ļ	-}	<u> </u>	<del>}</del>	<u> </u>	<del>}</del>
	w Mounting			\$1.98	; ;		; ; ;		i :	
	CNVSTPLR -Convenience Stapler and Work	ļ !	<u> </u>	<del></del>	<del>:</del>	}	:	:	<del>:</del>	:
	Surface			\$9.04						
	ENVELTRAY -Envelope Feeder Tray			\$7.23	. [		.}	}		ļ 
ļ	FINLX-3HP -2/3-Hole Punch	: :		\$5.37			÷	<b></b>	÷	;
	FINLX-BM -Booklet Maker Unit	• :	1	\$17.16		<b>†</b>	:		÷	
	HCFB2W -High Capacity Feeder (2000 Sheet)			\$17.21			<del></del>	:	<del></del>	:
	HC-KNO2 -Healthcare MFP (8XC)			\$15.41	<u>}</u>			\$		4
		<del></del>		;					<del></del>	
1	RFID70 -Integrated Programmable RFID Reader			\$10.36			:			
	UNICODE -Xerox International Print Kit	i ! !		\$6.42	<u></u>		†		<u> </u>	<u> </u>
	WIFIVL -Wireless Accessory			\$1.64	}		;			
B8145H	B8145H 45 IOT w/High Capacity Tandem Tray	45	36	\$147.55		0	\$0.0050	N/A	Yes	No
	Module (HQH) with speed kit (HZY) - 130 sheet Single Pass Document Handler (SPDH) (2x520 sheet Trays, Trays 3&4 = 2000 sheets [LT/A4], 100 Sheet Bypass, Automatic Duplex, Two x 250									
	OCTs, 100 sheet face up tray, Exit 2 Inner tray), 128GB SSD*, US standard 120V power cord, inbox neutral toner cartridges, drum cartridge installed. 120V / 15amp* GSA market code configured with 500GB HDD									
				}					1	
	MAY Choose One of the Following:			:	:		; ;	:		:
	BRF-81 -BR Finisher w/2/3 Hole Punch			\$39.52			-		-	
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole			\$64.47			}		-	!
	INTFIN81 -Integrated Office Finisher			\$18.14				<u> </u>	<u>.</u>	
	OFC-81 -Office Finisher			\$15.12	; ;	.}		<u>.</u>		ļ
		<u>.</u>	]	ļ	<u> </u>	<u> </u>		<u> </u>	ļ	
	MAY Choose One of the Following:	ļ	ļ	j	<u> </u>	<u> </u>	<del> </del>	<u> </u>	<del>.</del>	<del> </del>
	FAX-1LINE -1 Line Fax	ļ		\$12.87		.}	<del>,</del>	<del>.</del>	<del>.</del>	<del>.</del>
	FAX-2LINE -2 Line Fax	ļ		\$30.07	<u> </u>	ļ	<del> </del>	ļ	<del></del>	<u> </u>
		<u>.</u> 	ļ	;	ļ	<b>}</b>	.ļ	ļ	<u> </u>	<u> </u>
	MAY Choose One of the Following:				<u> </u>	-{	÷		·	 
	CACPIVRDR -CAC PIV Card Reader		<b></b>	\$3.32	ļ	.}	ļ	ļ	<u> </u>	<del> </del>
				040.00			1		:	
	RFID70 -Integrated Programmable RFID Reader	<del> </del>	}	\$10.36	*******	<u> </u>	<del> </del>	<u>;</u>	<del>-</del>	<del> </del>
ļ	SIPRRDR2 -SIPRNet Card Reader		ļ	\$8.37	<u> </u>	.}	ļ	<b></b>	<del>.</del>	ļ
	Mar Obara and the fall of the	ļ	<b>{</b>	;	<u>:</u>	}		<u></u>	<del>.</del>	<del>.</del>
	May Choose any of the following:	:  :	<b>}</b>	¢40.40	<u> </u>	<b>}</b>	<u> </u>	ļ	<u> </u>	<u>i</u>
	BANFEEDKT -Banner Feed Kit	ļ	}	\$16.43		.}	ļ	<u> </u>	<del>.</del>	<u> </u>
<b> </b>	CZFOLD81 -BR Finisher C/Z Folder	ļ	<del> </del>	\$87.36	4	<del></del>	<del>}</del>	<del> </del>	<del>;</del>	<del> </del>
	ENVLPTR -Envelope Tray	:    -	ļ	\$4.27 \$21.37		}	<u>.</u>	<u></u>	<del>!</del>	<u>:</u> :
	HCF3K -High Capacity Feeder 3KSHTs		<b> </b>	\$21.37 \$15.41		}			<u>:</u>	<u>:</u>
	HC-KNO2 -Healthcare MFP (8XC)	ļ	}	\$15.41 \$12.44		.{	ļ	<u></u>		; ;
	HDD81 -500GB HDD Kit with Image Overwrite	ļ	}	\$13.44	<u>;</u> 	.{	<u>;</u>	<u> </u>	. <u></u>	<u>;</u>
	MONEEELO Montos Intogritus Control Frankl			¢40.70					:	
	MCAFEEIC -McAfee Integrity Control Enablement	ļ	}	\$10.72 \$17.16		.{	ļ	<u></u>	<u>.</u>	ļ
ļ	OFC-BM -Booklet Unit for Office Finisher OFC-HPKIT -OFC-HPKIT	ļ	}	\$17.16 \$3.87		.}	ļ	<u> </u>	<u> </u>	ļ
L			, ,	.n.1 O /	1	,	1			!
	PZA -Foreign Device Interface	ļ	<u> </u>	\$3.76		<b>†</b>	<del></del>	:	<del></del>	

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge		Supplies Included	
	STPLKIT81 -Convenience Stapler w/surface			\$7.55			i !		<u>.</u>	
	UNICODE -Xerox International Print Kit		ļ	\$6.42			<u> </u>		<u> </u>	
	WIRELESS1 -Dual Band Wireless Kit	ļ	ļ	\$2.01			ļ 		ļ	
D01EEU	B8155H 55 IOT w/High Capacity Tandem Tray	55	26	¢152.26	Λ	0	\$0.0040	N/A	Yes	No
B8155H	Module (HQH) with speed kit (HZZ) - 130 sheet	55	36	\$153.26	0	U	\$0.0049	IN/A	res	No
	Single Pass Document Handler (SPDH) (2x 520								:	
	sheet Trays, Trays 3&4 = 2000 sheets [LT/A4],								:	
	100 Sheet Bypass, Automatic Duplex, Two x 250								:	
	OCTs, 100 sheet face up tray, Exit 2 Inner tray),								:	
	128GB SSD*, US standard 120V power cord, in-								:	
	box neutral toner cartridges, drum cartridge	<u> </u>								
	installed. 120V / 15amp *GSA market code						:		: :	
	configured with 500GB HDD								:	
	MAY Choose One of the Following:	: ! !	ļ				<u>:</u> :		:	
ļ	BRF-81 -BR Finisher w/2/3 Hole Punch	; & !		\$39.52			<u>:</u>		<u>.</u>	
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole			\$64.47			}		ļ	
	INTFIN81 -Integrated Office Finisher			\$18.14						
	OFC-81 -Office Finisher	 :		\$15.12			<del>:</del>		: :	
	MAY Choose Any of the Following:	<u> </u>							<u>.</u>	
	FAX-1LINE -1 Line Fax			\$12.87			ļ		<u>.</u>	
	FAX-2LINE -2 Line Fax			\$30.07			<u> </u>		<u> </u>	
	MAY Change One of the Following:						<u> </u>		<u>.</u>	
·····	MAY Choose One of the Following: CACPIVRDR -CAC PIV Card Reader	 !		\$3.32			<u> </u>			
<b></b>	ONOTIVIDIC ONOTIV dard recade		<u> </u>	ψ0.02		-	<del> </del>		<del> </del>	
	RFID70 -Integrated Programmable RFID Reader			\$10.36						
	SIPRRDR2 -SIPRNet Card Reader		1	\$8.37						
									<u>;</u>	
	May Choose any of the following:						<u> </u>		<u> </u>	
	BANFEEDKT -Banner Feed Kit		ļ	\$16.43		ļ	<u> </u>		<u> </u>	
	CZFOLD81 -BR Finisher C/Z Folder	ļ 	ļ	\$87.36			<u>:</u>		<u>:</u>	
	ENVLPTR -Envelope Tray HCF3K -High Capacity Feeder 3KSHTs			\$4.27 \$21.37			; }			
	HC-KNO2 -Healthcare MFP (8XC)			\$15.41					i	
	HDD81 -500GB HDD Kit with Image Overwrite			\$13.44			<del>.</del>			
	9						·		<u>*************************************</u>	
	MCAFEEIC -McAfee Integrity Control Enablement	<u>.</u> 		\$10.72			<u> </u>		:	
	OFC-BM -Booklet Unit for Office Finisher			\$17.16			<u> </u>		<u>.</u>	
	OFC-HPKIT -OFC-HPKIT			\$3.87					ļ	
	PZA -Foreign Device Interface			\$3.76			; ;			
	STPLKIT81 -Convenience Stapler w/surface UNICODE -Xerox International Print Kit	: : :	ļ	\$7.55 \$6.42			<u>:</u>		<u>:</u>	
	WIRELESS1 -Dual Band Wireless Kit	ļ	<del> </del>	\$2.01					<u>;</u>	
		   		Ψ=.υ.						
B8170H	B8170H 70 Base IOT w/High Capacity Tandem	70	36	\$161.99	0	0	\$0.0040	N/A	Yes	No
	Tray Module (HHZ) with speed kit (KAQ) - 250								:	
	sheet Single Pass Document Handler (SPDH) (2									
	x 520 sheet Trays, Trays 3&4 = 2000 sheets	<u> </u>							:	
	[LT/A4], 100 Sheet Bypass, Automatic Duplex,	<u> </u>							:	
	Two x 250 OCTs, 100 sheet face up tray, Exit 2 Inner tray), 128GB SSD*, US standard 120V								:	
	power cord, in-box neutral toner cartridges, drum								:	
	cartridge installed. 120V / 20amp, * GSA market	:							:	
	code configured with 500GB HDD	<u> </u>				}				
	Ĭ	! !	}							
	MAY Choose One of the Following:	, } }	}			\				
	BRF-81 -BR Finisher w/2/3 Hole Punch			\$39.52	<b> </b>					
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole			\$64.47		}	<u>;</u>		<b></b>	
	OFC-81 -Office Finisher		<b></b>	\$15.12		}	<u> </u>		<u> </u>	
	MAY Choose One of the Following:	 !	}			}	; ;		<u>;</u>	
	FAX-1LINE -1 Line Fax		<b></b>	\$12.87			i		<u> </u>	
	FAX-2LINE -2 Line Fax	ļ !		\$30.07		<u>}</u>	<u> </u>		<u></u>	
1	* **			, +		1				

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge		Supplies Included	
		<u> </u>		ji	<u>:</u>	<b></b>				
	MAY Choose One of the Following: CACPIVRDR -CAC PIV Card Reader	<u>.</u>	ļ	\$3.32	<u> </u>	<b>}</b>	<del> </del>	<u> </u>		ļ
	CACFIVEDR -CAC FIV Card Reader	ļ		<b></b>						
	RFID70 -Integrated Programmable RFID Reader			\$10.36					:	
	SIPRRDR2 -SIPRNet Card Reader	ሉ ! !		\$8.37	·	<b>}</b>				
				ΨΟ.Ο.		}				
	May Choose any of the following:				<del>}</del>	<u> </u>			<del>}</del>	<del> </del>
	BANFEEDKT -Banner Feed Kit	ሉ ! !		\$16.43	:	<u> </u>		:	:	
	CZFOLD81 -BR Finisher C/Z Folder	; ;		\$87.36		}				
	ENVLPTR -Envelope Tray			\$4.27					:	
	HCF3K -High Capacity Feeder 3KSHTs			\$21.37						
	HC-KNO2 -Healthcare MFP (8XC)	! ! !		\$15.41				<u>.</u>	<u>;</u>	<u></u>
	HDD81 -500GB HDD Kit with Image Overwrite			\$13.44					<u></u>	
									:	
	MCAFEEIC -McAfee Integrity Control Enablement	i 	}	\$10.72		\		<u></u>		
	OFC-BM -Booklet Unit for Office Finisher			\$17.16				į	ļ	
	OFC-HPKIT -OFC-HPKIT			\$3.87		.}		<u>;</u>	<u> </u>	}
	PZA -Foreign Device Interface			\$3.76			<u> </u>		<u> </u>	<u> </u>
	STPLKIT81 -Convenience Stapler w/surface		ļ	\$7.55		ļ	<del> </del>	<u> </u>	<del>.</del>	<del> </del>
	UNICODE -Xerox International Print Kit	ļ		\$6.42	<u>}</u>	.}	<u>;</u>	<del>.</del>	<u> </u>	<u>;</u>
	WIRELESS1 -Dual Band Wireless Kit	ļ	ļ	\$2.01	<u> </u>	<b></b>	<del> </del>	ļ	<u> </u>	ļ
C8145H	Xerox C8145H 45 ppm IOT w/High Capacity Tandem Tray Module (EHQ) with speed kit (FEZ),	45	36	\$148.49	0	0	\$0.0050	\$0.0530	Yes	No
	130 sheet Single Pass Document Handler									
	(SPDH), (two 520 sheet Trays, Trays 3&4 = 2000								:	
	sheets [LT/A4], 100 Sheet Bypass, Automatic						:			
	Duplex, Two x 250 OCTs, 100 sheet face up tray,			į						
	Exit 2 Inner tray), 128GB SSD*, US standard			;					:	
	120V power cord, in-box neutral toner cartridges,						-			
	waste toner bottle, drum cartridge installed. 120V			;						
	/ 15amp, * GSA market code configured with 500GB HDD									
ļ	MAY Choose One of the Following:	ļ	}	,	<u></u>	.}		 :	; ;	<u></u>
	BRF-81 -BR Finisher w/2/3 Hole Punch			\$39.52	ļ	}	ļ	<del>.</del>	<u> </u>	
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole	ļ	}	\$64.47	: :	-{				<u> </u>
	INTFIN81 -Integrated Office Finisher		}	\$18.14	·	}		<u> </u>	<b></b>	<u> </u>
	OFC-81 -Office Finisher	ļ	}	\$20.43	.,			ļ	i	
		ļ !		Ψ20.40	: :	<b>}</b>		<u></u>	 	
	May Choose One of the Following:	 !			:	<del>}</del>	<del> </del>	<del>!</del>	:	<del></del>
	FAX-1LINE -1 Line Fax		}	\$12.87	}				<u> </u>	
	FAX-2LINE -2 Line Fax			\$30.07		}	†			
		٠ !			: :	<u> </u>		:	<u>.</u>	<u>:</u>
	MAY Choose One of the Following:	<u> </u>			<del></del>					
	CACPIVRDR -CAC PIV Card Reader	: :		\$3.32	[	}	[	<u></u>	]	]
		·		,						
<b></b>	RFID70 -Integrated Programmable RFID Reader		<u> </u>	\$10.36			1	<u> </u>	<u>.</u>	1
	SIPRRDR2 -SIPRNet Card Reader		}	\$8.37	! !					
			]							
	May Choose any of the following:			<u> </u>						
	BANFEEDKT -Banner Feed Kit			\$16.43	.,					
	CZFOLD81 -BR Finisher C/Z Folder	i	]	\$87.36		\				
	EFIBUNDL1 -Spot-On Auto Trap Hot Fldr Virt		]	,			1		1	
	Print	<u> </u>	}!	\$55.87	·			<u> </u>	<u>.</u>	<u> </u>
	EFI-FLDER - EFI Hot Folders / Virtual Printers	<u> </u>	<b></b>	\$33.43		}	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	EFI-PROF -EFI Profile Suite 4.X	: :	<u> </u>	\$73.92		}	<u> </u>	<u></u>	<u> </u>	1
	EFISERV81 -EFI A10 Print Server	<u> </u>	}	\$100.63		<b>\</b>		<u></u>		
	EFI-SPOT -EFI Spot On	İ	]	\$27.72	·> · - · · · · - · · · · · · · · · · · ·					
	ENVLPTR -Envelope Tray	ļ	<u> </u>	\$6.42						
	ETHUBKIT -Ethernet Hub Kit for Multi								:	
	Connections			\$16.63	: :			<u>.</u>	<u>.</u>	
	HCF3K -High Capacity Feeder 3KSHTs	 		\$21.37				<u> </u>		
ı	HC-KNO2 -Healthcare MFP (8XC)	:	}	\$15.41		}				
	HDD81 -500GB HDD Kit with Image Overwrite	L	3	φ13.41		1	1	:	<u>:</u>	

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge		Supplies Included	
				•						
	MCAFEEIC -McAfee Integrity Control Enablement	ļ 	ļ	\$10.72	*******	}	<del> </del>	<u> </u>	<u> </u>	<del> </del>
	OFC-BM -Booklet Unit for Office Finisher	ļ		\$17.16	· · · · · · · · · · · · · · · · · · ·	}		<u>.</u>	<u>;</u>	ļ
	OFC-HPKIT -OFC-HPKIT	ļ 		\$5.37	i	}	<u> </u>	: :	<u>;</u>	<u>;</u>
	PZA -Foreign Device Interface	<u>.</u>	<b></b>	\$3.76	:	}	<u> </u>		<u> </u>	<u> </u>
	STPLKIT81 -Convenience Stapler w/surface			\$8.03	·			<u>.</u>	<u> </u>	} 
	UNICODE -Xerox International Print Kit	ļ	ļ	\$6.42		}	<del></del>	<del></del>	<u>.</u>	<del>}</del>
	WIRELESS1 -Dual Band Wireless Kit	 !	}	\$2.01	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u>:</u>
C8170H	Xerox C8170H 70 ppm IOT w/High Capacity Tandem Tray Module (EFQ) with speed kit (FGQ), 250 sheet Single Pass Document Handler (SPDH), (two 520 sheet Trays, Trays 3&4 = 2000 sheets [LT/A4], 100 Sheet Bypass, Automatic Duplex, Two x 250 OCTs, 100 sheet face up tray, Exit 2 Inner tray), 128GB SSD*, US standard	70	36	\$164.02	0	0	\$0.0040	\$0.0490	Yes	No
	120V power cord, in-box neutral toner cartridges, waste toner bottle, drum cartridge installed. 120V / 20amp, * GSA market code configured with 500GB HDD									
	MAY Choose One of the Following:							<u></u>	<u></u>	
·····	BRF-81 -BR Finisher w/2/3 Hole Punch	<u> </u>	1	\$39.52	!	1		<del> </del>	<u> </u>	
	BRFB-81 -BR Bklet Mkr Finisherw2/3 Hole	; :	1	\$64.47		}	:	; :	: :	
	OFC-81 -Office Finisher	i ! !		\$20.43			÷		÷	<u> </u>
					; !		·}	 ! !		{
	May Choose One of the Following:		1		*	}	:		: :	
	FAX-1LINE -1 Line Fax	 !	1	\$12.87	<del></del>		<del></del>	:	<u>;</u>	<u></u>
	FAX-2LINE -2 Line Fax			\$30.07	· · · · · · · · · · · · · · · · · · ·	<u></u>				
	MAY Choose One of the Following: CACPIVRDR -CAC PIV Card Reader			\$3.32						
	RFID70 -Integrated Programmable RFID Reader SIPRRDR2 -SIPRNet Card Reader			\$10.36 \$8.37						
	May Choose any of the following:		}		!			: :		
	BANFEEDKT -Banner Feed Kit			\$16.43	<del>.</del>		<del>!</del>	 !	<u>:</u>	
	CZFOLD81 -BR Finisher C/Z Folder	İ		\$87.36	÷	}		\$ :	 :	
	EFIBUNDL1 -Spot-On Auto Trap Hot Fldr Virt Print			\$55.87					i	
	EFI-FLDER - EFI Hot Folders / Virtual Printers	 !		\$33.43		}	<del></del>	<del>:</del>	<del> </del>	
	EFI-PROF -EFI Profile Suite 4.X			\$73.92	·			 !	 !	ļ !
	EFISERV81 -EFI A10 Print Server		}	\$100.63	÷			 !	 !	ļ 
	EFI-SPOT -EFI Spot On	!	{	\$27.72			<del></del>	<del>:</del>	<del></del>	<del></del>
	ENVLPTR -Envelope Tray		<del> </del>	\$6.42		<del> </del>	<del> </del>	<del></del>		<del> </del>
	ETHUBKIT -Ethernet Hub Kit for Multi		<u> </u>	Ψ0.⊣2	<u> </u>	<b>}</b>	·	٠ !	۸ !	<u> </u>
	Connections	į		\$16.63	:			<u>:</u>		
	HCF3K -High Capacity Feeder 3KSHTs	†	1	\$21.37		-	<del> </del>	! !	<u> </u>	
	HC-KNO2 -Healthcare MFP (8XC)			\$15.41	÷	}	·}	* !	<u> </u>	<del>{</del>
	HDD81 -500GB HDD Kit with Image Overwrite	ļ Ļ		\$13.44						·
	MCAFEEIC -McAfee Integrity Control Enablement			\$10.72				<u> </u>	<u></u>	
	OFC-BM -Booklet Unit for Office Finisher	:		\$17.16	· · · · · · · · · · · · · · · · · · ·	}		:		
	OFC-HPKIT -OFC-HPKIT	 	}	\$5.37	,	<u> </u>		<u>.</u>	:	
	PZA -Foreign Device Interface		1	\$3.76		}	1	<u> </u>	<u>.</u>	
	STPLKIT81 -Convenience Stapler w/surface		L	\$8.03		L				
	UNICODE -Xerox International Print Kit		]	\$6.42					<u>i</u>	
	WIRELESS1 -Dual Band Wireless Kit		}	\$2.01				: :		
B9100	Xerox PrimeLink B9100 Copier/Printer with	100	36	\$351.94	0	0	\$0.0036	N/A	Yes	No
	Speed Kit, 10.4" SVGA UI, UI Install Mount Kit, Starter Kit									
	MUST Choose One of the Following:		<b>}</b>		<u> </u>	}	<u> </u>	\$ :	<u></u>	<u> </u>
	B91MSI -Manual Sheet Inserter bypass	ļ	·····	\$0.00	ļ !	<b></b>	<del> </del>	i :	i 	i
	B91XLS -EXTRA LONG SHEET(XLS) MSI	ļ	<del> </del>	\$74.40	,	}	<del>.</del>	: :	: :	:
<u> </u>	POTALO EXTINCEONO OFFILET(ALO) MOI	<u>:</u>		ψι +.+0	1	}			•	<u>-</u>

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge	Color Print Charge	Supplies Included	
	MAY Choose One of the Following:	<u>.</u> 	}				<u> </u> 		i 	
	HCF2T -2 TRAY HIGH CAPACITY FEEDER			\$52.08			<u> </u>			<u></u>
	MSICHUTE -Reqd wB91XLS wo feeder			\$0.00		}				
	OHCF1T -1 TRAY OVERSIZE HIGH CAPACITY									
	FDER	ļ		\$156.76					<u>.</u>	;
	MUST Choose One of the Following:						<del> </del>		<u>;</u>	,
	OCT91 -OFFSET CATCH TRAY	 !		\$13.44			<u>:</u> :	: :	<u>:</u> :	<u> </u>
	PRBOOKFIN -PR BOOKLET MAKER	 		\$114.51			<u> </u>	 :	<u>.</u>	 !
	PRSTRDFIN -PR STANDARD FINISHER			\$0.00	<b></b>			;	¢	
	SCT91 -SIMPLE CATCH TRAY	ļ 		\$10.08			<del></del>			<b>;</b>
	MAY Change One of the Following:					}	<del>}</del>		:	ļ
	MAY Choose One of the Following: 91RFIDRDR -RFID CARD READER WITH USB					<b></b>			<u>.</u>	
	HUB			\$13.11						
	CACPIVRDR -CAC PIV Card Reader	 :		\$4.80					<del> </del>	·
	SIPRRDR1 -SIPRNet	   		\$8.37			·		, , , ,	· 
		ļ		<b>^</b> ·-			<u> </u>		<u> </u>	
ļ	1LINEFAXE -EMBEDDED ONE LINE FAX ADAMOUNT -US S508 INSTALL KIT	<u> </u>	}	\$20.12 \$64.38		<b>}</b>	<u>:</u>		: :	
····	FIDEVICE2 -Foreign Interface Device			\$64.36 \$4.03		<b></b>			i 4 !	, !
	PDFKIT3 -SEARCHABLE PDF (OCR) KIT	ļ		Ψ1.00			<u></u>		<u>.</u>	
	W/HIGH COMP KIT			\$68.94						
	PRCRTRIMR -PR CREASE/ 2sided Trimmer for								:	
	EFI Sol	ļ 		\$612.34			<u> </u>			<u> </u>
ļ	STAPLER2 -Convenience Stapler USBHUB1 -USB HUB KIT	ļ 	-	\$7.23	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		<u> </u>		!	
	USBRUBT -USB RUB KIT	ļ		\$3.63					; 	
	VCZFOLD -CZ Fold Module Requires PR Finisher			\$82.65					i	
	VSQFLDTRM -Square Fold Trimmer for PR Book	 !					:		:	: 
	Maker	ļ		\$282.24			<u> </u>		<u> </u>	; }
ļ	WATERMARK -HYBRID WATERMARK	<u>.</u> 	}	\$24.06					<u> </u>	
B9110	Xerox PrimeLink B9110 Copier/Printer with Speed Kit, 10.4" SVGA UI, UI Install Mount Kit, Starter Kit  MUST Choose One of the Following: B91MSI -Manual Sheet Inserter bypass	110	36	<b>\$418.70</b> \$0.00		0	\$0.0036	N/A	Yes	No
	B91XLS -EXTRA LONG SHEET(XLS) MSI			\$74.40					i	 :
		 !					<u> </u>			
	MAY Choose One of the Following:									
	HCF2T -2 TRAY HIGH CAPACITY FEEDER	ļ 		\$52.08			ļ		<u> </u>	<u></u>
<b></b>	MSICHUTE -Reqd wB91XLS wo feeder OHCF1T -1 TRAY OVERSIZE HIGH CAPACITY		}	\$0.00			<u> </u>		<u>:</u> :	:
	FDER			\$156.76					i	
	OHCF2T -2 TRAY OVERSIZE HIGH CAPACITY	ļ					·}		4 : :	··-
	FDER	ļ		\$232.24			ļ		ļ	
	MUCT Change One of the Following	ļ			} 	}	}		ļ	;
	MUST Choose One of the Following: HICAPSTAK -HIGH CAPACITY STACKER			\$315.83						
<b></b>	PRBOOKFIN -PR BOOKLET MAKER	 !	}	\$114.51					<u>:</u>	
		<del></del>	1						<u>.</u>	
	PRSTFNPLS -PR STANDARD FINISHER PLUS			\$319.53	,		<u> </u>			ļ
	PRSTRDFIN -PR STANDARD FINISHER	ļ 		\$0.00		}	<u> </u>		<u> </u>	<u>.</u>
	MAY Chaosa One of the Following:						!		! !	; !
	MAY Choose One of the Following: 91RFIDRDR -RFID CARD READER WITH USB HUB			\$13.11						
	CACPIVRDR -CAC PIV Card Reader	 !		\$4.80		}	<u></u>		i !	 
	SIPRRDR1 -SIPRNet			\$8.37			·}		¢	
		ļ	}							
	ADAMOUNT -US S508 INSTALL KIT	ļ	}	\$64.38		<u>}</u>			<u> </u>	:
ļ	FIDEVICE2 -Foreign Interface Device	ļ	}	\$4.03 \$56.64			ļ		<u>.</u>	 !
	IDMODULE -Interface Decurler Module NBV -Dolly	ļ	}	\$56.64 \$33.43	,	}	:		<u>:</u>	 !
<u> </u>	into Cony	:	(	ψυυ.τυ	ı	)	i .	1	1	

Product/ Market Code	Accessories/Descriptions	СРМ	Term (mos)	Periodic Base Charge	B/W Prints Included	Color Prints Included	B/W Print Charge		Supplies Included	
	PDFKIT3 -SEARCHABLE PDF (OCR) KIT									
	W/HIGH COMP KIT			\$68.94	; !	{			:	
	PRCRTRIMR -PR CREASE/ 2sided Trimmer for				; ;				; ;	
	EFI Sol			\$612.34	; ! ! !		:	: :	<u>:</u>	:
	PUNCHPRO -GBC ADV PUNCH PRO			\$293.47	· ·	}	:	:	[ 	:
	STACKR -HIGH CAP STACKER			\$315.83		}			:	
	STAPLER2 -Convenience Stapler			\$7.23		}		:	:	
	TAPE-BIND -Tape Binder			\$481.92	; ;		; ;	; ;	; ;	:
	USBHUB1 -USB HUB KIT			\$3.63						
	VCZFOLD -CZ Fold Module Requires PR Finisher			\$82.65						
	VSQFLDTRM -Square Fold Trimmer for PR Book							:	; ;	
	Maker	į		\$282.24			1	:	:	:
	WATERMARK -HYBRID WATERMARK			\$24.06						
B91EFI	EFI Printer Server NX One	NA	36	\$274.36	0	0	\$0.0000	N/A	Yes	No
	1DRHDD -One Drive External HDD Option	& !		\$75.43		{	<u>.</u>	: :	:	: :
	EFIMG -LAC Image Viewer Software			\$94.07	} 	}	, 	<u> </u>	ሉ !	ᢤ }
	ENETHUB -Ethernet Hub Option			\$9.68	} 	}		ት !	 !	{ }
	EXCOMPOSE -Compose License Activation	·		\$50.40		<u> </u>	<u>:</u>	<u> </u>	<u> </u>	
	EXIMPOSE -Impose License Activation			\$85.68	<del>;</del>	<u> </u>	<del>;</del>	<del>:</del>	<del>!</del>	<del> </del>
	MONCALIBR -Fiery Calibration Mono			\$66.86	<del>}</del>	}	;	٠٠٠٠٠٠٠ <u>:</u>	 !	<u> </u>
<b> </b>	NX1STATN -NX One Station Option	; :		\$90.21		<u> </u>	<del>}</del>	<del>}</del>	<del>}</del>	<del>}</del>



Xerox[®] VersaLink[®] B400 Printer and Xerox[®] VersaLink[®] B405 Multifunction Printer

Redefining office productivity.



# Xerox[®] VersaLink[®] B400 Printer and Xerox[®] VersaLink[®] B405 Multifunction Printer

Whether stand-alone or as a part of your extended fleet, the Xerox® VersaLink B400 Printer and VersaLink B405 Multifunction Printer take your team to new levels of productivity. Work the way you want—from any device—with maximum security and easy connectivity to and from both cloud and network-based locations.

# Easy, optimized productivity.

Right out of the box, you'll count on your Xerox® VersaLink® B400 Printer or VersaLink B405 Multifunction Printer to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

And count on day in, day out reliability thanks to our trusted paper path technology.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)¹.

Print with total peace of mind knowing that VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

# An entirely new way to work.

With the customizable 5-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox® App Gallery provides expanded functionality—like the Xerox® Easy Translator Service app¹, which quickly translates scanned documents into numerous languages.

Speed through tasks by saving common settings as presets for simple, single-touch job setup. With Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure, easy access to task-specific presets and commonly used apps on a personalized home screen.

# Upward mobility for every work style.

The VersaLink B400 Printer and VersaLink B405 Multifunction Printer give you the freedom to work where and how you want—with direct connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox® App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with optional Wi-Fi and Wi-Fi Direct, plus Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

To learn more about VersaLink device features, go to www.xerox.com/VersalinkEG

¹ VersaLink B405 only

# Xerox® VersaLink® B400 Quick Facts


- Print up to 47 ppm Letter / 45 ppm A4
- NFC Tap-to-Pair and optional Wi-Fi and Wi-Fi Direct
- Standard 700-sheet paper capacity / Maximum 2,350 sheets
- 150-sheet Bypass Tray
- Up to 1200 x 1200 dpi (enhanced)

# WxDxH:

18.1 x 16.8 x 13.3 in. / 459 x 426 x 339 mm

# Weight:

30 lb / 14 kg



# Xerox® VersaLink® B405 Quick Facts

- Print up to 47 ppm Letter / 45 ppm A4
- 60-sheet Reversing Automatic Document Feeder (RADF)
- NFC Tap-to-Pair and optional Wi-Fi and Wi-Fi Direct
- Standard 700-sheet paper capacity /
  Maximum 2,350 sheets
- 150-sheet Bypass Tray
- Up to 1200 x 1200 dpi (enhanced)

### WyDyL

19.5 x 19.5 x 21.7 in. / 495 x 495 x 551 mm

# Weight:

48 lb / 22 kg



# Choose the configuration that meets your needs:

- A 60-sheet Reversing Automatic Document Feeder (RADF) scans two-sided originals for copy, scan and fax jobs.
- 2 Card Reader Bay with embedded USB port.²
- 3 An easily accessible USB port² allows users to quickly print from or scan to³ any standard USB memory device.
- 4 250-sheet output tray with tray-full sensor.
- 5 150-sheet Bypass Tray handles media sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm.
- With the 550-sheet paper tray, standard paper capacity totals 700 sheets (including Bypass Tray).
- 7 Up to three optional 550-sheet paper trays increase total paper capacity to 2,350 sheets.
- 8 Optional stand provides storage for toner cartridges, paper and other supplies.

² USB ports can be disabled; ³ VersaLink B405 only.



Xerox® VersaLink® B400 Printer Print



Xerox® VersaLink® B405 Multifunction Printer Print. Copy. Scan. Fax. Email.

# Introducing touch screen superiority.

Meet our tiltable, 5-inch capacitive color touch screen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink B400 Printer or VersaLink B405 Multifunction Printer get more work done, faster.



# Xerox® VersaLink® B400 Printer and Xerox® VersaLink® B405 Multifunction Printer

Device Specifications	VersaLink B400N	VersaLink B400DN	VersaLink B405DN
Speed	Up to 47 ppm letter / Up to 45 ppm A4		
Duty Cycle ¹	Up to 110,000 pages / month ¹		
Processor / Memory	1.05 GHz Dual Core / 2 GB		
Connectivity	Ethernet 10/100/1000 Base-T, High-speed U supported), NFC Tap-to-Pair	ISB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with opt	ional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features	Unified Address Book (B405), Configuration Accounting, Online Support (accessed from t		nterface Platform®, Xerox® App Gallery, Xerox® Standard
Paper Handling Paper Input Standard	NA		Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)
	Bypass Tray: Up to 150 sheets; Custom size	s: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 >	c 356 mm
	Tray 1: Up to 550 sheets; Custom sizes: 5.8	$\alpha$ 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x	356 mm
Optional	3 Additional Trays: Up to 550 sheets each;	Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x	210 mm to 216 x 356 mm
Total Capacity (std. / max.)	700 sheets / 2,350 sheets		
Paper Output	250 sheets		
Automatic Two-sided Output	NA	Standard	
Copy and Print Resolution	<b>Print:</b> Up to 1200 x 1200 dpi (enhanced)		<b>Print:</b> Up to 1200 x 1200 dpi (enhanced) <b>Copy:</b> Up to 600 x 600 dpi
First-page-out Time (as fast as)	Print: As fast as 8 seconds		Print: As fast as 8 seconds Copy: As fast as 6 seconds
Page Description Languages	PCL® 5e / PCL 6 / PDF / XPS / TIFF / JPEG / H	P-GL / Adobe® PostScript® 3™	
Print Features		nal Print, Saved Job, Xerox® Earth Smart Driver Sett g, Job Monitoring, Application Defaults, Two-sided	ings, Job Identification, Booklet Creation, Store and Recall Driver Printing (as default), Skip Blank Pages, Draft Mode
Mobile Printing		® Print Service Plug-in for Android™, Mopria® Prin · a list of downloadable apps available for smart	
Optional	@PrintByXerox ² , Wi-Fi Direct Printing ³ , Xerox ⁶	Mobile Print Solution³, Xerox® Mobile Print Clou	ud³, Xerox® Mobile Link App (B405)²
Printer/MFP Cloud Connectors ²	Print from/Scan to ⁴ Google Drive, One Drive,	DropBox, Microsoft 365, Box, DocuShare	
Cloud Services	NA		Xerox® Easy Translator Service, Xerox® Healthcare MFP
	Additional printer/MFP apps and cloud service	res available. Visit www.xerox.com/appgallery	for a growing selection of apps.
Scan Scan Destinations			Scan to USB, Scan to Email, Scan to Network (FTP or Browse SMB)
Scan Features	NA		File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF / Password Protected PDF, Linearized PDF / PDF/A
<b>Fax</b> Fax Features ⁵			Walk-up Fax (one-line or three-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing via Unified Address Book (up to 2,000 contacts)
<b>Security</b> Standard	Enablement (CAC/PIV/.NET), FIPS 140-2, SS	L/TLS, Port Filtering, IP Address Filtering, Domair B405), Secure Scan (B405), Secure Email (B405	icate Path Validation, Certificate Revocation Settings, Smart Card n Filtering, Cisco® TrustSec Identity Services Engine (ISE) Integration, ), Network Authentication, SNMPv3, Audit Log, Access Controls, Role
Optional	Xerox® PrintSafe Software		
<b>Accounting</b> Standard	Xerox® Standard Accounting (Print), Network	Accounting Enablement	Xerox® Standard Accounting (Copy, Print, Scan, Fax, Email), Network Accounting Enablement
Optional	Equitrac Express®, Equitrac Office®, YSoft® Sa	feQ®, other network accounting solutions availab	ole through various Xerox Business Innovation Partners

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; 2 Free option (download from Xerox® App Gallery to your printer/MFP); 3 Purchasable option; 4 Scan to available for B405 only: 5 Analog phone line required.

# Device Management

Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple® Bonjour®

### **Print Drivers**

Windows® 7, 8, 10 Server 2000, Server 2003, Server 2008, Server 2008 R2 Server 2012, Mac OS® version 10.9 and higher, Citrix, Redhat® Enterprise, Linux®, IBM® AIX® 5, HP-UX® 11iv2, Oracle® Solaris 9, 10, Fedora Core 12-15, SUSE®, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

### Font Capability

87 PostScript Fonts; 88 PCL Fonts

# Media Handling

Duplex Automatic Document Feeder: Simplex: 13 to 32 lb. bond / 50 to 125 gsm; Duplex: 16 to 32 lb. bond / 60 to 125 gsm; Bypass Tray: 16 lb. bond to 80 lb. cover / 60 to 220 gsm; Tray 1: 16 lb. bond to 80 lb. cover / 60 to 220 gsm; 3 Additional Trays (Optional): 16 lb. bond to 80 lb. cover / 60 to 220 gsm

Configurations vary by geography.

# Operating Environment

Temperature: 50° to 90° F / 10° to 32° C; Humidity: 10% to 85%; Sound Power: Printing: 7.5 B(A); Standby: 5.3 B(A); Sound Pressure: Printing: 56 dB(A), Standby: 30 dB(A); Boot Time (from Off to UI  $\,$ Ready): as fast as 60 seconds, Warm-up Time (from Sleep to UI Ready): as fast as 5 seconds

### Electrical

Power: 110-127 VAC, 50/60 Hz, 11A or 220-240 VAC, 50/60 Hz, 6A; B400: Continuous Printing: 565 watts; Ready (Standby): 46 watts; Energy Saver Mode (Sleep): 4 watts or less; B405: Continuous Printing: 620 watts; Ready (Standby): 60 watts; Energy Saver Mode (Sleep): 4 watts or less

### Dimensions (W x D x H)

B400: 18.1 x 16.8 x 13.3 in. / 459 x 426 x 339 mm, Weight: 30 lb. / 14 kg; B405: 19.5 x 19.5 x 21.7 in. / 495 x 495 x 551 mm, Weight: 48 lb. / 22 kg

# Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications

Standard Capacity Toner Cartridge: 5,900 pages¹ 106R03580 106R03582 High Capacity Toner Cartridge: 13,900 pages¹ Extra High Capacity Toner Cartridge: 24,600 pages¹ 106R03584 101R00554 Drum Cartridge: 65,000 pages²

497K13620
497K13630
097S04913
497K13660
497K16750
497K18380
497K18120

Average standard pages, Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB405Specs. For more information, visit us at www.xerox.com/office.



² Approximate pages. Declared yield based on an average job size of 3 A4-/ letter-size pages. Yield will vary depending on job run length and media size and orientation.

# XEROX® VERSALINK® MULTIFUNCTION PRINTER

Reliable. Budget friendly. Business ready.

# B7025/B7030/B7035







# Xerox® VersaLink® B7025/B7030/B7035 Multifunction Printer

When it comes to seamless integration into your work environment and helping you get important tasks done faster, there's no smarter option than the affordable, reliable and supremely business-ready VersaLink B7025/B7030/B7035 Multifunction Printer—featuring Xerox® ConnectKey® Technology.

# HIGHER PERFORMANCE. OPTIMIZED EFFICIENCY.

Right out of the box, you'll count on your Xerox® VersaLink B7000 Series Multifunction Printer to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

And with an entirely re-engineered paper path and new LED print head technology, we've taken day-in, day-out reliability to an impressive level of excellence.

VersaLink devices are loaded with features and time-saving Xerox® technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview, and do more with scanned documents with built-in optical character recognition (OCR).

When it comes to safeguarding critical documents and data, VersaLink devices deliver benchmark security that protects all points of vulnerability, including protection from unauthorized device access, secure network communication, 256-bit hard disk encryption with secure overwrite and the ability to add security to individual documents.

### EASY TO USE. EASY TO CUSTOMIZE.

With the VersaLink B7000 Series Multifunction Printer's oversize, customizable 7-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox App Gallery provides expanded functionality—like the Xerox® Easy Translator Service app, which quickly translates scanned documents into numerous languages.

Speed through tasks by saving common settings as presets for simple, single-touch job setup. With Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure, easy access to task-specific presets and commonly used apps on a personalized home screen.

# READY FOR THE WAY YOU WORK.

The VersaLink B7000 Series Multifunction Printer gives you the freedom to work where and how you want—with out-of-the-box direct connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with optional Wi-Fi® and Wi-Fi Direct®, plus Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

# XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

### Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience, with gesture-based touchscreen controls and easy customization.

# Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

### Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

# **Enables Next Generation Services**

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

### Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.











- 1 A 110-sheet Duplex Automatic Document Feeder (DADF) scans two-sided black-and-white or color originals for copy, scan and fax jobs.
- 2 Optional work surface (included with Convenience Stapler) gives you plenty of room to sort documents.
- 3 Card Reader Bay with embedded USB port.1
- 4 An easily accessible USB port¹ allows users to quickly print from or scan to any standard USB memory device.
- **5 The 100-sheet Bypass Tray** handles media sizes from 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm.
- **6** The standard **520-sheet** Tray **1** handles media sizes from 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm.
- ¹ USB ports can be disabled.



# MULTIPLE PAPER TRAY OPTIONS TO FIT EVERY NEED:

- 7 Add the Single Tray Module to the Desktop model to increase the total paper capacity to 1,140 sheets (includes Bypass Tray). Or choose the optional Three Tray Module (not shown) to increase the total paper capacity to 2,180 sheets (includes Bypass Tray).
- 8 Choose the optional Single Tray with Stand Module to increase the total paper capacity to 1,140 sheets (includes Bypass Tray) and provides storage for toner cartridges and other supplies.
- 9 Choose the optional High-Capacity Tandem Tray Module allows for a total paper capacity of up to 3,140 sheets (includes Bypass Tray).
- 10 The optional High-Capacity Feeder holds 2,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.

# ADD INCREASED VERSATILITY WITH FINISHING OPTIONS:

- 11 The Dual Catch Trays (optional with Desktop model) stack up to 250 sheets each, lower tray offsets.
- 12 The optional Office Finisher LX gives you advanced finishing functions at a great value and offers optional booklet making.
- **13 The optional Integrated Office Finisher** provides 500-sheet stacking and 50-sheet, single-position stapling.



# INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our all-new, 7-inch color touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® B7000 Series Multifunction Printer get more work done, faster.

# Xerox® VersaLink® B7025/B7030/B7035



The VersaLink B7025/B7030/B7035 Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, visit **www.connectkey.com**.


DEVICE SPECIF	ICATIONS	VersaLink B7025	VersaLink B7030	VersaLink B7035
Speed		Up to 25 ppm	Up to 30 ppm	Up to 35 ppm
Monthly Duty Cycle ¹		Up to 107,000 pages	Up to 129,000 pages	Up to 153,000 pages
Hard Drive/Processo	r/Memory	320 GB HDD ² /1.05 GHz Dual-core/2 GB memory		
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.	0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit	
Controller Features		Unified Address Book, Configuration Cloning, Scal Role Based Permissions, Convenience Authenticat	n Preview, Xerox Extensible Interface Platform®, Xer ion Enabled, Online Support	ox App Gallery, Xerox® Standard Accounting,
Copy and Print	Resolution	<b>Copy:</b> Up to 600 x 600 dpi; <b>Print:</b> Up to 1200 x 12	200 dpi	
First-copy-out Time	(as fast as)	As fast as 6.8 seconds	As fast as 5.4 seconds	As fast as 5.4 seconds
First-print-out Time		As fast as 10.4 seconds	As fast as 9.1 seconds	As fast as 9.1 seconds
Page Description Lai	nguages	PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/option	al Adobe® PostScript® 3™	
Paper Input	Standard		110 sheets: Standard sizes: 5.5 x 8.5 in. to 11 x 17 in fustom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in	
		Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87	in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8	mm
		<b>Tray 1:</b> 520 sheets; Custom sizes: 5.5 x 7.17 in. to 1	11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm	
	Choose One	Single Tray with Stand: 520 sheets; Custom size Three Tray Module (1,560 sheets): 520 sheets ed High-Capacity Tandem Tray (2,520 sheets): Tra	.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 s: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 2 sch; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139 y 2: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 7.25 x 10.5 in./A4 or B5; Tray 4: 1,130 sheets; Stand	297 x 431.8 mm .7 x 182 mm to 297 x 431.8 mm x 17 in./139.7 x 182 mm to 297 x 431.8 mm;
	Optional		cial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in. to ndard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5	6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm
Paper Output/	Standard	Dual Catch Tray ² : 250 sheets each; Lower tray of	offsets	
Finishing	Optional	Integrated Office Finisher: 500-sheet stacker, 50 Office Finisher LX: 2,000-sheet stacker, 50 sheet Convenience Stapler with Work Surface: Staple	s stapled, 3-position stapling, optional hole-punch,	optional booklet maker (score, saddle stitch)
INTUITIVE US	ER EXPER			
Customize and Perso	onalize	Walkup customization, Personalize Home Screen I Xerox App Gallery and Xerox® App Studio	oy User, Multiple Home Screens with Simple ID, Cus	tomize by Site, Function or Workflow with
Print Drivers		Job Identification, Bi-directional Status, Job Monit	toring, Xerox® Global Print Driver® and Mobile Expre	ess Driver®
Xerox® Embedded W	Veb Server	PC or mobile—Status Information, Responsive De	esign, Settings, Device Management, Cloning	
Preview		Preview of Scan/Fax with Zoom, Rotate, Add Page	!	
Print Features				s, Job Identification, Booklet Creation, Store and Recc ed Printing (as default), Skip Blank Pages, Draft Mode
Scan		Optical Character Recognition (OCR), Scan to USE to Home, Searchable PDF, Single/Multi-Page PDF/		F, PDF/A, XPS, JPEG, TIFF; Convenience Features: Sca
Fax		Optional Walk-up Fax (one-line or three-line optio	ns available, includes LAN Fax, Direct Fax, Fax Forw	vard to Email), optional Fax Over IP
MOBILE AND (	CLOUD RE	ADY		
Mobile Printing		Apple® AirPrint®5, Google Cloud Print™ Ready, Xero	ox® Print Service and Mopria® Print Service Plug-ins	for Android™
Mobility Options		@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile P Visit www.xerox.com/officemobileapps for ava	rint Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , ilable apps.	Xerox [®] Mobile Link App ³ .
Cloud Connectors ³		Print from/Scan to Google Drive™, Microsoft® One	Drive®, Dropbox™, Microsoft Office 365®, Box®, Xer	ox® DocuShare® and more
BENCHMARK S	ECURITY	· · · · · · · · · · · · · · · · · · ·		
Network Security		IPsec, HTTPS, encrypted email. Network Authenti	cation, SNMPv3, SSL/TLS, Security Certificates, Aut	omatic Self-Signed Certificate
Device Access		Firmware Verification, User access and internal fire (CAC/PIV/.NET), Xerox® Integrated Card Reader B	ewall, Port/IP/Domain Filtering, Audit Log, Access C ay	ontrols, User Permissions, Smart Card Enabled
Data Protection		Setup/Security Wizards, Job Level Encryption via F Criteria Certification (ISO 15408) (undergoing evo		56-bit, FIPS 140-2) and image overwrite, Common
Document Security		Secure Print, Secure Fax, Secure Scan, Secure Ema	il, Password Protected PDF	
ENABLES NEX	T GENERA	TION SERVICES		
Print Management		Xerox® Print Management and Mobility Suite4, Co	nfiguration Cloning, Xerox® Standard Accounting, E	Equitrac⁴, Y Soft⁴ and more
Managing Print		Xerox® Device Manager, Xerox® Support Assistance	ce, Auto Meter Read, Managed Print Services tools	
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print Use		
GATEWAY TO I	NEW POSS			
Cloud Services		Xerox® Easy Translator4, Xerox® Healthcare MFP (I	J.S. only) ⁴ , many additional services available	
Xerox App Gallery			3	f Xerox® apps available for adding functions to the

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.



# Xerox® AltaLink® Multifunction Printer

The Ideal Digital Workplace Assistant for Demanding Teams







# Xerox® AltaLink® B8145/B8155/B8170 Multifunction Printer

Want work done right? AltaLink® will help you do a lot more than just print. You can automate document workflows and connect to the systems that run your business — seamlessly. Protected by comprehensive security features, they are true Workplace Assistants that will free up time for you to do more of what really matters.

# A PRODUCTIVE WORK EXPERIENCE FOR ALL

Feel right at home instantly with AltaLink®.

The intuitive and personalized tablet-like interface balances simplicity and efficiency, and reduces steps to complete tasks with a single tap.

Native mobility features, like Wi-Fi Direct (optional), make it easy for workers to print from their mobile devices and access the advanced AltaLink® capabilities such as Xerox® @PrintByXerox App, Xerox® Print Service Plug-in for Android™ or AirPrint®.

AltaLink® devices bridge the physical and digital worlds with apps and advanced scanning capabilities that allow you to digitize, route and process information in a snap. Automate tedious tasks to save time and reduce errors.

Translate documents to 50+ languages with the Xerox® Translate and Print App. Convert hard copy to audio for easy listening on the go with the Xerox® Audio Documents App. And get your handwritten note off the page and into the digital world with the Xerox® Note Converter App.

# RIGHT FIT FOR EVERY NEED

Big jobs, small jobs and everything in between — AltaLink® can be customized to do it all. Your choice of finishing options and accessories means you can configure your device for any type of document.

The speed of business has never moved so fast, but the AltaLink® makes it easy to keep up.

Stay in the fast lane with access to the Xerox® App Gallery. It's your gateway to an evergrowing collection of apps designed to simplify time-consuming, repetitive or complex processes as your business evolves.

Simplify IT support as your fleet grows. Fleet Orchestrator allows you to adjust configurations and settings on all your devices at once. Perform interactive training and support your users right from your desktop with the Remote Control Panel.

### **COMPREHENSIVE SECURITY**

Stop threats where they start with the comprehensive protection that's trusted by the most security-minded businesses and governments.

Built-in security, including the AltaLink® Trusted Boot that protects the integrity of the device start-up process from malicious actions, McAfee® whitelisting and integrations with McAfee ePO and Cisco ISE that neutralize threats instantly at the device and protect the network. Configuration Watchdog monitors and automatically remediates critical IT-defined security settings.

Native Security Information and Event Management (SIEM) simplifies reporting and management of security events. And integration with Xerox® Printer Security Audit Service, available as part of Xerox® Intelligent Workplace Services, helps maximize printer fleet, document and content security.

# **OUTPUT THAT RAISES THE BAR**

The wow factor is easy to achieve with high-resolution 1200 x 2400 dpi output.

Best-in-class HD Super Fine EA Toner delivers rich blacks and smoother shades of gray giving your documents clarity and impact.

# XEROX® CONNECTKEY® TECHNOLOGY

### Intuitive User Experience

Enjoy a tablet-like experience with gesturebased touchscreen controls and easy personalization, plus simple workflows and functions.

### Mobile and Cloud Ready

Be more mobile with cloud-hosted services and instant connectivity to cloud and mobile devices right from the user interface.

### Comprehensive Security

Prevent unauthorized access, detect threats and protect data and documents with built-in comprehensive security features.

# **Enables Intelligent Workplace Services**

Seamless integration with Xerox Intelligent Workplace Services delivers next-level workplace efficiency, employee productivity and security.

# **Gateway to New Possibilities**

Transform the way you work with the apps in the Xerox App Gallery. Or have one of our partners develop a custom solution for you.

Find out more about how you'll work smarter at www.ConnectKey.com.



# Xerox® AltaLink® B8145/B8155/B8170 Multifunction Printer

# Single-Pass Duplex Automatic Document Feeder (DADF)

saves time by simultaneously scanning both sides of two-sided documents up to 270 impressions per minute (ipm).



### **USER INTERFACE**



Intuitive Tablet-Like 10.1-inch Color Touchscreen is customizable and lets you perform tasks in just a few taps. Try it out at xerox.com/AltaLink8100UI.

# PAPER INPUT⁴

Two 520-sheet Adjustable Trays (common with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in. / A3 and Tray 2 handles media sizes up to 12 x 18 in. / SRA3.



**Envelope Kit** (optional — replaces Tray 1) provides feeding of up to 60 envelopes.



High Capacity Tandem Tray Configuration holds a total paper capacity of up to 3,140 sheets.

Bypass Tray handles up to 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 52 in. / 89 x 98 mm to 320 x 1,320 mm.



Feeder (optional) holds 3,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 6,140 sheets.



# **INNOVATIVE TECHNOLOGIES**



Xerox® Integrated RFID Card Reader (optional) adds card-based authentication with support for over 90 access cards.



Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile device to the AltaLink® B8100 Series user panel and quickly connect with the MFP.



Smart Proximity Sensor detects when users are nearby. It conserves energy during inactive periods and automatically activates the device when a user approaches.

# PAPER OUTPUT / FINISHERS⁴



Office Finisher

(optional) provides

advanced finishing

functions, optional

making it capable of 60-page booklets

crease/score and

(2 to 15 sheets).

Business Ready (BR) Finisher (optional) gives you advanced finishing functions at a great value. saddle-stitch booklet,



C-Fold/Z-Fold Unit (optional) adds C-fold, Z-fold and Z-half-fold to the BR Finisher or BR Booklet Maker Finisher.



BR Booklet Maker Finisher (optional) create 64-page saddle-stitched booklets (2 to 16 sheets).

# LONG SHEET PRINTING

Long Sheet Feed Kit (optional) provides the ability to print up to 12.6 x 52 in. / 320 x 1,320 mm media.





**Dual Offset Catch Tray** (available when no finishers are installed; Single Offset Catch Tray with finishers).



Integrated Office Finisher (optional with B8145/B8155) provides 500-sheet stacking and 50-sheet, 2-position stapling.



Convenience Stapler (optional) staples up to 50 sheets of 20 lb. / 75 gsm media.



# Xerox® AltaLink® B8145/B8155/B8170 Multifunction Printer



DEVICE SPECIFICATIONS		ALTALINK® B8155	ALTALINK® B8170					
Speed	Up to 45 ppm	Up to 55 ppm	Up to 72 ppm					
Monthly Duty Cycle ¹	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages					
Storage/Processor/Memory	Minimum 128 GB SSD; <b>Optional</b> : 500GB HDD / INTEL ATOM Quad Core, 1.9GHz/4 GB system memory							
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, WiFi/WiFi Direct with optional Xerox® Dual Band Wireless Kit, NFC, Bluetooth (iBeacon)							
Copy and Print	Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi           4.40 seconds         3.70 seconds           3.20 seconds							
First-Copy-Out Time (as fast as) (from platen/warmed-up state)	4.40 seconds	3.70 seconds	3.20 seconds					
First-Print-Out Time (as fast as)	3.80 seconds	3.20 seconds	3.00 seconds					
Page Description Languages	Adobe® PostScript® 3™, Adobe® PDF, I	PCL® 5c / PCL® 6	<u>'</u>					
Paper Input ² Standard								
Optional	High-Capacity Feeder (HCF): 3,000 sheets; Size 8.5 x 11 in. / A4 long edge feed. Max paper capacity with HCF: 6,140 sheets.							
	Envelope Tray (replaces Tray 1): Up to 60 envelopes with Auto Size detection of some sizes.							
Dance Outract/ Chandral	Long Sheet Feed Kit (banner printing): Up to 12.6 x 52 in. / 320 x 1,320 mm.  Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each; Face-up Tray: 100 sheets							
Paper Output/ Standard Finishing ²			t 256 GSM, staple positions: front and rear straight, 500 sheets					
Optional	Stacker, 50 sheets stapling, 2-position stapling.  Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages))  BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching  BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding  C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher  Convenience Stapler: 50-sheet stapling, includes Work Surface ⁵							
INTUITIVE USER EXP	1							
Customize	Customize user interface, show/hide f Proximity Sensor.	unctions, personalize user experience with authe	ntication, create 1-Touch Apps, auto wakeup with Smart					
Print Drivers		Job Monitoring, Xerox® Global Print Driver®, Applica	ntion Defaults Xerox® Pull Print Driver					
Xerox® Embedded Web Server			nestrator, Configuration Watchdog, Remote Control Panel					
Print Features	Print from USB, Print from Cloud Repositories (Dropbox, One Drive and Google Drive), Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control, Two-sided Printing, Draft Mode, Long Sheet (Banner) Printing							
Scan and Fax	Scan Preview, Scan to USB/Email/Network (FTP/SFTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-page PDF/XPS/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or two-line options available, includes LAF Fax, Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR), Server Fax, TWAIN driver (scan);  Optional: Scan To Cloud Repositories (Dropbox, One Drive and Google Drive) ³							
MOBILE AND CLOUD								
Mobile Connectivity	Near-Field Communication (NFC); Op	<b>rtional:</b> Wi-Fi Direct, Wi-Fi (802.11 b/g/n/ac), AirP	rint (iOS) including iBeacon (Bluetooth)					
Mobile Printing	AirPrint, Mopria®, Xerox® Print Service	(Android), @PrintByXerox App; <b>Optional:</b> Xerox®	Workplace Mobile App (iOS/Android)					
Mobile Scanning	AirPrint, Mopria®; <b>Optional:</b> Xerox® W							
Cloud Ready	Remote services enabled, native "Print from" Cloud repositories (Dropbox, One Drive, Google Drive). <b>Optional:</b> Native Scan To Cloud Repositories (Done Drive, Google Drive), direct connection to cloud hosted services via optional apps (accessed via Xerox® App Gallery app or visit xerox.com/App							
COMPREHENSIVE SEC	URITY							
Network Security	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, McAfee® ePolicy Orchestrator®, McAfee Enterprise Security Manager³, LogRhythm SIEM³, Splunk SIEM³, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS 1.1/1.2, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication (Internal Database), FIPS 140-2							
Device Access	User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Configuration Watchdog, TPM <b>Optional:</b> Smart Card Enablement Kit (CAC/PIV/.NET/SIPRNet) ⁴ , Xerox [®] Integrated RFID Card Reader, NFC standard (authentication via optional Xerox [®] Workplace Cloud/Suite Print Management and Content Security; learn more at xerox.com/WorkplaceSolutions.							
Data Protection	McAfee Embedded Control Whitelisting, Firmware Verification, Trusted Boot, Job Level Encryption via HTTPS and Drivers, Xerox® Workplace Cloud/Suite Content Security, Encrypted Storage Drive (AES 256-bit, FIPS 140-2), Encrypted and Signed Email; <b>Optional:</b> Xerox® Workplace Cloud/Suite Content Security, Encrypted Hard Disk (AES 256-bit, FIPS 140-2) with Image Overwrite, McAfee Integrity Control							
Document Security			Encrypted Secure Print, FIPS 140-2 Encrypted Data with Print Drivers					
	IT WORKPLACE SERVICES							
Print Management			nt Management Service, more at xerox.com/PrintManagement					
Fleet / Device Management	Xerox® CentreWare® Web, Xerox® Support Assistant, Automated Meter Read, Xerox® Cloud Fleet Management Solution, Fleet Orchestrator, Configuration Cloning, Intelligent Workplace Services Tool Suite							
Security	Secure Device Management. Xerox® Printer Security Audit Service (auto-configuration of security settings, monitoring, and auto-remediation), Digital Certificate Management, SIEM Reporting, Interactive Dashboard Reports							
GATEWAY TO NEW PO	·	- '						
Xerox App Gallery	T	ops that translate, redact, eSign, personalize print						

 $^{^{1}}$  Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

Certifications: xerox.com/OfficeCertifications





² Paper capacities are based on 20 lb. / 75 gsm stock; capacities will vary with different weight stocks

³ Available post-launch via software update


⁴ Not available in all geographies

⁵ Sold separately in some geographies

# XEROX® VERSALINK® COLOR MULTIFUNCTION PRINTER

Reliable. Connected. Business Ready.

# C7020/C7025/C7030







# Xerox® VersaLink® C7020/C7025/C7030 Color Multifunction Printer

The Xerox® ConnectKey® Technology-enabled VersaLink C7000 Series Color Multifunction Printer offers flawless reliability, seamless integration and advanced productivity. Cloud connected, mobile ready, app-enabled, and easy to personalize, the C7000 Series is your modern workplace assistant—helping you excel today and stay ready for the future.

# FLAWLESS RELIABILITY. SUPERIOR PERFORMANCE.

Right out of the box, you'll count on your Xerox® VersaLink C7000 Series Color Multifunction Printer to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

Designed for superior reliability, the VersaLink C7000 Series features a new hardware design with fewer moving parts, strengthened paper-path components, and an advanced imaging system.

VersaLink devices are loaded with features and time-saving Xerox® technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview, easily archive, organize and search with scanned documents with built-in optical character recognition (OCR).

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional color vibrancy, solid fills and skin tones.

# CLOUD CONNECTED. PERSONALIZED EFFICIENCY.

With the VersaLink C7000 Series Color Multifunction Printer's oversize, customizable 7-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox® ConnectKey® Apps help optimize office efficiency, and on-screen access to the extensive Xerox App Gallery provides expanded functionality—like the Xerox® Easy Translator Service app, which quickly translates scanned documents into numerous languages.

Speed through tasks by saving common settings as presets for simple, single-touch job setup. With Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure, easy access to task-specific presets and commonly used apps on a personalized home screen.

# READY FOR THE WAY YOU WORK.

The VersaLink C7000 Series gives you the freedom to work where and how you want—with out-of-the-box connectivity to Google Drive™, Microsoft® OneDrive® and DropBox™, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

To learn more about VersaLink device features, go to www.xerox.com/VersaLinkEG

# XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

### **Intuitive User Experience**

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience, with gesture-based touchscreen controls and easy customization.

# Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

### Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

# **Enables Next Generation Services**

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

### Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at **www.connectkey.com**.











- 1 A 110-sheet Duplex Automatic Document Feeder (DADF) scans two-sided black-and-white or color originals for copy, scan and fax jobs.
- 2 Optional Convenience Stapler and Work Surface.
- 3 Card Reader Bay with embedded USB port.1
- 4 An easily accessible USB port¹ allows users to quickly print from or scan to any standard USB memory device.
- **5 The 100-sheet Bypass Tray** handles media sizes from 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm.
- **6** The standard **520-sheet** Tray **1** handles media sizes from 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm.
- ¹ USB ports can be disabled.



# MULTIPLE PAPER TRAY OPTIONS TO FIT EVERY NEED:

- 7 Add the Single Tray Module to the Desktop model to increase the total paper capacity to 1,140 sheets (includes Bypass Tray).
- 8 Choose the Single Tray with Stand Module to increase the total paper capacity to 1,140 sheets (includes Bypass Tray) and provides storage for toner cartridges and other supplies.
- 9 Choose the Three Tray Module increases the total paper capacity to 2,180 sheets (includes Bypass Tray). Or choose the optional High-Capacity Tandem Tray Module (not shown) allows for a total paper capacity of up to 3,140 sheets (includes Bypass Tray).
- 10 The optional High-Capacity Feeder holds 2,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 5,140 sheets.

# ADD INCREASED VERSATILITY WITH FINISHING OPTIONS:

- 11 The Dual Catch Trays (optional with Desktop model) stack up to 250 sheets each, lower tray offsets.
- 12 The optional Office Finisher LX gives you advanced finishing functions at a great value and offers optional booklet making (score, saddle-stitch).
- **13** The optional Integrated Office Finisher provides 500-sheet stacking and 50-sheet, single-position stapling.



# INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our all-new, 7-inch color touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® C7000 Series Color Multifunction Printer get more work done, faster.

# Xerox® VersaLink® C7020/C7025/C7030

ConnectKey®
Technology

The VersaLink C7020/C7025/C7030 Color Multifunction Printer is built on Xerox® ConnectKey® Technology. For more information, visit **www.connectkey.com**.

DEVICE SPECIF	ICATIONS	VersaLink C7020	VersaLink C7025	VersaLink C7030				
Speed		Up to 20 ppm	Up to 25 ppm	Up to 30 ppm				
Monthly Duty Cycle ¹	1	Up to 87,000 pages         Up to 107,000 pages         Up to 129,000 pages						
Hard Drive/Processo	or/Memory	320 GB HDD²/1.05 GHz Dual-core/4 GB memory						
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair						
Controller Features		Unified Address Book, Configuration Cloni Role Based Permissions, Convenience Auth		atform®, Xerox App Gallery, Xerox® Standard Accounting Tool,				
Copy and Print	Resolution	<b>Copy:</b> Up to 600 x 600 dpi; <b>Print:</b> Up to 12	200 x 2400 dpi					
First-copy-out Time (as fast as) As fast as 9.0 seconds color/6.9 seconds			As fast as 7.2 seconds color/ 5.8 seconds black-and-white					
First-print-out Time		As fast as 9.4 seconds color/7.2 seconds black-and-white	As fast as 9.4 seconds color/ 7.1 seconds black-and-white	As fast as 7.3 seconds color/ 5.6 seconds black-and-white				
Page Description Languages		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe® PostScript® 3™						
Paper Input Standard		<b>Duplex Automatic Document Feeder (DADF):</b> 110 sheets: Speed: up to 55 ipm; Custom sizes (duplex): 4.92 x 4.33 in. to 11.69 x 17 in./125 x 110 mm t 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in./125 x 85 mm to 297 x 431.8 mm						
		<b>Bypass Tray:</b> 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm						
Choose One		<b>Tray 1:</b> 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm						
		Single Tray Module: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Three Tray Module (1,560 sheets): 520 sheets each; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm High-Capacity Tandem Tray (2,520 sheets): Tray 2: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm; Tray 3: 870 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5; Tray 4: 1,130 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5						
	Optional		commercial, Monarch, DL, C5; Custom sizes: 3.5 ets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5	$9 \times 5.8$ in. to $6.4 \times 9.5$ in./98 $\times$ 148 mm to 162 $\times$ 241 mm in./A4 or B5				
Paper Output/	Standard	<b>Dual Catch Tray</b> ² : 250 sheets each; Lower tray offsets						
Finishing	Optional	al Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (sca						
INTUITIVE US	SER EXPER	•						
Customize and Perso		Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio						
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®						
mbedded Web Ser	ver	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning						
Preview		Preview of Scan/Fax with Zoom, Rotate, Add Page						
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft N						
Scan		Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF						
Fax				ax, Fax Forward to Email), optional Fax Over IP				
MOBILE AND	CLOUD RE	A D Y	·	· ·				
			ady, Xerox® Print Service and Mopria® Print Ser	Service and Mopria® Print Service Plug-ins for Android™				
Mobility Options		@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , Xerox [®] Mobile Link App ³ . Visit www.xerox.com/officemobileapps for available apps.						
Cloud Connectors ³		Print from/Scan to Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and n						
BENCHMARK S	ECURITY		·					
Network Security		IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Automatic Self-Signed Certificate						
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIVI/NET), Integrated Card Reader Bay						
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Com Criteria Certification (ISO 15408) (undergoing evaluation)						
Document Security		Secure Print, Secure Fax, Secure Scan, Secu						
	T GENERA	TION SERVICES						
Print Management		Xerox® Print Management and Mobility Suite4, Configuration Cloning, Xerox® Standard Accounting Tool, Equitrac4, Y Soft4 and more						
Managing Print		Xerox® Device Manager, Support Assistance, Auto Meter Read, Managed Print Services tools						
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins						
SATEWAY TO	NEW POSS	5,						
Cloud Services			e MFP Solution (U.S. only) ⁴ , many additional se	ervices available				
Kerox App Gallery		Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® apps available for adding functions.						
		is any or with Net worth the transfer of a constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Constraint of the Const						

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.



# Xerox[®] AltaLink[®] Color Multifunction Printer

The Ideal Digital Workplace Assistant for Demanding Teams







# Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 Color Multifunction Printer

Want work done right? AltaLink will help you do a lot more than just print. You can automate document workflows and connect to the systems that run your business — seamlessly. Protected by comprehensive security features, they are true Workplace Assistants that will free up time for you to do more of what really matters.

# A PRODUCTIVE WORK EXPERIENCE FOR ALL

Feel right at home instantly with AltaLink.

The intuitive and personalized tablet-like interface balances simplicity and efficiency, and reduces steps to complete tasks with a single tap.

Native mobility features, like Wi-Fi Direct (optional), make it easy for workers to print from their mobile devices and access the advanced AltaLink capabilities such as Xerox® @PrintByXerox App, Google Cloud Print™, Xerox® Print Service Plug-in for Android™ or AirPrint®.

AltaLink devices bridge the physical and digital worlds with apps and advanced scanning capabilities that allow you to digitize, route and process information in a snap. Automate tedious tasks to save time and reduce errors.

Translate documents to 50+ languages with the Xerox® Translate and Print App. Convert hard copy to audio for easy listening on the go with the Xerox® Audio Documents App. And get your handwritten note off the page and into the digital world with the Xerox® Note Converter App.

# RIGHT FIT FOR EVERY NEED

Big jobs, small jobs and everything in between — AltaLink can be customized to do it all. Your choice of finishing options and accessories means you can configure your device for any type of document.

The speed of business has never moved so fast, but the AltaLink makes it easy to keep up.

Stay in the fast lane with access to the Xerox® App Gallery. It's your gateway to an evergrowing collection of apps designed to simplify time-consuming, repetitive or complex processes as your business evolves.

Simplify IT support as your fleet grows. Fleet Orchestrator allows you to adjust configurations and settings on all your devices at once. Perform interactive training and support your users right from your desktop with the Remote Control Panel.

# **COMPREHENSIVE SECURITY**

Stop threats where they start with the comprehensive protection that's trusted by the most security-minded businesses and governments.

Built-in security, including the AltaLink Trusted Boot that protects the integrity of the device start-up process from malicious actions, McAfee® whitelisting and integrations with McAfee ePO and Cisco ISE that neutralize threats instantly at the device and protect the network. Configuration Watchdog monitors and automatically remediates critical IT-defined security settings.

Native Security Information and Event Management (SIEM) simplifies reporting and management of security events. And integration with Xerox® Printer Security Audit Service, available as part of Xerox® Intelligent Workplace Services, helps maximize printer fleet, document and content security.

# **COLOR WHERE IT COUNTS**

High-resolution output of 1200 x 2400 dpi and best-in-class HD Super Fine EA Toner plus superior color rendering and consistency will give your documents clarity and impact. You can also upgrade your AltaLink C8100 Series with the Xerox® EX-c C8100 Print Server Powered by Fiery®, delivering more options for professional-looking documents.

# XEROX® CONNECTKEY® TECHNOLOGY

### Intuitive User Experience

Enjoy a tablet-like experience with gesturebased touchscreen controls and easy personalization, plus simple workflows and functions

# Mobile and Cloud Ready

Be more mobile with cloud-hosted services and instant connectivity to cloud and mobile devices right from the user interface.

### **Comprehensive Security**

Prevent unauthorized access, detect threats and protect data and documents with built-in comprehensive security features.

# **Enables Intelligent Workplace Services**

Seamless integration with Xerox Intelligent Workplace Services delivers next-level workplace efficiency, employee productivity and security.

# Gateway to New Possibilities

Transform the way you work with the apps in the Xerox App Gallery. Or have one of our partners develop a custom solution for you.

Find out more about how you'll work smarter at www.ConnectKey.com.



# Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 Color Multifunction Printer

### Single-Pass Duplex Automatic Document Feeder (DADF)

saves time by simultaneously scanning both sides of two-sided documents up to 270 impressions per minute (ipm).



### **USER INTERFACE**



Intuitive Tablet-Like 10.1-inch

# PAPER INPUT¹

Two 520-sheet Adjustable Trays (common with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in. / A3 and Tray 2 handles media sizes up to 12 x 18 in. / SRA3.



Envelope Kit (optional — replaces Tray 1) provides feeding of up to 60 envelopes.



# High Capacity Tandem Tray Configuration holds a total paper capacity of up to

3,140 sheets.

# Four Tray Module Configuration

(available for C8130/C8135) holds a total of up to 2,180 sheets.

Bypass Tray handles up to 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 52 in. / 89 x 98 mm to 320 x 1,320 mm.



Feeder (optional) holds 3.000 sheets of letter/A4 paper, increasing the maximum paper capacity to 6,140 sheets.

320 x 1,320 mm media.

LONG SHEET PRINTING Long Sheet Feed Kit (optional) provides the ability to print up to 12.6 x 52 in. /





Color Touchscreen is customizable and lets you perform tasks in just a few taps. Try it out at xerox.com/AltaLink8100UI.

# INNOVATIVE TECHNOLOGIES



Xerox® Integrated RFID Card Reader (optional) adds card-based authentication with support for over 90 access cards.



Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile device to the AltaLink C8100 Series user panel and quickly connect with the MFP.



Smart Proximity Sensor detects when users are nearby. It conserves energy during inactive periods and automatically activates the device when a user approaches.

### PAPER OUTPUT / FINISHERS1









# Office Finisher

(optional) provides advanced finishing functions, optional crease/score and saddle-stitch booklet, making it capable of 60-page booklets (2 to 15 sheets).

Business Ready (BR) Finisher (optional) gives you advanced finishing functions at a great value.

C-Fold/Z-Fold Unit (optional) adds C-fold, Z-fold and Z-half-fold to the BR Finisher or BR Booklet Maker Finisher.

BR Booklet Maker Finisher (optional) create 64-page saddle-stitched booklets (2 to 16 sheets).



# **Dual Offset Catch Tray**

(available when no finishers are installed; Single Offset Catch Tray with finishers).



# Integrated Office Finisher

(optional with C8130/C8135/ C8145/C8155) provides 500-sheet stacking and 50-sheet, 2-position stapling.



# Convenience Stapler

(optional) staples up to 50 sheets of 20 lb. / 75 gsm media.



# Xerox® AltaLink® C8130/C8135/C8145/C8155/C8170 Color Multifunction Printer



DEVICE SPECIFICATIONS	ALTALINK® C8130	ALTALINK® C8135	ALTALINK® C8145	ALTALINK® C8155	ALTALINK® C8170			
Speed (Color/Black-and-White)	Up to 30/30 ppm	Up to 35/35 ppm	Up to 45/45 ppm	Up to 55/55 ppm	Up to 70/70 ppm			
Monthly Duty Cycle ¹	Up to 90,000 pages	Up to 110,000 pages	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages			
Hard Drive/Processor/Memory	Minimum 128 GB SSD; Optional: 500GB HDD / INTEL ATOM Quad Core, 1.9GHz/4 GB system memory (8 GB system memory AltaLink C8170)							
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, WiFi/WiFi Direct with optional Xerox® Dual Band Wireless Kit, NFC, Bluetooth (iBeacon)							
Optional Controller	Xerox® EX-c C8100 Print Server Powered by Fiery®							
Copy and Print	Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi							
First-Copy-Out Time (as fast as)	6.10 seconds color/4.50 seconds black-and-white		5.50 seconds color/4.40 seconds black-and-white	4.70 seconds color/3.70	4.00 seconds color/3.20			
(from platen/warmed-up state) First-Print-Out Time (as fast as)	5.70 seconds color//, 20 secon	5.70 seconds color/4.20 seconds black-and-white		seconds black-and-white 4.50 seconds color/3.20	seconds black-and-white 3.80 seconds color/3.00			
inst time out time (as tast as)	5.70 Seconds colon4.20 Seconds black and write		4.90 seconds color/3.80 seconds black-and-white	seconds black-and-white	seconds black-and-white			
Page Description Languages	Adobe® PostScript® 3™, Adobe	≥® PDF PCI® 5c / PCI® 6	seconds black and white	Second Black and White	Seconds Black and White			
Paper Input ² Standard	Single-Pass Duplex Automatic Document Feeder (DADF): Up to 82 ppm simplex / 141 ipm duplex (200 dpi). 130-sheet capacity for AltaLink C8130/C8135/C8145/C8155. Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in. / 85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex / 270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink C8170. Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in. / 85 x 125 mm to 297 x 432 mm.  Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 to 12.6 x 52 in. / 89 x 98 mm to 320 x 1,320 mm (SEF)  Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in. / 140 x 182 mm to 297 x 432 mm (SEF)  Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in. / 140 x 182 mm to SRA3 (SEF)							
Choose One Optional	Four Tray Module: (Trays 3 and 4 — available with AltaLink C8130/C8135): 1,040 sheets; 520 sheets each; Custom sizes: 5.5 x 7.2 to 12 x 18 in. / 140 x 182 mm to SRA3 (SEF). Total standard paper capacity: 2,180 sheets.  High Capacity Tandem Tray Module: 2,000 sheets; Sizes: 8.5 x 11 in. / A4. Total standard paper capacity: 3,140 sheets.  High-Capacity Feeder (HCF): Up to 3,000 sheets; Size 8.5 x 11 in. / A4 long edge feed. Max paper capacity with HCF: 6,140 sheets.							
·	Envelope Tray (replaces Tray 1): Up to 60 envelopes with Auto Size detection of some sizes  Long Sheet Feed Kit (banner printing): 12.6 x 52 in. / 320 x 1,320 mm  Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each; Face-up Tray: 100 sheets							
Paper Output/ Standard Finishing ²					ats stacker 50 shoots stanling			
Optional	Integrated Office Finisher: Available with AltaLink C8130/C8135/C8145/C8155, staple positions: front and rear straight. 500 sheets stacker, 50 sheets stapling 2-position stapling.  Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching  BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding  C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding and Letter C-folding to the BR Finisher and BR Booklet Maker Finisher  Convenience Stapler: 50-sheet stapling, includes Work Surface ⁵							
NTUITIVE USER EXPE	•	cer stapling, metades work surrace	-					
Customize	Customize user interface, show/hide functions, personalize user experience with authentication, create 1-Touch Apps, auto wakeup with Smart Proximity Sensor.							
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver®, Application Defaults, Xerox® Pull Print Driver							
Xerox® Embedded Web Server	PC or Mobile — Status Information, Settings, Device Management, Cloning, Fleet Orchestrator, Configuration Watchdog, Remote Control Panel							
Print Features	Print from USB, Print from Cloud Repositories (Dropbox, One Drive and Google Drive), Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settin Scaling, Job Monitoring, Application Control, Two-sided Printing, Draft Mode, Long Sheet (Banner) Printing							
Scan and Fax	Scan Preview, Scan to USB/Email/Network (FTP/SFTP/SMB), Scan To Cloud Repositories (Dropbox, One Drive and Google Drive) ³ , Scan File Formats: PDF, PDF/A, XPS, JPG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-page PDF/XPS/TIFF, Password-protected PDF; Fax Features: Walk-up Fax (one-line or two-line options available, includes LAN Fax, Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCF Server Fax, TWAIN driver (scan)							
MOBILE AND CLOUD RE								
Mobile Connectivity	Near-Field Communication (NFC); Optional: Wi-Fi Direct, Wi-Fi (802.11 b/g/n/ac), AirPrint (iOS) including iBeacon (Bluetooth)							
Mobile Printing	AirPrint, Mopria®, Xerox® Print Service (Android), Google Cloud Print, @PrintByXerox; Optional: Xerox® Workplace Mobile App (iOS/Android)							
Mobile Scanning Cloud Ready	AirPrint; Optional: Xerox® Workplace Mobile App (iOS/Android)  Remote services enabled, native "Print From" and "Scan To" cloud repositories (Dropbox, One Drive and Google Drive), direct connection to cloud hosted services via optional apps (accessed via Xerox® App Gallery app or visit xerox.com/AppGallery).							
COMPREHENSIVE SECU	RITY							
Network Security	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, McAfee® ePolicy Orchestrator®, McAfee Enterprise Security Manager³, LogRhythm SIEM³, Splunk SIEM³, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS 1.1/1.2, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, automated threat response through McAfee DXL/Cisco pxGrid integration, Local Authentication (Internal Database), FIPS 140-2							
Device Access	User Access and Internal Firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, Enablement Kit (CAC/PIV/NET/SIPRNet) ⁴ , Xerox [®] Integrated RFID Card Reader, NFC st Management and Content Security; learn more at xerox.com/WorkplaceSolutions).							
Data Protection	McAfee Embedded Control Whitelisting, Firmware Verification, Trusted Boot, Job Level Encryption via HTTPS and Drivers, Encrypted Storage Drive (AES 256 FIPS 140-2), Encrypted and Signed Email; <b>Optional</b> : Xerox® Workplace Cloud/Suite Content Security, Encrypted Hard Disk (AES 256-bit, FIPS 140-2) with Im Overwrite, McAfee Integrity Control							
Document Security	Under evaluation Common Cr	itera Ceritfication (ISO 15408) ful	l system against the HCP PP, Encry	ypted Secure Print, FIPS 140-2 En	crypted Data with Print Drivers			
NABLES INTELLIGENT	WORKPLACE SERVIC	ES						
Print Management			/Cloud, Xerox® Virtual Print Mana	gement Service, more at xerox.c	om/PrintManagement			
Fleet / Device Management	Xerox® Standard Accounting; Optional: Xerox® Workplace Suite/Cloud, Xerox® Virtual Print Management Service, more at xerox.com/PrintManagement  Xerox® CentreWare® Web, Xerox® Support Assistant, Automated Meter Read, Xerox® Cloud Fleet Management Solution, Fleet Orchestrator, Configuration  Cloning, Intelligent Workplace Services Tool Suite							
Security	Secure Device Management: Xerox® Printer Security Audit Service (auto-configuration of security settings, monitoring, and auto-remediation), Digital Certificate Management, SIEM Reporting, Interactive Dashboard Reports							
GATEWAY TO NEW POS	i e							
Xerox App Gallery	Visit xerox.com/WorkplaceA	s with apps that translate, redact, e pps to find apps by industry or work serox.com/WorkplaceSolutions)	kflow. Software and services: Xerox					
		•						

 $^{^{\}rm 1}$  Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

 $Certifications: {\color{red}\textbf{xerox.com/OfficeCertifications}}$ 





² Paper capacities are based on 20 lb. / 75 gsm stock; capacities will vary with different weight stocks

³ Available post-launch via software update

⁴ Not available in all geographies

⁵ Sold separately in some geographies

# XEROX® PRIMELINK® COPIER/PRINTER

Production ready, office-friendly black and white.



B9100/B9110/B9125/B9136



# Walk-up simplicity meets production-level capability in one compact device.

It's a copier. It's a scanner. It's a full-featured press capable of production-level performance. Meet the PrimeLink® B9100 Series—the incredibly reliable, endlessly configurable family of black and white printers from Xerox.

### THE PRIME ADVANTAGE

The Xerox® PrimeLink® B9100 Series Copier/ Printer is designed to support modern office workgroups and in-plant print shops with the widest breadth of capabilities on the market.

- A compact, high-performance configuration small enough to place near your work-group—but configurable enough to handle a full range of black and white applications.
- A fast single-pass, dual-head color scanner copies or converts pages to widely used digital formats at speeds up to 270 images per minute (ipm).
- Access to Xerox App Gallery right from the user interface, where you'll find cloud-connected apps to automate complex, time-consuming tasks for business, education, healthcare, and more.
- Easy-to-use Xerox® Integrated Copy/Print Server for touchscreen control of copy, scan, and pro-level print functions.
- Optional Xerox® EX B9100 Series Print Server powered by Fiery® provides increased efficiency, automation, advanced job setup, and other performance-boosting features to help you get more done, faster.
- Integrated security features at the machine and over the network ensure data safety and compliance with strict, industry-specific standards like HIPAA and FIPS 140-2.

# **REAL POSSIBILITIES**

Opportunities are endless with PrimeLink.
The same technologies that drive image quality and reliability in Xerox® Production
Presses are adapted to its compact footprint.

- Xerox-developed VCSEL print technology uses 32 lasers to produce true high def (2400 x 2400 dpi) text and images, consistent print densities, and neutral grays.
- Our new EA-Eco LGK toner produces rich blacks, more consistent, smoother shades of gray, and better readability with its low-gloss matte finish.
- Under-the-hood monitoring and automated toner density adjustments with our Simple Image Quality Adjustment (SIQA) for defect-free output.
- Automated technologies keep sheets on track at high speeds—even with heavier, lighter, or longer stocks—reducing jams and ensuring output accuracy.
- **Save profiles** for future use with the same stocks.
- Digital Image Registration Control
   Technology (IReCT) measures each sheet position as it runs through the printer—making precise corrections digitally in real time for ultra-high precision registration.

# PRODUCTION VERSATILITY

With a full range of feeding, stacking, and finishing options, PrimeLink takes you anywhere—from office to entry-level production and beyond.

- Insert color covers, pages, and other preprinted material post-print, pre-finishing for added application variety and productivity.
- Print everything from polyester vinyl window clings to extra-long-sheet (XLS) banners, book jackets, calendars, and more up to 26"/660 mm in length.



# SECURE AND RELIABLE REMOTE SERVICES

PrimeLink is your connection to hands- and worry-free services that keep your operation productive and profitable.

Automatic Meter Read ensures more accurate billing and saves administrative time.

Auto Supplies Replenishment monitors toner use and provides on-time, in-time delivery.

**Event-Based Data Push** sends fault-specific data to a Xerox Digital Expert for faster resolution and reduced downtime.

Rules-Based Self Help provides contextual help as well as a searchable database right at the embedded web server.

# Flexibility for every environment.

# 

FINISHING APPLICATIONS



- 1 One Tray Oversized High-Capacity Feeder
- 2 Tray 5 (Bypass Tray)
- 3 Control Panel
- 4 Integrated Single Pass Automatic Document Feeder/Scanner
- 5 Xerox® PrimeLink® B9100/B9110/ B9125/B9136 Copier/Printer
- 6 Four Internal Trays and Tray 5 (Bypass) Standard
- 7 Xerox® Interface Decurler Module
- 8 Xerox® Inserter
- 9 GBC[®] AdvancedPunch™ Pro
- 10 Xerox® High-Capacity Stacker
- 11 Xerox® Crease and Two-Sided Trimmer

- 12 Optional Xerox® C/Z Folder
- 13 Xerox® Production Ready Booklet Maker Finisher
- 14 Xerox® SquareFold® Trimmer

Note: Not all available finishing devices pictured.

# Specifications

# **PRINT ENGINES**

- Monochrome Xerographic Engine
  - AMPV: 70,000-700,000 ppm
  - Duty Cycle: 2.5 million pages per month (A4, 8.5 x 11 in. simplex)
- Print speeds
  - 100/110/125/136 ppm 8.5 x 11 in. (A4)
  - 56/69/78/82 ppm 8.5 x 14 in. (B4)
  - 50/55/62/68 ppm 11 x 17 in. (A3)
  - 34/34/34/34 ppm 12 x 18 in. (SRA3)
- First-copy-out Time
  - 3.5 seconds or less
- Simplex or duplex printing
- Up to 1200 x 1200 dpi RIP resolution and up to 2400 x 2400 dpi print resolution with halftone screen 106 lpi (default) or 150 lpi (high quality mode)
- Front to back registration
  - B9100/B9110/B9125/B9136: +/- 0.8 mm
- Automatic Meter Read (AMR) capable (where available)

# **DOCUMENT STORAGE**

• **B9100/B9110/B9125/B9136:** 320 GB or larger Hard Drive with 14.6 GB for document storage

# INTEGRATED SINGLE PASS AUTOMATIC DOCUMENT FEEDER/SCANNER

# (Copier/Printer only)

- Advanced Color Scanning
- Dual Head Scanner up to 270 ipm black and white and/or color scanning, simplex/duplex
- Optical 600 x 600 dpi 8-bit Gray (256 shades) scan resolution

- Scans in industry standard PDF, JPEG, TIFF, or multi-page TIFF; supports LDAP
- Scan to Email with Mail Delivery Notification
- Scan to Network File Server
- 250-sheet Single-pass Duplex Automatic Document Feeder
- $\bullet\,$  Throughput sizes: 5 x 8 in. to 11 x 17 in. (A5 to A3)
- Throughput weights: Simplex or duplex: 16 lb. bond to 110 lb. index (52 to 200 gsm)
- Optional Searchable PDF Scan Kit
- Optional High Compression PDF Scan Kit
- USB Scan / Save to and Print from USB (Copier/Printer only)
- Fax capability available (B9100 only)

### PAPER HANDLING

# Stock weights and capacity¹:

- Tray 1: 1,100 sheets Standard selectable sizes: Letter (8.5 x 11 in.), A4 (8.27 x 11.69 in.), JIS B5 (7.17 x 10.12 in.), Executive (7.25 x 10.5 in.)
- Tray 2: 1,600 sheets Standard selectable sizes: Letter (8.5 x 11 in.), A4 (8.27 x 11.69 in.), JIS B5 (7.17 x 10.12 in.), Executive (7.25 x 10.5 in.)
- Tray 3-4: 550 sheets each 5.5 x 7.16 in. to 13.0 x 19.2 in. (140 x 182 mm (A5) to 330 x 488 mm (SRA3))
- Tray 5 Bypass Tray: 250 sheets 3.93 x 5.82 in. to 13 x 26 in. (100 x 148 mm to 330 x 660 mm); 16 lb. bond to 129 lb. cover (52 gsm to 350 gsm)
- Optional High-Capacity Feeder: Two trays, 4,000 sheets – 11.69 x 7.16 in. to 13 x
   9.49 in. (297 x 182 mm to 330 x 241 mm); 16 lb. bond to 80 lb. cover (52 to 216 gsm)

- Optional One-Tray Oversized High-Capacity Feeder (not available with Xerox® B9136): 2,000 sheets – 3.93 x 5.82 in. to 13 x 19.2 in. (100 x 148 mm to 330 x 488 mm); 16 lb. bond to 129 lb. cover (52 to 350 gsm)
- Optional Two-Tray Oversized High-Capacity Feeder (not available with Xerox® B9100): 4,000 sheets 3.93 x 5.82 in. to 13 x 19.2 in. (100 x 148 mm to 330 x 488 mm); Tray 1 supports plain media weights up to 16 lb. bond to 110 lb. cover (52 to 300 gsm); Tray 2 supports plain media weights 16 lb. bond to 129 lb. cover (52 to 350 gsm)²
- Optional Banner Feed Guide and Banner
   Output Guide for Extra-Long-Sheet (XLS) printing
   up to 26 in./660 mm (requires either One-Tray or
   Two-Tray Oversized High Capacity Feeder)

# BASIC FINISHING (B9100 ONLY)

- Simple Catch Tray holds up to 500 sheets
- Offsetting Catch Tray allows each document to be offset from the previous document

# XEROX® INTERFACE DECURLER MODULE

 Inline paper cooling and decurler unit improves throughput and efficiency connecting Production Ready finishers, ensuring flat sheets for reliability and speed. Required for all system configurations with GBC® Advanced Punch™ Pro, Xerox® High Capacity Stacker.

Note: Refer to the  $Xerox^{\otimes}$  PrimeLink $^{\otimes}$  Product Explorer on xerox.com for all possible configurations.

1 Capacity based on 16 lb. bond to 80 lb. cover (52 gsm to 216 gsm). 2 One- or Two-Tray Oversized High Capacity Feeder required for Extra-Long-Sheet (XLS) 26 in/660 mm printing.

# Specifications for the Xerox® PrimeLink® B9100/B9110/B9125/B9136 Copier/Printer

### XEROX® INSERTER

- Inserts 250 preprinted or blank sheets into finishing for preprinted covers
- Enables trimming, punching, folding, stapling, and stacking of inserted sheets from 13 x 19.2 in. (330 x 488 mm) to 7.2 x 5.8 in. (182 x 148 mm) up to 350 qsm coated and uncoated

# GBC[®] ADVANCEDPUNCH™ PRO

- Punch for coil and comb binding near-line
- Easy-to-insert punch/hole die sets are available. Able to punch a variety of standard sheets in long or short edge, tabs, and weights up to 300 qsm
- Supports commonly used offline binding styles like comb, coil, wire, ring, and VeloBind®

# XEROX® PRODUCTION READY FINISHER

- Stapled sheet sizes 7.2" x 5.7" (182 x 146 mm) to 11.7" x 17.0" (297 mm x 432 mm)
- Handles paper weights 52-350 gsm uncoated or 72-350 gsm coated for both stacking and stapling
- Stacker Tray holds up to 3,000 sheets and can handle sizes from 5.83" x 5.75" (148 mm x 146 mm) to 13.0" x 19.2" (330.2 x 488 mm)
- Top Tray holds 500 sheets

# XEROX® PRODUCTION READY BOOKLET MAKER FINISHER

Provides same function as the Xerox® Production Ready Finisher, plus:

- Produces booklets up to 200 pages (50 sheets)
   7.17 x 10.1 in./182 x 257 mm to 13 x 19.2 in./
   330 x 488 mm in size, up to 350 qsm
- Includes 500-sheet top tray, 3,000-sheet stack tray, saddle-stitch booklet tray
- Requires Xerox® Inserter

### XEROX® BASIC PUNCH

 An option for punching 2/3 (not available in all geographies), 2/4, and Swedish 4-hole on the Xerox® Production Ready Finisher and Xerox® Production Ready Booklet Maker Finisher using standard or custom sizes

### XEROX® HIGH CAPACITY STACKER

- Enables stacking and offsetting for 5,000 sheets up to 350 gsm, using standard size sheets or custom sizes (maximum 13 x 19.2 in./330 x 488 mm to minimum 8 x 7.2 in./203 x 182 mm)
- Stacking tray with a movable cart
- Includes a 500-sheet top tray for proofs/output

# XEROX® CREASE AND TWO-SIDED TRIMMER

- Trims the head and foot of a sheet up to 0.985 in.
   (25 mm) with a minimum trim of 0.236 in. (6 mm) using standard or custom sizes (maximum 13 x 19.2 in./330 x 488 mm to minimum 7.7 x 8.3 in./194 x 210 mm) on uncoated and coated stocks up to 350 gsm
- Includes a buffering unit that extends print productivity during trimming and allows for up to five customizable mountain or valley creases on a sheet
- Use in combination with the Xerox® Production Ready Finisher and Xerox® Production Ready Booklet Maker Finisher

### XEROX® C/Z FOLDER

- Produces sheets with C and Z folds for 8.5 x 11 in. (A4)
- Produces an Engineering or Half Z fold on larger stock; This type of Z fold places a fold on 11" x 17" or A3/B4 paper
- Use in combination with Xerox® Production Ready Finisher and Xerox® Production Ready Booklet Maker Finisher

# XEROX® SQUAREFOLD® TRIMMER

- Creates flat-edged finished booklets
- Professional face trim up to 120 pages (30 sheets)
- Combine with the Two-Sided Trimmer for finished full bleed booklets
- Use in combination with the Xerox® Production Ready Booklet Maker Finisher and Xerox® Production Ready Finisher Plus

# XEROX® PRODUCTION READY FINISHER PLUS

- Provides same function as the Xerox® Production Ready Finisher with a 500-sheet top tray and 3,000-sheet stacker tray
- Used to connect third-party inline finishing options
- Requires Xerox® Inserter

# PLOCKMATIC PRO 50/35™ BOOKLET MAKER

- Highest quality production booklets up to 200 pages (50 sheets)
- Do face trimming, square fold, rotate crease and bleed trim, and hand feeding, sizes up to 12.6 x 9 in. (320 x 228.6 mm) and 300 gsm
- Connects via Xerox® Production Ready Finisher Plus

### FIP

• EIP version 3.7.3, 8th Gen UI

### **DATA SECURITY**

- Secure Print, Password Protected PDF, FIPS
   140-2 (Integrated Server only), IPsec, SNMP
   v3.0, TLS/SSL, Image Overwrite, Hard Disk Data
   Encryption, Remote Authentication with LDAP,
   SMB, or Kerberos, CaC/PIV (Common Access
   Card/Personal Identity Verification), and SIPRnet
   Smartcard authentication
- 256 Bit Encryption
- Common Criteria Certification pending
- Job Based Accounting (Xerox® B9136 only)

# **ELECTRICAL REQUIREMENTS**

- Print Engine:
  - -208 240 VAC, 60/50 Hz, 15/13 amp service
  - KVA Rating: Max Power Consumption:
     2.8 3.1 KVA
  - Agency certifications: ENERGY STAR®, EPEAT (Silver), CSA, Section 508, MEDITECH, Citrix, WHQL, Environmental Choice, GOST, NOM, RoHS, CE, WEEE Compliance
- Optional Feeding/Finishing:
  - Each module requires 100 240 VAC, 60/50 Hz power

# **PRINT SERVERS**

- Xerox® Integrated Copy/Print Server
- Optional Xerox® EX B9100 Series Print Server Powered by Fiery®

